# TOURCIA NUTRI EYE- allantoin cream NUGA MEDICAL CO., LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### ACTIVE INGREDIENT

**ACTIVE INGREDIENT: ALLANTOIN 0.5%** 

#### INACTIVE INGREDIENT

#### **INACTIVE INGREDIENTS:**

Water, Glycerin, Hydrogenated Polyisobutene, Butyrospermum Parkii (Shea) Butter, Pentaerythrityl Tetraethylhexanoate, Glyceryl Stearate SE, Niacinamide, Cyclopentasiloxane, Sucrose Stearate, Silica, Beeswax, Petrolatum, Poly C10-30 Alkyl Acrylate, Diisostearyl Malate, Sodium Polyacrylate, Phenoxyethanol, Methylparaben, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aluminum Starch Octenylsuccinate,

Trimethylsiloxysilicate, Triethanolamine, Fragrance(Parfum), Propylparaben, BHT, Sodium Cocoyl Alaninate, Propylene Glycol, Adenosine, Butylene Glycol, Disodium EDTA, Caramel, Dipeptide Diaminobutyroyl Benzylamide Diacetate, Tourmaline, PVP, Acacia Seyal Gum Extract Hydrolyzed Myrtus Communis Leaf Extract,, Potassium Sorbate, Yellow 5 (CI 19140), Gelatin, Ethylhexylglycerin, Butylparaben, Ethylparaben, Isobutylparaben Fullerenes,

#### **PURPOSE**

PURPOSE: whitening and Wrinkle Functional cosmetics (Skin Protectant)

#### WARNINGS

**WARNINGS:** 

For external use only
Do Not Use - On wounds or damaged skin
When using this product:

- do not use other than directed

Stop use - If allergic reaction or irritation occurs

#### KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

#### INDICATIONS AND USAGE

HOW TO USE:

Take a proper amount, softly apply it around eyes, and lightly tap it using your fingers before using cream.

#### DOSAGE AND ADMINISTRATION

**HOW TO USE:** 

Take a proper amount, softly apply it around eyes, and lightly tap it using your fingers before using

## PACKAGE LABEL. PRINCIPAL DISPLAY PANEL



# **TOURCIA NUTRI EYE**

allantoin cream

Product Information			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:43275-180
Route of Administration	TOPICAL	DEA Schedule	

Active Ingredient/Active Moiety						
Ingredient Name	Basis of Strength	Strength				
ALLANTO IN (ALLANTO IN)	ALLANTOIN	0.15 mg in 30 mL				

Inactive Ingredients				
Ingredient Name	Strength			
Water				
Glycerin				
Niacinamide				

## Sucrose Stearate **Packaging** Item Code Package Description **Marketing Start Date Marketing End Date** 1 NDC:43275-180-01 30 mL in 1 CARTON **Marketing Information** Application Number or Monograph Citation Marketing End Date **Marketing Category** Marketing Start Date OTC monograph final part347 10/01/2012

## Labeler - NUGA MEDICAL CO., LTD. (690034673)

## **Registrant - NUGA MEDICAL CO., LTD. (690034673)**

Establishment						
Name	Address	ID/FEI	Business Operations			
NUGA MEDICAL CO., LTD.		690034673	manufacture(43275-180)			

Revised: 2/2013 NUGA MEDICAL CO., LTD.