

**LEVOCETIRIZINE DIHYDROCHLORIDE- levocetirizine dihydrochloride tablet, coated**  
**Walgreens Company**

-----  
**Levocetirizine Dihydrochloride Tablets USP, 5 mg**

**Active ingredient (in each tablet)**

Levocetirizine dihydrochloride USP, 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

- if you have kidney disease
- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine

**Ask a doctor before use if you have**

- ever had trouble urinating or emptying your bladder

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask doctor if**

- you have trouble urinating or emptying your bladder
- an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended

- if pregnant: ask a health professional before use

### Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

adults 65 years of age and older	<ul style="list-style-type: none"> <li>• ask a doctor</li> </ul>
adults and children 12-64 years of age	<ul style="list-style-type: none"> <li>• take 1 tablet (5 mg) once daily in the evening</li> <li>• do not take more than 1 tablet (5 mg) in 24 hours</li> <li>• 1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms</li> </ul>
children 6-11 years of age	<ul style="list-style-type: none"> <li>• take 1/2 tablet (2.5 mg) once daily in the evening</li> <li>• do not take more than 1/2 tablet (2.5 mg) in 24 hours</li> </ul>
children under 6 years of age	<ul style="list-style-type: none"> <li>• do not use</li> </ul>
consumers with kidney disease	<ul style="list-style-type: none"> <li>• do not use</li> </ul>

### Other information

- store between 20° and 25°C (68° and 77°F)
- (bottles only) safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing
- (blister only) safety sealed: do not use if seal is broken or if individual blister unit is open or torn

### Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

### Questions or comments?

Call **1-888-375-3784**

### Carton Label

**ORIGINAL PRESCRIPTION STRENGTH**

**Compare to Xyzal® Allergy 24HR active ingredient##**

0363-5528-35

NEW Well at Walgreens  
WALGREENS PHARMACIST RECOMMENDED†

ORIGINAL  
PRESCRIPTION  
STRENGTH

**Levocetirizine  
24-Hour Allergy**

**Levocetirizine Dihydrochloride  
Tablets, 5 mg / Antihistamine**

Relief of:

- Sneezing
- Runny nose
- Itchy nose or throat
- Itchy, watery eyes

24 HOUR

**35 TABLETS**



**Bottle Label**

Well at Walgreens

NDC 0363-5528-35

ORIGINAL  
PRESCRIPTION STRENGTH

**Levocetirizine  
24-Hour Allergy**

**Levocetirizine Dihydrochloride  
Tablets, 5 mg / Antihistamine**

**35 TABLETS**

**Well at Walgreens**

NDC 0363-5528-35

ORIGINAL  
PRESCRIPTION STRENGTH

**Levocetirizine**  
24-Hour Allergy  
Levocetirizine Dihydrochloride  
Tablets, 5 mg / Antihistamine

**35 TABLETS**

**Active ingredient (in each tablet)**  
Levocetirizine dihydrochloride USP, 5 mg.....Antihistamine

**Purpose**  
**Uses** temporarily relieves these symptoms due to hay fever or other respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

**Warnings Do not use** ■ if you have kidney disease ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine

**Ask a doctor before use if you have** ■ ever had trouble urinating or emptying your bladder

**When using this product** ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** ■ you have trouble urinating or emptying your bladder ■ an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:** ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use

**DISTRIBUTED BY: WALGREEN CO.**  
200 WILMOT RD., DEERFIELD, IL 60015  
ITEM 871724  
100% SATISFACTION GUARANTEED W10064-0118-F  
walgreens.com ©2017 Walgreen Co. ORG0118-F-R1

MADE IN INDIA

LOT / EXP 150071125

PEEL HERE

**Reseal Area**

**Hinge**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). **Directions** **adults 65 years of age and older** ■ ask a doctor **adults and children 12-64 years of age** ■ take 1 tablet (5 mg) once daily in the evening ■ do not take more than 1 tablet (5 mg) in 24 hours ■ 1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms **children 6-11 years of age** ■ take 1/2 tablet (2.5 mg) once daily in the evening ■ do not take more than 1/2 tablet (2.5 mg) in 24 hours **children under 6 years of age** ■ do not use

**consumers with kidney disease** ■ do not use **Other information** ■ store between 20° and 25°C (68° and 77°F) ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

**Inactive ingredients** colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

**Questions and comments?** call 1-888-375-3784

<b>LEVOCETIRIZINE DIHYDROCHLORIDE</b>			
levocetirizine dihydrochloride tablet, coated			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-5528
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			

Ingredient Name		Basis of Strength	Strength	
levocetirizine dihydrochloride (UNII: SOD6A38AGA) (levocetirizine - UNII:6U5EA9RT2O)		levocetirizine dihydrochloride	5 mg	
<b>Inactive Ingredients</b>				
Ingredient Name			Strength	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
HYPROMELLOSES (UNII: 3NXW29V3WO)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Polyethylene Glycol, Unspecified (UNII: 3WJQ0SDW1A)				
<b>Product Characteristics</b>				
Color	white	Score	2 pieces	
Shape	OVAL	Size	9mm	
Flavor		Imprint Code	L;L	
Contains				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-5528-35	1 in 1 CARTON	03/12/2018	09/06/2019
1		35 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:0363-5528-55	1 in 1 CARTON	03/12/2018	09/06/2019
2		55 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:0363-5528-80	1 in 1 CARTON	03/12/2018	09/06/2019
3		80 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:0363-5528-10	2 in 1 CARTON	04/17/2018	09/06/2019
4		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA210375	03/12/2018		

**Labeler** - Walgreens Company (008965063)

