

**FIRST AID ANTISEPTIC- isopropyl alcohol liquid
REALCHEM MANUFACTURING**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

91% IPA Antiseptic

This is a first aid antiseptic manufactured according to FDA Guidance.

Active Ingredient(s)

Isopropyl Alcohol 91% v/v. Purpose: Antiseptic

Purpose

Antiseptic, Hand Sanitizer

Use

Antiseptic to decrease germs in minor cuts and scrapes and for preparation of skin prior to an injection; Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area; apply small amount of product on the area 1 to 3 times daily.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

purified water USP

Package Label - Principal Display Panel

473 ml NDC: 79363-910-16

NDC 79363-910-16

ProtectRx
HEALTH AND SAFETY PRODUCTS



- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes
- For preparation of skin prior to an injection



Keep away from heat, spark, electrical, fire, or flame.

USE ONLY IN A
WELL-VENTILATED AREA ;
FUMES MAY BE HARMFUL

**91% Isopropyl
Alcohol**

Drug Facts

Active Ingredient[s]	Purpose
Isopropyl Alcohol 91%v/v	First Aid Antiseptic

Use[s]

First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

Warnings

For external use only

■ Will produce serious gastric disturbances if taken internally.

Flammable, keep away from heat, flame, spark, or electrical.

■ Use only in a well-ventilated area; fumes may be toxic.

Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns.

When using this product ■ keep out of eyes, ears, and mouth ■ Do not apply over large areas of the body ■ Do not use longer than one week unless directed by a doctor.

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Clean the affected area ■ Apply small amount of product on the area 1 to 3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let it dry first.

Other information

■ Does not contain, nor is intended as a substitute for grain or ethyl alcohol.

■ Store at room temperature, out of direct sunlight.

Inactive Ingredients purified water.

Questions? 1-800-424-9300



407 South 17th St., Clear Lake, IA 50428
641-357-1455
www.nexchem.com

16 oz (473 mL)

NDC: 79363-910-16

- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes
- For preparation of skin prior to an injection



Keep away from heat, spark, electrical, fire, or flame.

USE ONLY IN A WELL-VENTILATED AREA ; FUMES MAY BE HARMFUL

Distributed by Eclipse MFG



91% Isopropyl Alcohol

First Aid Antiseptic



16 FL OZ (473ml)

Drug Facts	
Active Ingredient[s]	Purpose
Isopropyl Alcohol 91%v/v	First Aid Antiseptic
Use[s] First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
Warnings For external use only ■Will produce serious gastric disturbances if taken internally. Flammable, keep away from heat, flame, spark, or electrical. ■Use only in a well-ventilated area; fumes may be toxic. Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns. When using this product keep out of eyes, ears, and mouth. ■Do not apply over large areas of the body. ■Do not use longer than one week unless directed by a doctor.	
Stop use and ask a doctor if condition persists or gets worse.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■Clean the affected area. ■Apply small amount of product on the area 1 to 3 times daily. ■May be covered with a sterile bandage. ■If bandaged, let it dry first.	
Other information ■Does not contain, nor is intended as a substitute for grain or ethyl alcohol. ■Store at room temperature, out of direct sunlight.	
Inactive Ingredients purified water.	

Questions? 1-800-424-9300

Proudly made in America




NDC: 79363-910-16

- TOPICAL ANTISEPTIC AND SANITIZER
- TO DECREASE GERMS IN MINOR CUTS AND SCRAPES
- FOR PREPARATION OF SKIN PRIOR TO AN INJECTION



KEEP AWAY FROM HEAT, SPARK, ELECTRICAL, FIRE, OR FLAME.

USE ONLY IN A WELL-VENTILATED AREA; FUMES MAY BE HARMFUL



16 FL OZ (473 ML)

Drug Facts	
Active Ingredient[s]	Purpose
Isopropyl Alcohol 91%v/v	First Aid Antiseptic
Use[s] First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
Warnings For external use only ■Will produce serious gastric disturbances if taken internally. Flammable, keep away from heat, flame, spark, or electrical. ■Use only in a well-ventilated area; fumes may be toxic. Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns. When using this product keep out of eyes, ears, and mouth. ■Do not apply over large areas of the body. ■Do not use longer than one week unless directed by a doctor.	
Stop use and ask a doctor if condition persists or gets worse.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■Clean the affected area. ■Apply small amount of product on the area 1 to 3 times daily. ■May be covered with a sterile bandage. ■If bandaged, let it dry first.	
Other information ■Does not contain, nor is intended as a substitute for grain or ethyl alcohol. ■Store at room temperature, out of direct sunlight.	
Inactive Ingredients purified water.	

Questions? 1-800-424-9300

PROUDLY MADE IN AMERICA

946 ml NDC: 79363-910-32


NDC: 79363-910-32

- TOPICAL ANTISEPTIC AND SANITIZER
- TO DECREASE GERMS IN MINOR CUTS AND SCRAPES
- FOR PREPARATION OF SKIN PRIOR TO AN INJECTION



KEEP AWAY FROM HEAT, SPARK, ELECTRICAL, FIRE, OR FLAME.

USE ONLY IN A WELL-VENTILATED AREA; FUMES MAY BE HARMFUL



32 FL OZ (946 ML)

Drug Facts	
Active Ingredient[s]	Purpose
Isopropyl Alcohol 91%v/v	First Aid Antiseptic
Use[s] First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
Warnings For external use only ■ Will produce serious gastric disturbances if taken internally. Flammable, keep away from heat, flame, spark, or electrical. ■ Use only in a well-ventilated area; fumes may be toxic. Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns. When using this product: keep out of eyes, ears, and mouth; Do not apply over large areas of the body; Do not use longer than one week unless directed by a doctor. Stop use and ask a doctor if condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Clean the affected area. ■ Apply small amount of product on the area 1 to 3 times daily. ■ May be covered with a sterile bandage. ■ If bandaged, let it dry first.	
Other information ■ Does not contain, nor is intended as a substitute for grain or ethyl alcohol. ■ Store at room temperature, out of direct sunlight.	
Inactive Ingredients purified water.	

Questions? 1-800-424-9300

PROUDLY MADE IN AMERICA

NDC 79363-910-32

- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes
- For preparation of skin prior to an injection



Keep away from heat, spark, electrical, fire, or flame.

USE ONLY IN A WELL-VENTILATED AREA; FUMES MAY BE HARMFUL

ProtectRx
HEALTH AND SAFETY PRODUCTS



91% Isopropyl Alcohol

Drug Facts	
Active Ingredient[s]	Purpose
Isopropyl Alcohol 91%v/v	First Aid Antiseptic
Use[s] First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
Warnings For external use only ■ Will produce serious gastric disturbances if taken internally. Flammable, keep away from heat, flame, spark, or electrical. ■ Use only in a well-ventilated area; fumes may be toxic. Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns. When using this product: keep out of eyes, ears, and mouth; Do not apply over large areas of the body; Do not use longer than one week unless directed by a doctor. Stop use and ask a doctor if condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Clean the affected area. ■ Apply small amount of product on the area 1 to 3 times daily. ■ May be covered with a sterile bandage. ■ If bandaged, let it dry first.	
Other information ■ Does not contain, nor is intended as a substitute for grain or ethyl alcohol. ■ Store at room temperature, out of direct sunlight.	
Inactive Ingredients purified water.	

Questions? 1-800-424-9300



407 South 17th St., Clear Lake, IA 50428
641-357-1455
www.nexchem.com

32 oz (946.4 mL)

NDC: 79363-910-32

- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes
- For preparation of skin prior to an injection



Keep away from heat, spark, electrical, fire, or flame.

USE ONLY IN A WELL-VENTILATED AREA ; FUMES MAY BE HARMFUL

Distributed by Eclipse MFG



91% Isopropyl Alcohol

First Aid Antiseptic



32 FL OZ (946 ml)

Drug Facts	
Active Ingredient[s] Isopropyl Alcohol 91%w/v	Purpose First Aid Antiseptic
Use[s] First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
Warnings For external use only ■Will produce serious gastric disturbances if taken internally. Flammable, keep away from heat, flame, spark, or electrical. ■Use only in a well-ventilated area; fumes may be toxic. Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns. When using this product ■keep out of eyes, ears, and mouth■Do not apply over large areas of the body■Do not use longer than one week unless directed by a doctor.	
Stop use and ask a doctor if condition persists or gets worse.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■Clean the affected area■Apply small amount of product on the area 1 to 3 times daily■May be covered with a sterile bandage■If bandaged, let it dry first.	
Other information ■Does not contain, nor is intended as a substitute for grain or ethyl alcohol. ■Store at room temperature, out of direct sunlight.	
Inactive Ingredients purified water.	
Questions? 1-800-424-9300	

Proudly made in America



237ml NDC:79363-910-08

NDC 79363-910-08

ProtectRx

HEALTH AND SAFETY PRODUCTS



- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes
- For preparation of skin prior to an injection



Keep away from heat, spark, electrical, fire, or flame.

USE ONLY IN A WELL-VENTILATED AREA ; FUMES MAY BE HARMFUL

91% Isopropyl Alcohol

Drug Facts	
Active Ingredient[s] Isopropyl Alcohol 91%w/v	Purpose First Aid Antiseptic
Use[s] First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
Warnings For external use only ■Will produce serious gastric disturbances if taken internally. Flammable, keep away from heat, flame, spark, or electrical. ■Use only in a well-ventilated area; fumes may be toxic. Ask a doctor before use if you have deep or punctured wounds, animal bites, or serious burns. When using this product ■keep out of eyes, ears, and mouth■Do not apply over large areas of the body■Do not use longer than one week unless directed by a doctor.	
Stop use and ask a doctor if condition persists or gets worse.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■Clean the affected area■Apply small amount of product on the area 1 to 3 times daily■May be covered with a sterile bandage■If bandaged, let it dry first.	
Other information ■Does not contain, nor is intended as a substitute for grain or ethyl alcohol. ■Store at room temperature, out of direct sunlight.	
Inactive Ingredients purified water.	
Questions? 1-800-424-9300	



407 South 17th St., Clear Lake, IA 50428
641-357-1455
www.neorchem.com

8 oz (237 mL)

3785ml NDC:79363-910-28

NDC 79363-910-28

ProtectRx
HEALTH AND SAFETY PRODUCTS



Drug Facts	Active Ingredient(s)	Purpose
<p>Use(s) First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.</p> <p>Warnings For external use only. Do not use on deep or severe wounds, burns, or other serious injuries. Flammable, keep away from heat, flame, spark, or electrical. Use only in a well-ventilated area. Fumes may be toxic. Ask a doctor before use if you have dizziness or drowsiness, avoid driving, or operate heavy machinery. When using this product, keep out of eyes, ears, and mouth. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor. Stop use and ask a doctor if condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions Apply to the affected area. Apply small amount of product on the area 1 to 3 times daily. May be covered with a sterile bandage or bandage.</p> <p>Other information Do not use if you are allergic to any of the ingredients listed on the label. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Inactive Ingredients Distilled water.</p> <p>Questions? 1-800-624-0800.</p>	Isopropyl Alcohol (70%)	First Aid Antiseptic

- Topical antiseptic and sanitizer
- To decrease germs in minor cuts and scrapes
- For preparation of skin prior to an injection



Keep away from heat, spark, electrical, fire, or flame.
USE ONLY IN A WELL-VENTILATED AREA; FUMES MAY BE HARMFUL

91% Isopropyl Alcohol

Nechem
401 South 17th St., Clear Lake, IL 60423
647-323-1405
www.nechem.com

1 Gallon (3785 mL)

FIRST AID ANTISEPTIC

isopropyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79363-910
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	91 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79363-910-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/10/2020	
2	NDC:79363-910-32	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/10/2020	
3	NDC:79363-910-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/10/2020	
4	NDC:79363-910-28	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/10/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	08/10/2020	

Labeler - REALCHEM MANUFACTURING (120491681)

Establishment

Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		117584702	manufacture(79363-910) , pack(79363-910) , repack(79363-910)

Establishment

Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		117742005	manufacture(79363-910) , pack(79363-910) , repack(79363-910)

Establishment

Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		117828480	manufacture(79363-910) , pack(79363-910) , repack(79363-910)

Establishment

Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		120491681	manufacture(79363-910) , pack(79363-910) , repack(79363-910)

Revised: 2/2021

REALCHEM MANUFACTURING