

LUDENS BERRY ASSORTMENT THROAT DROPS- pectin lozenge
LUDENS WILD CHERRY THROAT DROPS- pectin lozenge
LUDENS STRAWBERRY BANANA THROAT DROPS- pectin lozenge
LUDENS GREEN APPLE THROAT DROPS- pectin lozenge
LUDENS BLUE RASPBERRY THROAT DROPS- pectin lozenge
LUDENS WATERMELON THROAT DROPS- pectin lozenge
Prestige Brands Holdings, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Ludens Pectin Throat Lozenges

Luden's Blue Raspberry Throat Drops

Drug Facts

Active ingredient (in each drop)

Pectin 2.8 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens.

Keep out of reach of children

Directions

- **Adults and children 3 years of age and older:** allow one drop to dissolve slowly in mouth.

- may be repeated as needed or as directed by a doctor.
- **children under 3 years of age:** ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place

Questions?

1-866-583-3677 Ludens.com

Inactive ingredients

ascorbic acid, citric acid, corn syrup, FD&C blue no. 1, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose, water

Luden's Blue Raspberry Throat Drops

Drug Facts

Active ingredient (in each drop)

Pectin 1.7 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens.

Keep out of reach of children

Directions

- **Adults and children 3 years of age and older:** allow one drop to dissolve slowly

in mouth.

- may be repeated as needed or as directed by a doctor.
- **children under 3 years of age:** ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place

Questions?

1-866-583-3677 Ludens.com

Inactive ingredients

ascorbic acid, citric acid, corn syrup, FD&C blue no. 1, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose, water

Luden's Watermelon Throat Drops

Drug Facts

Active ingredient (in each drop)

Pectin 2.8 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens.

Keep out of reach of children

Directions

- **Adults and children 3 years of age and older:** allow one drop to dissolve slowly in mouth.
- may be repeated as needed or as directed by a doctor.
- **children under 3 years of age:** ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place

Questions?

1-866-583-3677 Ludens.com

Inactive ingredients

ascorbic acid, citric acid, corn syrup, FD&C red no. 40, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose, water

Luden's Watermelon Throat Drops

Drug Facts

Active ingredient (in each drop)

Pectin 1.7 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens.

Keep out of reach of children

Directions

- **Adults and children 3 years of age and older:** allow one drop to dissolve slowly in mouth.
- may be repeated as needed or as directed by a doctor.
- **children under 3 years of age:** ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place

Questions?

1-866-583-3677 Ludens.com

Inactive ingredients

ascorbic acid, citric acid, corn syrup, FD&C red no. 40, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose, water

Luden's Wild Berry Throat Drops**Drug Facts****Active ingredient (in each drop)**

Pectin 2.8 mg

Purpose

Oral demulcent

Uses

- for temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens.

Keep out of reach of children

Directions

- **Adults and children 3 years of age and older:** allow one drop to dissolve slowly in mouth.
- may be repeated as needed or as directed by a doctor.
- **children under 3 years of age:** ask a doctor

Other information

- store at 68°-77°F (20°-25°C) in a dry place

Questions?

1-866-583-3677 Ludens.com

Inactive ingredients

ascorbic acid, citric acid, corn syrup, FD&C blue 1, FD&C blue 2, FD&C red 40, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, and sucrose.

Luden's Wild Cherry Throat Drops**Drug Facts****Active ingredient (in each drop)**

Pectin 1.7 mg

Purpose

Oral demulcent

Uses

- for temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children.

Directions

- **adults and children 3 years of age and older:** allow one drop to dissolve slowly in mouth.
- may be repeated as needed or as directed by a doctor
- **children under 3 years of age:** ask a doctor

Other information

- store at 20-25°C (68°-77°F) in a dry place
- do not use if clear outer wrap is opened or missing.

Inactive ingredients

Ascorbic Acid, Citric Acid, Corn Syrup, FD&C Blue No. 2, FD&C Red No. 40, Flavors, Malic Acid, Sodium Acetate, Sodium Chloride, Soybean Oil used as a processing aid, Sucrose, Water

Questions or comments?

call **1-866-583-3677**

Luden's Wild Cherry Throat Drops**Drug Facts****Active ingredient (in each drop)**

Pectin 2.8 mg

Purpose

Oral demulcent

Uses

- for temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children.

Directions

- **adults and children 3 years of age and older:** allow one drop to dissolve slowly in mouth.
- may be repeated as needed or as directed by a doctor.
- **children under 3 years of age:** ask a doctor

Other information

- store at 20-25°C (68-77°F) in a dry place

Inactive ingredients

ascorbic acid, citric acid, corn syrup, FD&C blue no. 2, FD&C red no. 40, flavors, malic acid, sodium acetate, sodium chloride, soybean oil (processing aid), sucrose, water

Questions or comments?

call 1-866-583-3677

Luden's Strawberry Banana Throat Drops

Drug Facts

Active ingredient (in each drop)

Pectin 1.7 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days

- irritation, pain or redness persists or worsens

Keep out of reach of children

Directions

- adults and children 3 years of age and older: allow one drop to dissolve slowly in mouth
- may be repeated as needed or as directed by a doctor
- children under 3 years of age: ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place
- do not use if clear outer wrap is opened or missing

Inactive ingredients

citric acid, corn syrup, FD&C blue no. 2, FD&C red no. 40, FD&C yellow no. 6, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose, water

Questions?

1-866-583-3677 Ludens.com

Luden's Strawberry Banana Throat Drops

Drug Facts

Active ingredient (in each drop)

Pectin 2.8 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult

a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children

Directions

- adults and children 3 years of age and older: allow one drop to dissolve slowly in mouth
- may be repeated as needed or as directed by a doctor
- children under 3 years of age: ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place
- do not use if clear outer wrap is opened or missing

Inactive ingredients

citric acid, corn syrup, FD&C blue no. 2, FD&C red no. 40, FD&C yellow no. 6, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose, water

Questions?

1-866-583-3677 Ludens.com

Luden's Green Apple Throat Drops

Drug Facts

Active ingredient (in each drop)

Pectin 2.8 mg

Purpose

Oral demulcent

Uses

For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children

Directions

- adults and children 3 years of age and older: allow one drop to dissolve slowly in mouth
- may be repeated as needed or as directed by a doctor
- children under 3 years of age: ask a doctor

Other information

- store at 20°-25°C (68°-77°F) in a dry place
- contains FD&C Yellow No. 5 (tartrazine) as a color additive

Inactive ingredients


citric acid, corn syrup, FD&C Blue No. 1, FD&C Yellow No. 5, flavor, malic acid, sodium acetate, sodium chloride, sucrose, water

Questions?

1-866-583-3677 Ludens.com

Principal Display Panel

**Luden's
Pectin Lozenge/Oral Demulcent
Blue Raspberry
25 Throat Drops**



New!

Soothes Your Throat
Tastes Great!

LU DEN'S[®]

Pectin Lozenge/Oral Demulcent

Blue Raspberry

25 Throat Drops

Medtech Products Inc.
Tarrytown, NY 10591
A Prestige Brands Company
LD127702

©D



Directions

■ adults and children 3 years of age and older:
allow one drop to dissolve slowly in mouth
■ may be repeated as needed or as directed by a
doctor

■ children under 3 years of age: ask a doctor

Other information

■ store at 20°-25°C (68°-77°F) in a dry place

Inactive ingredients

ascorbic acid, citric acid, corn syrup, FD&C blue no. 1, flavors, maleic acid, sodium acetate, sodium chloride, soybean oil, sucrose, water

Questions? 1-866-583-9577 Ludens.com

Keep out of reach of children
 ■ Irritation, pain or redness persists or worsens
 ■ Sore mouth does not improve in 7 days
Stop use and ask a doctor if:
 or vomiting, consult a doctor promptly. These may be serious.
Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Warnings
 Sore throat:
 and protection of irritated areas in sore mouth and sore throat.

Uses For temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat.

Active ingredient
 Pectin 2.8 mg.....
 Oral demulcent

Purpose

Drug Facts
 (in each drop)
 Pectin 2.8 mg.....
 Oral demulcent

143
 8

or like us on  Visit our website: www.ludens.com

Wild Cherry
 Watermelon
 Honey Licorice



Try our other great Luden's® flavors!

LUDEN'S®
 Blue Raspberry




Principal Display Panel

**Luden's
 Pectin Lozenge/Oral Demulcent
 Blue Raspberry
 20 Throat Drops**



Principal Display Panel

**Luden's
Pectin Lozenge/Oral Demulcent
Watermelon
25 Throat Drops**



New!

Soothes Your Throat

Tastes Great!

LUDEN'S[®]

Pectin Lozenge/Oral Demulcent

Watermelon



25 Throat Drops



©D



2 01529 1 9

Tarrytown, NY 10591
A Prestige Brands Company
LD126702

■ adults and children 3 years of age and older:
allow one drop to dissolve slowly in mouth
■ may be repeated as needed or as directed by a
doctor
■ children under 3 years of age: ask a doctor

Other Information
■ store at 20°-25°C (68°-77°F) in a dry place

Inactive Ingredients ascorbic acid, citric
acid, corn syrup, FD&C red no. 40, flavors, malic
acid, sodium acetate, sodium chloride, soybean oil,
sucrose, water

Questions? 1-866-583-3677 Ludens.com



Principal Display Panel

Luden's
Pectin Lozenge/Oral Demulcent
Watermelon
20 Throat Drops



Principal Display Panel

**Luden's
Pectin Lozenge/Oral Demulcent
Watermelon
90 Throat Drops**



Principal Display Panel

**Luden's
Pectin Lozenge/Oral Demulcent
Wild Berry
30 Drops**

← tear here • resealable bag



**GAME APP
DOWNLOAD!**

See Back of Package
for Details.

Uniquely

GOOD!

LUDEN'S[®]



WILD BERRY

Assorted Flavors

GREAT TASTING THROAT DROPS

Soothes Everyday Throat Irritation

Pectin Lozenge/Oral Demulcent

30 Drops



For over 130 years, LUDEN'S® throat drops have been soothing irritated throats with uniquely good taste.

Assorted LUDEN'S® Wild Berry throat drops are available in the following flavors: Wild Cherry, Raspberry, Grape and Strawberry. Assortment in each package may vary.

Scan our QR code to download LUDEN'S™ game app for iPhone® and Android™ smartphones or visit us at www.ludens.com/game.

Drug Facts
Active ingredient (in each drop) Pectin 2.8 mgOral demulcent
Purpose In sore mouth and sore throat.

Uses ■ for temporary relief of minor discomfort and protection of irritated areas

Warnings Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.

Stop use and ask a doctor if: ■ sore mouth does not improve in 7 days ■ irritation, pain or redness persists or worsens. **Keep out of reach of children.**

Directions ■ Adults and children 3 years of age and older: allow one drop to dissolve slowly in mouth. ■ may be repeated as needed or as directed by a doctor. ■ children under 3 years of age: ask a doctor.


Other information ■ store at 68°-77°F (20°-25°C) in a dry place

Questions? 1-866-583-3677 Ludens.com

Inactive ingredients ascorbic acid, corn syrup, FD&C blue 1, FD&C blue 2, FD&C red 40, flavors, malic acid, sodium acetate, sodium chloride, soybean oil, sucrose

©2012 Distributed by Mediatech Products Inc., Irvington, NY 10533
 A Prestige Brands Company Made in USA LD026702
 *iPhone is a registered trademark of Apple Inc.
 **Android is a registered trademark of Google Inc.

508766





Principal Display Panel

**Luden's
Pectin Lozenge
Oral Demulcent
Wild Cherry
14 Drops**



Principal Display Panel

**Luden's
Pectin Lozenge/Oral Demulcent
Wild Cherry
30 Drops**



◀ tear here • resealable bag

FREE
LUDEN'S
GAME APP
DOWNLOAD!
See Back of Package
for Details.

Uniquely
GOOD!

LUDEN'S[®]



WILD CHERRY

GREAT TASTING THROAT DROPS


Soothes Everyday Throat Irritation

Pectin Lozenge/Oral Demulcent

30 Drops

For over 130 years, LUDEN'S® throat drops have been soothing irritated throats with uniquely good taste.

Scan our QR code to download Luden's™ game app for iPhone® and Android™ smartphones or visit us at www.ludens.com/game.



Drug Facts
Active ingredient (in each drop) Pectin 2.8 mg.....Oral demulcent
Purpose

Uses ■ for temporary relief of minor discomfort and protection of irritated areas in sore mouth and sore throat

Warnings
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. These may be serious.
Stop use and ask a doctor if: a sore mouth does not improve in 7 days
Irritation, pain or redness persists or worsens
Keep out of reach of children.

Directions
■ adults and children 3 years of age and older: allow one drop to dissolve slowly in mouth.
■ may be repeated as needed or as directed by a doctor.
■ children under 3 years of age: ask a doctor.

Other information ■ store at 20-25°C (68-77°F) in a dry place

Inactive ingredients ascorbic acid, citric acid, sodium citrate, FD & C blue no. 2, FD & C red no. 40, flavors, malic acid, sodium acetate, sodium chlorophyll, soybean oil (processing aid), sucrose, water

Questions or comments? call 1-866-583-3677

©2012 Distributed by Mediatech Products Inc., Irvington, NY 10533
A Private Brands Company
Made in USA LDO 03702
* Android™ is a registered trademark of Google Inc.
* iPhone is a registered trademark of Apple Inc.

50 075 48

Principal Display Panel


**Luden's Strawberry-Banana
Pectin lozenge / Oral Demulcent
25 Throat drops**



Principal Display Panel

**Luden's Green Apple
Pectin lozenge / Oral Demulcent
25 Throat drops**





LUDENS BERRY ASSORTMENT THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-289
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	2.8 mg

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Product Characteristics

Color	red	Score	no score
Shape	CAPSULE	Size	22mm

Flavor	BERRY	Imprint Code	LUDENS	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-289-30	30 in 1 BAG; Type 0: Not a Combination Product	10/29/2009	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part356	10/29/2009		

LUDENS WILD CHERRY THROAT DROPS

pectin lozenge

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-299
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	1.7 mg	
Inactive Ingredients			
Ingredient Name	Strength		
ASCORBIC ACID (UNII: PQ6CK8PD0R)			
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
CORN SYRUP (UNII: 9G5L16BK6N)			
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
MALIC ACID (UNII: 817L1N4CKP)			
SODIUM ACETATE (UNII: 4550K0SC9B)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
SOYBEAN OIL (UNII: 241ATL177A)			
SUCROSE (UNII: C151H8M554)			
Product Characteristics			
Color	red	Score	no score
Shape	CAPSULE	Size	22mm

Flavor	CHERRY	Imprint Code	LUDENS
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-299-14	14 in 1 CARTON; Type 0: Not a Combination Product	10/29/2009	
2	NDC:52183-299-20	20 in 1 BOX; Type 0: Not a Combination Product	10/29/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	10/29/2009	

LUDENS WILD CHERRY THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-229
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	2.8 mg

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	red	Score	no score
Shape	CAPSULE	Size	22mm
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-229-30	30 in 1 BAG; Type 0: Not a Combination Product	10/29/2009	
2	NDC:52183-229-90	90 in 1 BAG; Type 0: Not a Combination Product	10/29/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	10/29/2009	

LUDENS STRAWBERRY BANANA THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-208
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	1.7 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K05C9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	21mm
Flavor	STRAWBERRY (Strawberry Banana) , BANANA (Strawberry Banana)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-208-20	20 in 1 CARTON; Type 0: Not a Combination Product	07/01/2015	08/31/2021

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	07/01/2015	08/31/2021

LUDENS STRAWBERRY BANANA THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-209
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	2.8 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	

WATER (UNII: 059QF0KO0R)

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	23mm
Flavor	STRAWBERRY (Strawberry Banana) , BANANA (Strawberry Banana)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-209-25	25 in 1 BAG; Type 0: Not a Combination Product	07/01/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	07/01/2015	

LUDENS GREEN APPLE THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-204
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	2.8 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	green	Score	no score
Shape	CAPSULE	Size	23mm
Flavor	APPLE (Green Apple)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-204-25	25 in 1 BAG; Type 0: Not a Combination Product	08/01/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	08/01/2015	

LUDENS BLUE RASPBERRY THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-101
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	1.7 mg

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	21mm
Flavor	RASPBERRY (Blue Raspberry)	Imprint Code	ludens
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-101-01	20 in 1 CARTON; Type 0: Not a Combination Product	10/29/2009	08/31/2021

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	10/29/2009	08/31/2021

LUDENS BLUE RASPBERRY THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-201
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	2.8 mg

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	23mm
Flavor	RASPBERRY (Blue Raspberry)	Imprint Code	ludens
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-201-01	25 in 1 BAG; Type 0: Not a Combination Product	10/29/2009	08/31/2021

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	10/29/2009	08/31/2021

LUDENS WATERMELON THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-102
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	1.7 mg

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	

WATER (UNII: 059QF0KO0R)

Product Characteristics

Color	red (light red)	Score	no score
Shape	OVAL	Size	21mm
Flavor	WATERMELON	Imprint Code	ludens
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-102-01	20 in 1 CARTON; Type 0: Not a Combination Product	10/29/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	10/29/2009	

LUDENS WATERMELON THROAT DROPS

pectin lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52183-202
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECTIN (UNII: 89NA02M4RX) (PECTIN - UNII:89NA02M4RX)	PECTIN	2.8 mg

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CORN SYRUP (UNII: 9G5L16BK6N)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MALIC ACID (UNII: 817L1N4CKP)	
SODIUM ACETATE (UNII: 4550K0SC9B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SOYBEAN OIL (UNII: 241ATL177A)	
SUCROSE (UNII: C151H8M554)	

WATER (UNII: 059QF0KO0R)

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	23mm
Flavor	WATERMELON	Imprint Code	ludens
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52183-202-01	25 in 1 CARTON; Type 0: Not a Combination Product	10/29/2009	
2	NDC:52183-202-90	90 in 1 BAG; Type 0: Not a Combination Product	10/29/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	10/29/2009	

Labeler - Prestige Brands Holdings, Inc. (159655021)

Revised: 12/2021

Prestige Brands Holdings, Inc.