#### SORBITOL- sorbitol solution Geritrex LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Sorbitol Solution

#### **Active Ingredients**

Active Ingredients . . . . . . . Purpose Sorbitol 70% . . . . . . . . . . Laxative

#### Uses

For occasional relief of constipation.

#### **Directions**

For adults or children 12 years or over. Use 2-4 TBSP (30-60ml) daily or as directed by a Physician.

Use 2-4 TBSP (30-60ml) daily or as directed by a Physician.

#### Warnings

This product does not contain a child resistant cap. Keep out of reach of children. In case of accidental overdose, contact a doctor or a poison control center.

Cautions

Stop use if you are having rectal bleeding or failure to have a bowel movement after use. If adverse effects call 1-800-736-3437

Unless directed by your doctor

Do not take any laxative if you are having abdominal pain, nausea, or vomiting.

Laxative products should not be used longer than a week. Ask a pharmacist or doctor if

- You have noticed a sudden change in bowel habits that persist over two weeks after using this product.
- You are pregnant or breast feeding before use.

#### Water

Store at room temperature (59°F-86°F). Below 59°F cloudiness may occur. Application of heat may restore clarity and fluidity without affecting the quality of Sorbitol. DO NOT FREEZE.

Keep out of reach of children. In case of accidental overdose, contact a doctor or a poison control center.

# **Sorbitol** SOLUTION

U.S.P. (70%w/w)

For occasional relief of constipation

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

16 FL. OZ (474ml)

	i	

**Drug Facts** 

Stop use if you are having rectal bleeding or failure to have a bowel movement after use. If adverse effects call 1-800-736-3437

Unless directed by your doctor

Do not take any laxative if you are having abdominal pain, nausea, or vontiting.

Laxative products should not be used longer than a week.

Ask a pharmacist or doctor if

You have noticed a sudden change in bowel habits that persist over two weeks after using this product.

You are pregnant or breast feeding before use.

This product does not contain a child resistant cap. Keep out of reach of children. In case of accidental overdose, contact a doctor or a

For adults or children 12 years or over. Use 2-4 TBSP (30-60ml) daily or as directed by a Physician

Store at room temperature (59°-86°F), Below 59°F cloudiness may occur. Application of hear may restore clarity and fluidity without affecting the quality of Schottol.

DO NOT FREZE. No animat testing Latex free.











Denue Foods
Artice Ingrediente Durnos
Scriptol 70% Laxative
Uses: For occasional relief of constipation.
Warnings This product does not contain a child resistant cap. Keep out of reach of children. In case of accidental overdose, contact a doctor or a poison control center.
Cautions Silop use if you are having rectal bleeding or failure to have a bowed movement after use. If adverse effects call 1,800-736- 3437.
Unless directed by your doctor to bot take any laxitive if you are having abdominal pain, nances, or vonting Laxative products should not be used forger than a week.
Ask a pharmacist or doctor If  You have noticed a sudder classing in bowel habits that persist over two weeks after using this product  You are pregnant or breast feeding before use.
Directions For adults or children 12 years or over. Use 2-4 TBSP (30-60ml) daily or as directed by a Physician.
Other Information Other Life at montpeaker (59F-88F). Below 59F cloudiness may occur. Application of heat may restore clarity and fluidity without affecting the quality of Serbiol.
DO NOT FREEZE. No animal testing. Latex free.

### **SORBITOL**

sorbitol solution

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54162-700	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
SORBITOL (UNII: 506T60A25R) (SORBITOL - UNII:506T60A25R)	SORBITOL	258.2 g in 474 mL		

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:54162-700- 16	474 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/31/2015		
NDC:54162-700- 30	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product	07/31/2015		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part334	07/17/2012		

## Labeler - Geritrex LLC (112796248)

## Registrant - Geritrex LLC (112796248)

Establishment				
Name	Address	ID/FEI	Business Operations	
Geritrex LLC		112796248	manufacture(54162-700)	

Revised: 1/2018 Geritrex LLC