

**HUMCO SODIUM BICARBONATE- sodium bicarbonate powder**  
**Humco Holding Group, Inc.**

-----  
**Humco Sodium Bicarbonate, USP**

Drug Facts

**Active Ingredient**

Sodium Bicarbonate, USP

**Purpose**

Antacid

**Use**

For relief of heartburn, acid indigestion, and upset stomach associated with these symptoms.

**Warnings**

**NOT FOR INJECTIONS**

Except under supervision of a doctor do not administer to children under 6 years of age.

Do not take more than six, 1/2 tsp. per person up to 60 years old, or three 1/2 tsp. per person 60 years or older in a 24 hour period.

Do not use this product if you are on a sodium restricted diet (each 1/2 tsp. contains 30 mEq (0.7 g) Sodium).

Do not use the maximum dose more than 2 weeks.

**Ask a doctor or pharmacist before use if**

you are currently taking a prescription drug. Antacids may interact with certain prescription drugs.

**Keep out of reach of children.**

In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

**Directions**

Adult and children 6 yrs of age and older:

Take 1/2 tsp. in 1/2 glass (4 fl oz) of water every 2 hrs. up to maximum dosage or as directed by doctor.

## Inactive ingredients

none

## Packae Principal Display Pannel

Label 4 oz

<p><b>Drug Facts</b></p> <table border="1"><thead><tr><th>Active ingredient</th><th>Purpose</th></tr></thead><tbody><tr><td>Sodium Bicarbonate USP .....</td><td>Antacid</td></tr></tbody></table> <p><b>Use</b> For relief of heartburn, acid indigestion, and upset stomach associated with these symptoms.</p> <p><b>Warnings</b> NOT FOR INJECTIONS. <b>Except under supervision of a doctor:</b> • Do not administer to children under 6 years of age. • Do not take more than six, 1/2 tsp. per person up to 60 years old, or three, 1/2 tsp. per person 60 years or older in a 24 hour period. • Do not use this product if you are on a sodium restricted diet (each 1/2 tsp. contains 30mEq. (0.7g) Sodium). • Do not use the maximum dose for more than 2 weeks.</p> <p><b>Ask a doctor or pharmacist before use if you are currently taking a prescription drug.</b> Antacids may interact with certain prescription drugs. <i>Continued</i> ▶</p>	Active ingredient	Purpose	Sodium Bicarbonate USP .....	Antacid	<p>NDC 0395-2685-94 <small>*SAFETY SEALED</small></p> <p><b>SODIUM BICARBONATE</b> USP <b>ORAL POWDER</b></p> <p>The Traditional Home Health Care Solutions</p> <p><b>Antacid</b></p> <p><b>4 OZ (113g)</b></p> <p><b>HUMCO</b>™</p>	<p><b>*Warning:</b> Do not use if Tamper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or a foil seal under cap.</p> <p><b>Drug Facts (Continued)</b></p> <p><b>Keep out of reach of children.</b> In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.</p> <p><b>Directions</b> <b>Adults and children 6 yrs of age or older:</b> Take 1/2 level tsp. in 1/2 glass (4 fl oz) of water every 2 hrs. up to maximum dosage or as directed by doctor.</p> <p>Packed by: R120712.RLG HUMCO, Texarkana, TX 75501 Questions or Comments? 1-800-662-3435 "We Help People Feel Better"</p> <p>3 03952 68594 4</p>
Active ingredient	Purpose					
Sodium Bicarbonate USP .....	Antacid					

## Principal Display Pannel

Label 16 oz

**Drug Facts**

**Active ingredient Purpose**  
Sodium Bicarbonate USP.....Antacid

**Use**

For relief of heartburn, acid indigestion, and upset stomach associated with these symptoms.

**Warnings**

NOT FOR INJECTIONS.

**Except under supervision of a doctor:** ■ Do not administer to children under 6 years of age.

■ Do not take more than six, ½ tsp. per person up to 60 years old, or three, ½ tsp. per person 60 years or older in a 24 hour period.

■ Do not use this product if you are on a sodium restricted diet (each ½ tsp. contains 30mEq. (0.7g) Sodium).

■ Do not use the maximum dose for more than 2 weeks.

**Ask a doctor or pharmacist before use** if you are currently taking a prescription drug. Antacids may interact with certain prescription drugs.

*Continued ▶*

\* Go to: [www.simplehomeremedies.com](http://www.simplehomeremedies.com) to find helpful hints and learn more about Sodium Bicarbonate.

NDC 0395-2685-01

\*SAFETY SEALED

USP

**SODIUM BICARBONATE**  
ORAL POWDER

The Traditional Home Health Care Solutions



\*Antacid

16 OZ  
(1 LB) 454g

HUMCO™

**WARNING:** Do not use if Tamper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or foil seal under cap.

**Drug Facts (Continued)**

**Keep out of reach of children.** In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

**Directions**

**Adults and children 6 yrs of age or older:** Take ½ level tsp. in ½ glass (4 fl oz) of water every 2 hrs. up to maximum dosage or as directed by doctor.

R120712.RLG



3 03952 68501 2

Packed by:

HUMCO, Texarkana, TX 75501  
Questions or Comments?

☎1-800-662-3435

"We Help People Feel Better"

**New Label**

**Drug Facts**

**Active ingredient Purpose**  
Sodium Bicarbonate USP.....Antacid

**Indications** For relief of heartburn, acid indigestion, and upset stomach associated with these symptoms.

**Warnings**

NOT FOR INJECTIONS.

**Except under supervision of a doctor:**

• Do not administer to children under 6 years of age. • Do not take more than six, ½ tsp. per person up to 60 years old, or three, ½ tsp. per person 60 years or older in a 24 hour period. • Do not use this product if you are on a sodium restricted diet (each ½ tsp. contains 30 mEq. (0.7g) Sodium). • Do not use the maximum dose for more than 2 weeks.

**Ask a doctor or pharmacist before use** if you are currently taking a prescription drug. Antacids may interact with certain prescription drugs.

*Continued ▶*

SODIUM BICARBONATE ORAL POWDER

HUMCO™

A trusted name in home health care

\* Safety Sealed Gastro-intestinal

USP

ANTACID

4 oz (113g)

**\*Warning:** Do not use if Tamper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or a foil seal under cap.

**Drug Facts (Continued)**

**Keep out of reach of children.** In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

**Directions**

**Adults and children 6 yrs of age or older:** Take ½ level tsp. in ½ glass (4 fl oz) of water every 2 hrs. up to maximum dosage or as directed by doctor.



3 03952 68594 4  
Packed by: HUMCO, Texarkana, TX 75501  
Questions or Comments? ☎1-800-662-3435  
"We Help People Feel Better"

\* Go to: [www.simplehomeremedies.com](http://www.simplehomeremedies.com) to find helpful hints, and learn more about Sodium Bicarbonate

R113017

**HUMCO SODIUM BICARBONATE**

sodium bicarbonate powder

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0395-2685
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM BICARBONATE	1000 mg in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0K00R)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0395-2685-94	113 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/14/2017	
2	NDC:0395-2685-01	454 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/14/2017	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M001	03/25/1998	

**Labeler** - Humco Holding Group, Inc. (825672884)

**Registrant** - Pharma Nobis, LLC (118564114)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Pharma Nobis, LLC		118564114	label(0395-2685) , manufacture(0395-2685) , pack(0395-2685) , analysis(0395-2685)