## LORATADINE- loratadine tablet Publix Super Markets Inc

-----

**Drug Facts** 

#### **ACTIVE INGREDIENT (IN EACH TABLET)**

Loratadine USP, 10 mg

#### **PURPOSE**

Antihistamine

#### **USES**

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

#### **WARNINGS**

#### Do not use

If you have ever had an allergic reaction to this product or any of its ingredients.

#### Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

#### When using this product

Do not take more than directed. Taking more than directed may cause drowsiness.

#### Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

#### If pregnant or breast-feeding

Ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **DIRECTIONS**

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours			
children under 6 years of age	ask a doctor			
consumers with liver or kidney disease ask a doctor				

#### OTHER INFORMATION

- store between 20 and 25° C (68 and 77° F)
- protect from excessive moisture
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

#### **INACTIVE INGREDIENTS**

Corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

#### PRINCIPAL DISPLAY PANEL

**Publix** 

24 - HOUR

allergy relief

LORATADINE TABLETS USP, 10 mg

#### **ANTIHISTAMINE**

- sneezing
- runny nose
- itchy, watery eyes
- itchy throat or nose

#### **10 TABLETS**

**NON-DROWSY**\*


See Drug Facts Panel.

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.

5084017/0211

<sup>\*</sup>When taken as directed.

<sup>\*\*</sup>Compare to Active Ingredient in Claritin®



ask a doctor	consumers with liver or kidney disease
ask a doctor	children under 6 years of age
1 tablet daily; not more than 1 tablet in 24 hours	adults and children 6 years and over
11 × 11 × 11 × 11 × 11 × 11 × 11 × 11	DILECTIONS

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right If pregnant or breast-feeding, ask a health professional before use.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a

Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Warnings

■ runny nose ■ itching of the nose or throat 6uizəəus ■ ■ itchy, watery eyes USes temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

> Loratadine USP, 10 mg...... Active ingredient (in each tablet)

> > Drug Facts





enimstairlitnA. Purpose

> 24 - HOUR Publix allergyrelief

> > LORATADINE TABLETS USP, 10 mg

# allergyrelief

LORATADINE TABLETS USP, 10 mg

**ANTIHISTAMINE** 



- sneezing runny nose
- itchy, watery eyes
- itchy throat or nose

ACTUAL SIZE

**NON-DROWSY\*** 

TABLETS \*When taken as directed. See drug facts panel.

\*\*Compare to Active Ingredient in Claritin® Non Varnish Area

This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc. CLARITIN® is a registered trademark of Schering Corporation.

See end panel for expiration date. Keep the carton. It contains important information.

Inactive ingredients com starch, lactose monohydrate, magnesium stearate, pregelatinized starch

Drug Facts (continued)

**Publix** 24 - HOUR

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC. 3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811 1-888-267-3037 publix.com PUBLIX GUARANTEE: COMPLETE SATISFACTION OR YOUR MONEY BACK

#### LORATADINE

loratadine tablet

#### **Product Information**

Product TypeHUMAN OTC DRUG LABELItem Code (Source)NDC:56062-526

Route of Administration ORAL DEA Schedule

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
		10

LORATADINE (LORATADINE) LORATADINE 10 mg

#### **Inactive Ingredients**

	Ingredient Name	Strength
STARCH, CORN		
LACTOSE MONOHYDRATE		
MAGNESIUM STEARATE		

STARCH, PREGELATINIZED CORN

#### Product Characteristics

1 Totalet Characteristics			
Color	white (White to Off-White)	Score	no score
Shape	ROUND	Size	6 mm
Flavor		Imprint Code	RX526
Contains			

## Packaging

	r ucing mg			
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
1 N	DC:56062-526-69	10 in 1 BLISTER PACK		
2 N	DC:56062-526-31	30 in 1 BLISTER PACK		
3 N	DC:56062-526-90	60 in 1 BOTTLE		

#### **Marketing Information**

Wat Keting Intol matton			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	08/19/2003	

### Labeler - Publix Super Markets Inc (006922009)

**Registrant -** Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ohm Laboratories Inc.		051565745	manufacture(56062-526)	

Revised: 12/2012 Publix Super Markets Inc