# GOOD SENSE CHILDRENS MUCUS RELIEF- dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

# L. Perrigo Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# Perrigo Children's Mucus Relief Drug Facts

# Active ingredients (in each 5 mL)

Dextromethorphan HBr 5 mg
Guaifenesin 100 mg
Phenylephrine HCl 2.5 mg

# **Purposes**

Cough suppressant

Expectorant

Nasal decongestant

# Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help your child get to sleep
- nasal congestion due to a cold
- stuffy nose

# Warnings

# Do not use

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

# Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

# When using this product

# do not use more than directed

# Stop use and ask a doctor if

- your child gets nervous, dizzy or sleepless
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter

Age	Dose
children 6 years to under 12 years	10 mL every 4 hours
children 4 years to under 6 years	5 mL every 4 hours
children under 4 years	do not use

# Other information

- each 5 mL contains: sodium 3 mg
- do not use if printed neckband is broken or missing
- store at 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

# **Inactive ingredients**

anhydrous citric acid, edetate disodium, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

# Questions or comments?

1-800-719-9260

# Package/Label Principal Display Panel

Children's

Mucus Relief

Multi-Symptom Cold

Guaifenesin 100 mg

Expectorant

Dextromethorphan HBr 5 mg

**Cough Suppressant** 

Phenylephrine HCl 2.5 mg

Nasal Decongestant

Stuffy Nose

Cough

**Chest Congestion** 

Breaks Up Mucus

Very Berry Flavor Liquid

Compare to active ingredients of Children's Mucinex® Multi-Symptom Cold

4 FL OZ (118 mL)





NDC 0113-0839-26

# GOODSENSE<sub>®</sub>

Age4+

Children's

# Multi-symptom cold

Guaifenesin 100 mg Expectorant

Dextromethorphan HBr 5 mg Cough Suppressant

Phenylephrine HCl 2.5 mg Nasal Decongestant



- Stuffy Nose
- Cough
- Chest Congestion
- Breaks Up Mucus



Compare to active ingredients of Children's Mucinex® Multi-Symptom Cold



# GOODSENSE<sub>®</sub>

Age4+


Children's

# Nucus Relei Multi-Symptom Cold

Each dose of very berry flavored Children's Mucus Relief Multi-Symptom Cold Liquid:

- Controls Cough
- Relieves Chest Congestion
- Breaks Up Mucus
- Relieves Stuffy Nose





# Multi-SymptomCold

# **COODSENSE®**

# **Drug Facts**

## Active ingredients Purposes (in each 5 mL)

Dextromethorphan HBr 5 mg......Cough suppressant Guaifenesin 100 mg......Expectorant Phenylephrine HCl 2.5 mg......Nasal decongestant

- me helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help your child get to sleep
  - nasal congestion due to a cold
- stuffy nose

# Warnings

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

# Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
   diabetes
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

### When using this product do not use more than directed

## Stop use and ask a doctor if

- your child gets nervous, dizzy or sleepless
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children, in case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

# Directions

# Drug Facts (continued)

Age	Dose
children 6 years to under 12 years	10 mL every 4 hours
children 4 years to under 6 years	5 mL every 4 hours
children under 4 years	do not use

# Other information

- each 5 mL contains: sodium 3 mg
- do not use if printed neckband is broken or missing
- store at 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

Inactive ingredients anhydrous citric acid, edetate disodium, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

## Questions or comments? 1-800-719-9260

### Gluten Free

Distributed By



Allegan, MI 49010





Learn about teen medicine abuse www.StopMedicineAbuse.org



# GOOD SENSE CHILDRENS MUCUS RELIEF

dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-0839
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL	
<b>PHENYLEPHRINE HYDRO CHLO RIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		

SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics			
Color	RED (clear)	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
1 NDC:0113-0839-26	1 in 1 CARTON	03/25/2014	
1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/25/2014	

# Labeler - L. Perrigo Company (006013346)

Revised: 11/2020 L. Perrigo Company