

**SUPHEDRINE PE SINUS PLUS ALLERGY- chlorpheniramine maleate,  
phenylephrine hcl tablet  
ARMY AND AIR FORCE EXCHANGE SERVICE**

-----  
**Exchange Select 44-462**

***Active ingredients (in each tablet)***

Chlorpheniramine maleate 4 mg  
Phenylephrine HCl 10 mg

***Purpose***

Antihistamine  
Nasal decongestant

***Uses***

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itching of the nose or throat
  - itchy, watery eyes
  - sinus congestion and pressure
  - nasal congestion

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- high blood pressure
- heart disease
- thyroid disease
- diabetes
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

### **When using this product**

- **do not exceed recommended dosage**
- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: do not use

### ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

### ***Questions or comments?***

**1-800-426-9391**

### **Principal Display Panel**

exchange ✓ **select™**

**SINUS**

**SUPHEDRINE PE**  
**SINUS + ALLERGY**

Chlorpheniramine maleate 4 mg, Phenylephrine HCl 10 mg  
Antihistamine, Nasal Decongestant

- **Sneezing**
- **Itchy Eyes**
- **Runny Nose**
- **Sinus Pressure**
- **Congestion**

**Actual Size**

**24 Tablets**

**TAMPER EVIDENT: DO NOT USE  
IF PACKAGE IS OPENED OR  
IF BLISTER UNIT IS TORN,  
BROKEN OR SHOWS ANY  
SIGNS OF TAMPERING**

50844      REV0319D46208

**"SATISFACTION GUARANTEED OR YOUR MONEY BACK"**

Manufactured For Your Military Exchanges

Distributed by: LNK International, Inc.

Hauppauge, NY 11788

1-800-426-9391

exchange select

**SUPHEDRINE PE**

SINUS + ALLERGY

SINUS

**SUPHEDRINE PE**

SINUS + ALLERGY

Chlorpheniramine maleate 4 mg, Phenylephrine HCl 10 mg

Antihistamine, Nasal Decongestant

- Sneezing
- Itchy Eyes
- Runny Nose

- Sinus Pressure
- Congestion

**24** Actual Size Tablets

exchange select

**SUPHEDRINE PE**

SINUS + ALLERGY

TAMPER EVIDENT: DO NOT USE  
IF PACKAGE IS OPENED OR  
IF BLISTER UNIT IS TORN,  
BROKEN OR SHOWS ANY  
SIGNS OF TAMPERING

No print area  
Lot no/Exp date

quality value

B-0066E-462-08-R

REV0319D46208

50844 REV0319D46208



6 14299 40441 0

**"SATISFACTION GUARANTEED OR YOUR MONEY BACK"**

Manufactured For Your Military Exchanges

Distributed by: LNK International, Inc.

Hauppauge, NY 11788

1-800-426-9391

**Questions or comments?** 1-800-426-9391

**Inactive ingredients** croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

**Other information**

- ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.
- Ask a doctor before use if you have ■ high blood pressure ■ heart disease ■ thyroid disease ■ diabetes ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland ■ a breathing problem such as emphysema or chronic bronchitis
- Ask a doctor or pharmacist before taking this product.
- Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Warnings**

- nasal congestion ■ sneezing ■ sinus congestion and pressure
- itchy, watery eyes ■ runny nose ■ itching of the nose or throat
- (allergic rhinitis) or other upper respiratory allergies: ■ temporarily relieves these symptoms due to hay fever

**Uses**

Phenylephrine HCl 10 mg ..... Nasal decongestant

Chlorpheniramine maleate 4 mg ..... Antihistamine

**Purpose**

**Drug Facts**

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

**Directions**

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: do not use

**Other information**

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients** croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

**Questions or comments?** 1-800-426-9391

Exchange Select 44-462

## SUPHEDRINE PE SINUS PLUS ALLERGY

chlorpheniramine maleate, phenylephrine hcl tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-462
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients	
Ingredient Name	Strength
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;462
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-462-08	1 in 1 CARTON	06/09/2005	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/09/2005	

**Labeler** - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55301-462) , pack(55301-462)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55301-462)