# CVS FAST ACTING BABY TEETHING - benzocaine gel CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## drug facts

Active ingredient Purpose

Benzocaine 7.5%.....Oral Pain Reliever

#### Uses

- temporary relief of sore gums due to teething in infants and children 4 months and older

**Keep out of reach of children.** If case of allergic reaction or overdose, seek medical attention or contact

a Poison Control Center immediately.

#### Uses

- temporary relief of sore gums due to teething in infants and children 4 months or older

**Other information-** do not use if tube tip is cut prior to opening **Warnings** 

**Allergy alert:** do not use this product if your baby has a history of allergy to local anesthetics such as butacaine, benzocaine, procaine, or other "caine" anesthetics

**Do not use** - more than directed - for more than 7 days, unless directed by a dentist or doctor

**When using this product** - fever and nasal congestion are not symptoms of teething and may indicate the presence of infection. if these symptoms persist, contact your dentist or doctor.

### Stop use and consult a dentist or doctor if:

- sore gum symptoms do not get better in 7 days
- irritation, pain or redness does not go away rash, swelling or fever develops

**Keep out of the reach of children.** In case of allergic reaction or overdose, seek medical attention or contact a Poison Control Center immediately.

### **Directions**

- clean hands thoroughly cut open tip of tube on score line
- use your fingertip or cotton swab to apply a small, pea-size amount of CVS Baby Teething Gel
- apply to the affected area up to four times a day or as directed by a dentist or doctor
- consult a dentist or doctor for infants under 4 months of age

## Other information

do not use if tube tip is cut prior to opening

# **Inactive Ingredients**

FD and C red no. 4, flavor, glycerin, propylene glycols, purified water, sodium saccharine, sorbic acid, sorbitol

CVS/Pharmacy Baby Teething Gel Pain Medication is a safe, soothing gel, with a pleasant cherry flavor, that helps relieve teething pain immediately by its topical anesthetic effect on the gums.

\*This product is not manufactured or distributed by DEL PHARMACEUTICAL, INC., owner of the register trademark Baby Orajel.9

## **Drug Facts**

Active ingredient
Benzocaine 7.5%.....

**Purpose** 

Oral Pain Reliever

#### Uses

temporary relief of sore gums due to teething in infants and children 4 months and older

#### Warnings

Allergy alert: do not use this product if your baby has a history of allergy to local anesthetics such as butacaine, benzocaine, procaine, or other "caine" anesthetics

Do not use ■ more than directed ■ for more than 7 days, unless directed by a dentist or doctor

When using this product effection. If these symptoms persist, contact your dentist or doctor.

Stop use and consult a dentist or doctor if: ■ sore gum symptoms do not get better in 7 days

■ irritation, pain or redness does not go away
■ rash, swelling or fever develops

Keep out of reach of children. In case of allergic reaction or overdose, seek medical attention or contact a Poison Control Center immediately.

#### **Directions**

- clean hands thoroughly
   cut open tip of tube on score line
- use your fingertip or cotton swab to apply a small, pea-size amount of CVS Baby Teething Gel
- apply to the affected area up to four times a day or as directed by a dentist or doctor
- consult a dentist or doctor for infants under 4 months of age

#### Other information

do not use if tube tip is cut prior to opening

### **Inactive ingredients**

FD&C red no. 4, flavor, glycerin, polyethylene glycols, purified water, sodium saccharin, sorbic acid, sorbitol

81085 #910

ORAL PAIN RELIEVER

Benzocaine 7.5%

CVS

Fast-acting BABY



© 2008 CVS/pharmacy, Inc. Woonsocket, RI 02895





NET WT 0.33 OZ. (9.4g)

8enzocaine 7.5%

ORAL PAIN RELIEVER

**6**นเววช-15ช-1

\*Compare to the active ingredient in Baby Orajel® Teething Pain Medicine



рувьшвей

8enzocaine 7.5%

TEETHING ORAL PAIN RELIEVER

Fast-acting BABY

CAS

Benzocaine 7.5%

BABY TEETHING GEL BABY TEETHING GEL ORAL PAIN RELIEVER

рувьшас» СЛЗ

02/08 8x0e0cas-01

• Relieves teething pain

BABY TEETHING GEL with safety-sealed tube tip



## CVS FAST ACTING BABY TEETHING

benzocaine gel

## **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:59779-829

**Route of Administration** ORAL

## **Active Ingredient/Active Moiety**

,		
Ingredient Name	Basis of Strength	Strength
BENZO CAINE (UNII: U3RS Y48 JW5) (BENZO CAINE - UNII:U3RS Y48 JW5)	BENZOCAINE	75 mg in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
GLYCERIN (UNII: PDC6A3C0OX)		
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)		
POLYETHYLENE GLYCOL 1450 (UNII: OJ4Z5Z32L4)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		
SORBITOL (UNII: 506T60A25R)		
FD&C RED NO. 4 (UNII: X3W0 AM1JLX)		
WATER (UNII: 059QF0KO0R)		
SORBIC ACID (UNII: X045WJ989B)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY (CHERRY FLAVOR)	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-829-51	1 in 1 CARTON		
1		9.4 g in 1 TUBE, WITH APPLICATOR		

eting End Date
2

# Labeler - CVS Pharmacy (062312574)

# Registrant - Pharma Pac, LLC (140807475)

Establishment				
Name	Address	ID/FEI	Business Operations	
Pharma Pac, LLC		140807475	manufacture	

Revised: 7/2010 CVS Pharmacy