

**YOUR LABEL HERE BLOOD CLOTTING FIRST AID- benzethonium chloride and lidocaine aerosol, spray  
Dixon Investments, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**YOUR LOGO HERE BLOOD CLOTTING SPRAY**

**Active Ingredients**

Benzethonium Chloride 0.2% w/w  
Lidocaine 4% w/w

**Purpose**

Topical Antiseptic  
Topical Anesthetic

**Uses**

for help in control of superficial bleeding  
for temporary relief of pain and to help protect against skin infestation in minor cuts  
minor cuts  
minor scrapes  
minor burns

**Warnings**

**For external use only**

**Flammable**

keep away from flame  
contents under pressure  
do not puncture or incinerate  
do not expose to temperatures above 120°(F)

**Do not use**

in eyes or other mucous membranes  
on large portions of the body  
in case of deep or puncture wounds  
on raw surfaces  
on blistered areas  
on animal bites  
on serious burns

**Stop use and ask doctor if**

redness, swelling, or irritation occurs  
infection occurs  
condition persists or worsens  
symptoms persist for more than 7 days

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

shake can well before using  
hold 6-8 inches from moist injured area  
spray until area is covered  
scan-like cover will gradually disappear as healing takes place or may be removed with soap and water  
for adult institutional use only  
not intended for use on children

**Inactive Ingredients**

Isobutane, Isopropyl Myristate, Karaya, N-Butane, Propane, Silica, Silicone, Sorbitan Monooleate, Talc, Tragacanth

**Principal Display**

YOUR LOGO  
HERE

## BLOOD CLOTTING SPRAY

### Topical Analgesic

- Aids in control of superficial bleeding
- Protects and eases pain of minor cuts, burns and abrasions
- Helps prevent infection

**FLAMMABLE**  
Contents Under Pressure

Contains no Fluorocarbons  
NET WT. 3 oz. (85g)

48,0039

<b>Drug Facts</b>	
<b>Active Ingredients</b> Benzethonium Chloride 0.2% w/w Lidocaine 4% w/w	<b>Purpose</b> Topical Antiseptic Topical Anesthetic
<b>Uses</b> • for help in control of superficial bleeding • for temporary relief of pain and to help protect against skin infection in • minor cuts • minor scrapes • minor burns	
<b>Warnings</b> <b>For external use only</b> <b>Flammable</b> • keep away from flame • contents under pressure • do not puncture or incinerate • do not expose to temperatures above 120°F <b>Do not use</b> • in eyes or on other mucous membranes • on large portions of the body • in case of deep or puncture wounds • on raw surfaces • on blistered areas • on animal bites • on serious burns <b>Stop use and ask doctor if</b> • redness, swelling, or irritation occurs • infection occurs • condition persists or worsens • symptoms persist for more than 7 days <b>Keep out of the reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • shake can well before using • hold 6-8 inches from moist injured area • spray until area is covered • scab-like cover will gradually disappear as healing takes place or may be removed with soap and water • for adult institutional use only • not intended for use on children	
<b>Inactive Ingredients</b> Isobutane, Isopropyl Myristate, Karaya, N-Butane, Propane, Silica, Silicone, Sorbitan Monooleate, Talc, Tragacanth	

Manufactured for: YOUR COMPANY NAME HERE

## YOUR LABEL HERE BLOOD CLOTTING FIRST AID

benzethonium chloride and lidocaine aerosol, spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52982-106
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	3400 mg in 85 g
<b>BENZETHONIUM CHLORIDE</b> (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	170 mg in 85 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>KARAYA GUM</b> (UNII: 73W9IQY50Q)	
<b>BUTANE</b> (UNII: 6LV4FOR43R)	
<b>PROPANE</b> (UNII: T75W9911L6)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>3-(TRIETHOXSILYL)PROPYLAMINE</b> (UNII: L8S6UBW552)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	

TALC (UNII: 7SEV7J4R1U)				
TRAGACANTH (UNII: 2944357O2O)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52982-106-03	85 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/05/2013	
<b>Marketing Information</b>				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part348	04/05/2013	

**Labeler** - Dixon Investments, Inc. (115315822)

**Registrant** - Dixon Investments, Inc. (115315822)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Dixon Investments, Inc.		115315822	manufacture(52982-106)

Revised: 1/2023

Dixon Investments, Inc.