

**HYDROGEN PEROXIDE 3 PERCENT READYINCASE- hydrogen peroxide liquid
P & L Development, LLC**

Drug Facts

Active ingredient

Hydrogen peroxide 3%

Purpose

First aid antiseptic/oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than one week

Ask a doctor before use if you have

- deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- swelling, rash, or fever develops
- the condition persists or get worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

For use as a first aid antiseptic:

- clean affected area
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage

- if bandaged, let dry first

For use as an oral debriding agent (oral rinse):

- **adults and children 2 years of age and over:**
 - mix with an equal amount of water
 - swish around in the mouth over affected area for at least 1 minute and then spit it out. Do not swallow.
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a doctor or dentist

Other information

- keep tightly closed and in a dark place at room temperature
- do not shake bottle. Hold away from face when opening

Inactive ingredient

purified water

Principal Display Panel

Hydrogen Peroxide

3% USP

First Aid Antiseptic/

oral debriding agent

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Manufactured by:

PL Developments

1874 Hwy 72 W

Clinton, SC 29325

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

FL OZ (mL)

Package Label



NDC 49580-0268-3

hydrogen peroxide 3% USP

first aid antiseptic/
oral debriding agent



Manufactured by:
PL Developments
1874 Hwy 72 W
Clinton, SC 29325

Questions or comments? Call
1-877-753-3935 Monday-Friday 9AM-5PM EST

PLD-I220D LB009450

32 FL OZ (1 QT) 946 mL



Drug Facts

Active ingredient

Hydrogen peroxide 3%.....First aid antiseptic/oral debriding agent

Purpose

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than one week

Ask a doctor before use if you have

- deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions For use as a first aid antiseptic:

- clean affected area ■ if bandaged, let dry first
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage

For use as an oral debriding agent (oral rinse):

- **adults and children 2 years of age and over:**
 - mix with an equal amount of water
 - swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a doctor or dentist

Other information

- keep tightly closed and in a dark place at room temperature
- do not shake bottle. Hold away from face when opening.

Inactive ingredient purified water

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

PLD-D220D LB002087

READYinCASE First Aid Antiseptic

HYDROGEN PEROXIDE 3 PERCENT READYINCASE

hydrogen peroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49580-0268
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49580-0268-3	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/31/2014	
2	NDC:49580-0268-6	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/31/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	08/31/2014	

Labeler - P & L Development, LLC (101896231)

Revised: 1/2024

P & L Development, LLC