ASPERCREME LIDOCAINE XL- lidocaine patch Lead Chemical Co., Ltd.

Aspercreme Lidocaine XL Patch

Active ingredient

Lidocaine 4%

Purpose

Topical anesthetic

Use

for the temporary relief of pain

Warnings

For external use only

Do not use

- on puncture wounds, cuts, irritated or swollen skin
- more than 1 patch on your body at a time or with other topical analgesics at the same time
- with a heating pad or apply local heat to the area of use

When using this product

- use only as directed
- do not bandage tightly
- avoid contact with the eyes
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness or irritation develops
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years of age and older:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch at a time and not more than 3 to 4 times daily

children 12 years or younger: consult a doctor

Inactive ingredients

aluminum glycinate, aluminum hydroxide, cellulose gum, glycerin, methyl acrylate/2-ethylhexyl acrylate copolymer, methylparaben, nonoxynol-30, polyacrylic acid, polysorbate 80, propylene glycol, silica, sodium polyacrylate, tartaric acid, titanium dioxide, urea, water

Package/Label Principal Display Panel

MAX STRENGTH

Aspercreme® with 4% LIDOCAINE PAIN RELIEF PATCH

NUMBS AWAY PAIN

FAST ACTING TARGETS NERVES FLEXIBLE FABRIC

#1 LIDOCAINE BRAND*

XL PATCH 71% LARGER[†]

FRAGRANCE-FREE

Contains 1 Patch $4-\frac{3}{4}$ " x 7-7/8" (12 cm x 20 cm) Pain Relieving Ointment on a Breathable Adhesive Pad

*Among OTC topical analgesics.

[†]Than 10 cm x 14 cm Aspercreme[®] patches.

CHATTEM®
A SANOFI COMPANY
Dist. By Chattem, Inc., a Sanofi Company
P.O. Box 2219, Chattanooga, TN
37409-0219 USA
© 2020
www.aspercreme.com Made in Japan



Label

ASPERCREME LIDOCAINE XL

lidocaine patch

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62168-0585	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	411.4 mg		

Inactive Ingredients		
Ingredient Name	Strength	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K6790BS311)		
GLYCERIN (UNII: PDC6A3C0OX)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
NONOXYNOL-30 (UNII: JJX07DG188)		
POLYSORBATE 80 (UNII: 60ZP39ZG8H)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
TARTARIC ACID (UNII: W4888I119H)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
UREA (UNII: 8W8T17847W)		
WATER (UNII: 059QF0KO0R)		

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:62168- 0585-2	240 in 1 CARTON	05/28/2021		
1		1 in 1 POUCH; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	505G(a)(3)	10/15/2017		

Labeler - Lead Chemical Co., Ltd. (693727091)

Revised: 1/2024 Lead Chemical Co., Ltd.