ADULT COUGH AND CHEST CONGESTION- dextromethorphan hydrobromide, guaifenesin solution Meijer, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meijer Distribution, Inc. Adult Cough + Chest Congestion Drug Facts

Active ingredients (in each 20 mL)

Dextromethorphan HBr, USP 20 mg

Guaifenesin, USP 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose		
adults and children 12 years and over	20 mL every 4 hours		
children under 12 years	do not use		

Other information

- each 20 mL contains: sodium 14 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

meijer®

Compare to Robitussin[®] Cough + Chest Congestion DM active ingredients

ADULT NON-DROWSY

cough + chest congestion

Cough Suppressant

Dextromethorphan HBr

Expectorant | Guaifenesin

SEE NEW DOSING

Relieves: Coughs | Mucus

Chest Congestion

Alcohol Free

For Ages 12 & Over

8 FL OZ (237 mL)



Product Info	ormation							
Product Type		HUMAN OTC DRU	JG	Item Code (Source) NDC:			81-0063	
Route of Admi	nistration	ORAL						
Active Ingre	dient/Active	Moiety						
	Ingredient Name Basis of Stre						Strengt	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)				DEXTROMETHORPHAN HYDROBROMIDE		20 mg in 20 mL		
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) GUAIFENESIN						200 mg in 20 mL		
Inactive Ing	redients							
Ingredient Name							Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)								
FD&C RED NO. 40 (UNII: WZB9127XOA)								
GLYCERIN (UNII: PDC6A3C0OX)								
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)								
WATER (UNII: 059								
	ATE (UNII: OJ245F							
		FORM (UNII: 1Q7	/3Q2JULR)					
SORBITOL (UNII:	-							
SUCRALOSE (UN	UNII: TTV12P4NEE	:)						
		-7						
Product Cha	racteristics							
Color		RED	Score	9				
			Size					
Shape		FRUIT	Impri	Imprint Code				
Shape Flavor								
-								
Flavor								
Flavor								
Flavor Contains	Pa	ckage Descrip	ption	Ma	arketing Start Date		eting End Date	
Flavor Contains Packaging	1 in 1 CARTON	ckage Descrip DTTLE; Type 0: No		06/10	-		eting End Date	

Category	Citation	Date	Date
OTC monograph final	part341	06/10/2022	

Labeler - Meijer, Inc. (006959555)

Revised: 6/2022

Meijer, Inc.