

EPSOM SALT- magnesium sulfate granule
TOP CARE (Topco Associates LLC)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Magnesium sulfate USP 100%

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet
- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug.

When using this product

- **do not use more than directed**

Stop use and ask a doctor if

- you have rectal bleeding or failure to have a bowel movement after use. This may indicate a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not exceed more than 2 doses per day; if necessary repeat dosage in 4 hours

| age | dose |
|--|--|
| adults and children 12 years and older | 2-4 level teaspoons dissolved in a full glass (8oz) of water |
| children 6 to 11 years | 1-2 level teaspoons in a full glass (8oz) of water |

Not recommended for children under 6 years of age.

Other information

- each teaspoon contains:** magnesium 495 mg

Inactive ingredient

none

Principal Display Panel

Epsom Salt

MAGNESIUM SULFATE U.S.P.

- Saline Laxative for Relief of Occasional Constipation
- Soaking Aid for Minor Sprain and Bruises

NET WT OZ (LB)

TAMPER EVIDENT: DO NOT USE IF HEAT SEALED POUCH IS IMPROPERLY SEALED.

DISTRIBUTED BY TOPCO ASSOCIATES LLC

ELK GROVE VILLAGE, IL 60007

topcare@topcare.com

www.topcarebrand.com

Package Label

TAMPER EVIDENT: DO NOT USE IF HEAT SEALED POUCH IS IMPROPERLY SEALED.



NDC 36800-259-10

Epsom Salt

MAGNESIUM SULFATE U.S.P.

- Saline Laxative for Relief of Occasional Constipation
- Soaking Aid for Minor Sprains and Bruises



NET WT 16 OZ (1 LB) 454 g



NDC 36800-259-10

6

This TopCare® product is a registered trademark of TopCare Health, Inc. All other trademarks are the property of their respective owners.

Scan here for more information or call 1-888-425-6710



For external use:
First 2 cups of water and 1/2 cup of salt, mixing each time.
Soak for 15 minutes, then remove a small amount of water and replace.
As a warm compress:
Dissolve 1 cup of water with 1/2 cup of salt. Apply a towel, apply heat to the affected area for 15-20 minutes to help reduce swelling.
Warnings:
Warning: Strength is not intended to be used as a substitute for medical advice or treatment. Discontinue use and consult a doctor. Do not use if pregnant or diabetic, unless advised by a doctor.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-368-3773) immediately.
Store in cool dry place out of direct sunlight. Package used by weight not volume. Some settling of product may occur during shipment. If settling occurs, tap gently to mix product.

©2010 TopCare Health, Inc. All rights reserved. For more information, call 1-888-425-6710.

[illegible]

EPSOM SALT

Product Information

Active Ingredient/Active Moiety

Packaging

Marketing Information

| | | | |
|----------------------------|---------|------------|--|
| OTC monograph not final | part334 | 04/30/2014 | |
|----------------------------|---------|------------|--|

Labeler - TOP CARE (Topco Associates LLC) (006935977)

Revised: 12/2022

TOP CARE (Topco Associates LLC)