

**STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled
EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- for temporary relief of occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are

presently taking mineral oil.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take with a glass of water

adults and children 12 years and over	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- **each softgel contains:** sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol

*may contain one or more of these ingredients

Questions or comments?

Call **1-888-287-1915**

Principal Display Panel

Compare to DulcoEase® Stool Softener Active Ingredient†

Stool Softener

Docusate Sodium 100 mg

Stool Softener Laxative

- Comfortable relief of painful, hard, dry stools
- Stimulant-Free
- Constipation relief

SOFTGELS

†This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of DulcoEase®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY: Wal-Mart Stores, Inc.,

Bentonville, AR 72716

Product Labeling

Drug Facts (continued)
Inactive ingredients edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol
 *contains one or more of these ingredients

Questions or comments?
 1-888-287-1915

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY: Wal-Mart Stores, Inc., Bentonville, AR 72716

*This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of DulcoEase®.

Satisfaction guaranteed -
 For questions or comments please call 1-888-287-1915.

PLD-C10J FC004462

NDC 49035-584-25



Compare to DulcoEase® Stool Softener Active Ingredient*

Stool Softener

Docusate Sodium, 100mg Stool Softener Laxative

- Comfortable relief of painful, hard, dry stools
- Stimulant-free
- Constipation relief

100 mg

25 SOFTGELS



Actual Size

Drug Facts

Active ingredient (in each softgel)	Purpose
Docusate sodium 100 mg...	Stool softener laxative

Uses

- for temporary relief of occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you have

- stomach pain ■ nausea ■ vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are presently taking mineral oil.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take with a glass of water

adults and children 12 years and over	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- each softgel contains: sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Lot No.:

Exp. Date:

EQUATE Stool Softener Laxative Softgels

STOOL SOFTENER LAXATIVE			
docusate sodium capsule, liquid filled			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-584
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII: M7P27195AG)	DOCUSATE SODIUM	100 mg	
Inactive Ingredients			
Ingredient Name	Strength		
FD&C RED NO. 40 (UNII: WZB9127XOA)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
GELATIN (UNII: 2G86QN327L)			

GLYCERIN (UNII: PDC6A3C00X)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P51;SCU1;D2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-584-25	1 in 1 BOX	01/31/2018	01/31/2025
1		25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	01/31/2018	01/31/2025

Labeler - EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC) (051957769)

Revised: 10/2022

EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)