# CHILDRENS FEXOFENADINE HYDROCHLORIDE ALLERGY- fexofenadine hydrochloride suspension

Taro Pharmaceuticals U.S.A., Inc.

## Children's Fexofenadine Hcl Allergy

**Drug Facts** 

### Active ingredient (in each 5 mL)

Fexofenadine HCI 30 mg

#### **Purpose**

**Antihistamine** 

#### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

#### **Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

## When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- shake well before using
- use only with enclosed dosing cup

adults and children 12 years of age and over	take 10 mL every 12 hours; do not take more than 20 mL in 24 hours		
children 2 to under 12 years of age	take 5 mL every 12 hours; do not take more than 10 mL in 24 hours		
children under 2 years of age	ask a doctor		
adults 65 years of age and older	ask a doctor		
consumers with kidney disease	ask a doctor		

Note: mL = milliliters

#### Other information

- each 5 mL contains: **sodium 14 mg**
- safety sealed: do not use if carton is opened, or if imprinted safety seal is broken or missing.
- store between 20° and 25°C (68° and 77°F)

## **Inactive ingredients**

artificial raspberry flavor, edetate disodium, maltitol solution, poloxamer 407, potassium sorbate, propylene glycol, purified water, sodium benzoate, sodium phosphate dibasic heptahydrate, sodium phosphate monobasic monohydrate, sucralose powder, titanium dioxide and xanthan gum

#### Questions?

Call 1-866-923-4914

Distributed by:

Taro Pharmaceuticals U.S.A., Inc.

Hawthorne, NY 10532

## PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

NDC 51672-2141-8

Compare to the active ingredient in Children's Allegra® Allergy\*

Children's Allergy Fexofenadine HCl Oral Suspension, 30 mg/ 5 mL Antihistamine

**NON-DROWSY** 

12 Hour

Berry Flavor

2 Years & Older

INDOOR/OUTDOOR ALLERGY RELIEF

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

Dye free / Alcohol free / Sugar free

LIQUID Oral Suspension

4 fl. oz. (120 mL)



## CHILDRENS FEXOFENADINE HYDROCHLORIDE ALLERGY

fexofenadine hydrochloride suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51672-2141
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII: E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	30 mg in 5 mL	

Inactive Ingredients			
Strength			
SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE (UNII: 70WT22SF4B)			

Product Characteristics			
Color	WHITE (white to off-white)	Score	
Shape		Size	
Flavor	RASPBERRY	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51672- 2141-8	1 in 1 CARTON	01/24/2024	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:51672- 2141-1	1 in 1 CARTON	01/24/2024	
2		240 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA208123	01/24/2024	