

**NASAL DECONGESTANT- oxymetazoline hcl spray**  
**Kareway Product, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Pure-Aid Nasal Spray Original**

**Active ingredient**

Oxymetazoline HCl 0.05%

**Purpose**

Nasal decongestant

**Uses**

- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
  - sinusitis
- reduces swelling of nasal passages; shrinks swollen membranes
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use this product for more than 3 days**

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate

**When using this product**

- **do not exceed recommended dosage**
- use only as directed. frequent or prolonged use may cause nasal congestion to recur or worsen
- temporary discomfort such as burning, stinging, or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

**Stop use and ask a doctor if**

symptoms persist

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake well before use.
- To spray, remove the clear plastic cap.
- Hold bottle with thumb at base and nozzle between first and second fingers. If this is the first time you are using the pump, spray several times into the air until you get a fine mist. If you have not used the pump for 14 days, spray several times into the air before using again.
- Insert nozzle into nostril. Spray upward while breathing in through the nose. Repeat in other nostril.
- Wipe nozzle clean after use. Put clear plastic cap back on the bottle
- Do not exceed 2 doses in any 24 hour period.

adults and children 6 to under 12 years of age (with adult supervision)	2 or 3 spray in each nostril not more often than every 10 to 12 hours
children under 6 years of age	ask a doctor

**Other information**

- store at room temperature(59°~86°F)
- retain carton for future reference on full labeling

**Inactive ingredients**

benzalkonium chloride, edetate disodium, propylene glycol, purified water, sodium dihydrogen phosphate

**Carton image**

# Nasal Spray Original



## NASAL DECONGESTANT

oxymetazoline hcl spray

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67510-0068	
Route of Administration	NASAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)		OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
WATER (UNII: 059QF0KO0R)				
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW)				
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67510-0068-5	1 in 1 BOX	08/12/2011	
1		15 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:67510-0068-1	1 in 1 BOX	08/12/2011	
2		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final		part341	08/12/2011	

**Labeler** - Kareway Product, Inc. (121840057)