

**ECZEMA SKIN CARE - antimon. crud., arsenicum alb., berber. vulg., bovista , bryonia , cantharis , chelidonium majus, croton, dulcamara, graphites, hepar sulph. calc., lycopodium mezereum, nux vom, petroleum, pulex irritans, pulsatilla, rhus toxicodendron, sarsaparilla, sepia, sulphur iod, echinacea, rumex crisp., taraxacum , urtica ur. pellet**  
**Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Eczema Skin Care**

### **INDICATIONS & USAGE SECTION**

**ECZEMA~SKIN CARE** Formulated for symptoms associated with seborrhea, eczema, psoriasis, cellulitis, dermatitis, lichen planus and other skin-related conditions.

### **DOSAGE & ADMINISTRATION SECTION**

**Directions:** Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) as needed or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

### **ACTIVE INGREDIENT SECTION**

Antimon. crud. 20x, Arsenicum alb. 20x, Berber. vulg. 20x, Bovista 20x, Bryonia 20x, Cantharis 20x, Chelidonium majus 20x, Croton 20x, Dulcamara 20x, Graphites 20x, Hepar sulph. calc. 20x, Lycopodium 20x, Mezereum 20x, Nux vom. 20x, Petroleum 20x, Pulex irritans 20x, Pulsatilla 20x, Rhus toxicodendron 20x, Sarsaparilla 20x, Sepia 20x, Sulphur iod. 20x, Echinacea 8x, Rumex crisp. 8x, Taraxacum 8x, Urtica ur. 8x, Echinacea 3x, Rumex crisp. 3x, Taraxacum 3x, Urtica ur. 3x.

### **INACTIVE INGREDIENT SECTION**

**Inactive Ingredients:** Gluten-free, non-GMO, beet-derived sucrose pellets.

### **QUESTIONS? SECTION**

**www.newtonlabs.net** Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012  
Questions? 1.800.448.7256

### **WARNINGS SECTION**

**Warning:** Do not use if tamper- evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

### **PREGNANCY OR BREAST FEEDING SECTION**

Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days.

### **KEEP OUT OF REACH OF CHILDREN SECTION**

Keep out of reach of children.

## PACKAGE LABEL

**www.newtonlabs.net**  
**Questions? 1.800.448.7256**  
 Newton Laboratories, Inc. FDA Est#1051203 • Conyers, GA 30012  
**Warnings:** Do not use if tamper-evident seal is broken or missing.  
 Consult a licensed healthcare professional if pregnant, nursing or if symptoms  
 worsen or persist for more than a few days. Keep out of reach of children.

**NEWTON**  
*homeopathics* **PRO**  
 NDC# 55714-4403-1 *Nurturing Naturally Since 1987™*

***Eczema~  
Skin Care***

***Formulated for symptoms  
associated with seborrhea,  
eczema, psoriasis,  
cellulitis, dermatitis,  
lichen planus and other  
skin-related conditions.***

**1 oz (28.35 g)**

Dispensed by healthcare professionals only.  
 Not for over-the-counter sale.

**Directions:** Ages 12 and up, take 6 pellets orally (ages 0 to 11,  
 give 3 pellets) as needed or as directed by a healthcare  
 professional. Under age 2, crush or dissolve pellets in purified  
 water.

**Active Ingredients:** Antimon. crud. 20x, Arsenicum alb. 20x,  
 Berber. vulg. 20x, Bovista 20x, Bryonia 20x, Cantharis 20x,  
 Chelidonium majus 20x, Croton 20x, Dulcamara 20x, Graphites  
 20x, Hepar sulph. calc. 20x, Lycopodium 20x, Mezereum 20x, Nux  
 vom. 20x, Petroleum 20x, Pulex irritans 20x, Pulsatilla 20x, Rhus  
 toxicodendron 20x, Sarsaparilla 20x, Sepia 20x, Sulphur iod. 20x,  
 Echinacea 8x, Rumex crisp. 8x, Taraxacum 8x, Urtica ur. 8x,  
 Echinacea 3x, Rumex crisp. 3x, Taraxacum 3x, Urtica ur. 3x.

**Inactive Ingredients:** Gluten-free, non-GMO, beet-derived  
 sucrose pellets.

**Stock# R002 Lot#**

## ECZEMA SKIN CARE

antimon. crud., arsenicum alb., berber. vulg., bovista, bryonia, cantharis, chelidonium majus, croton, dulcamara, graphites, hepar sulph. calc., lycopodium mezereum, nux vom, petroleum, pulex irritans, pulsatilla, rhus toxicodendron, sarsaparilla, sepia, sulphur iod, echinacea, rumex crisp., taraxacum, urtica ur. pellet

### Product Information

|                                |                         |                           |                |
|--------------------------------|-------------------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN PRESCRIPTION DRUG | <b>Item Code (Source)</b> | NDC:55714-4403 |
| <b>Route of Administration</b> | ORAL                    |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name                                                                                       | Basis of Strength           | Strength            |
|-------------------------------------------------------------------------------------------------------|-----------------------------|---------------------|
| <b>Antimony Trisulfide</b> (UNII: F79059A38U) (Antimony Trisulfide - UNII:F79059A38U)                 | Antimony Trisulfide         | 20 [hp_X]<br>in 1 g |
| <b>Arsenic Trioxide</b> (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)                    | Arsenic Trioxide            | 20 [hp_X]<br>in 1 g |
| <b>Berberis Vulgaris Root Bark</b> (UNII: 1TH8Q20J0U) (Berberis Vulgaris Root Bark - UNII:1TH8Q20J0U) | Berberis Vulgaris Root Bark | 20 [hp_X]<br>in 1 g |
| <b>Giant Puffball</b> (UNII: I6839Y031A) (Giant Puffball - UNII:I6839Y031A)                           | Giant Puffball              | 20 [hp_X]<br>in 1 g |
| <b>Bryonia Alba Root</b> (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)                     | Bryonia Alba Root           | 20 [hp_X]<br>in 1 g |
| <b>Lytta Vesicatoria</b> (UNII: 3Q034RO3BT) (Lytta Vesicatoria - UNII:3Q034RO3BT)                     | Lytta Vesicatoria           | 20 [hp_X]<br>in 1 g |
| <b>Chelidonium Majus</b> (UNII: 7E889U5RNN) (Chelidonium Majus - UNII:7E889U5RNN)                     | Chelidonium Majus           | 20 [hp_X]<br>in 1 g |

|                                                                                                         |                              |                     |
|---------------------------------------------------------------------------------------------------------|------------------------------|---------------------|
| <b>Croton Tiglium Seed</b> (UNII: 0HK2GZK66E) (Croton Tiglium Seed - UNII:0HK2GZK66E)                   | Croton Tiglium Seed          | 20 [hp_X]<br>in 1 g |
| <b>Solanum Dulcamara Top</b> (UNII: KPS1B1162N) (Solanum Dulcamara Top - UNII:KPS1B1162N)               | Solanum Dulcamara Top        | 20 [hp_X]<br>in 1 g |
| <b>Graphite</b> (UNII: 4QQN74LH4O) (Graphite - UNII:4QQN74LH4O)                                         | Graphite                     | 20 [hp_X]<br>in 1 g |
| <b>Calcium Sulfide</b> (UNII: 1MBW07J51Q) (Calcium Sulfide - UNII:1MBW07J51Q)                           | Calcium Sulfide              | 20 [hp_X]<br>in 1 g |
| <b>Lycopodium Clavatum Spore</b> (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)       | Lycopodium Clavatum Spore    | 20 [hp_X]<br>in 1 g |
| <b>Daphne Mezereum Bark</b> (UNII: X2N6E405GV) (Daphne Mezereum Bark - UNII:X2N6E405GV)                 | Daphne Mezereum Bark         | 20 [hp_X]<br>in 1 g |
| <b>Strychnos Nux-vomica Seed</b> (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)       | Strychnos Nux-vomica Seed    | 20 [hp_X]<br>in 1 g |
| <b>Kerosene</b> (UNII: 1C89KKC04E) (Kerosene - UNII:1C89KKC04E)                                         | Kerosene                     | 20 [hp_X]<br>in 1 g |
| <b>Pulex Irritans</b> (UNII: L63DD62R8R) (Pulex Irritans - UNII:L63DD62R8R)                             | Pulex Irritans               | 20 [hp_X]<br>in 1 g |
| <b>Pulsatilla Vulgaris</b> (UNII: I76KB35JEV) (Pulsatilla Vulgaris - UNII:I76KB35JEV)                   | Pulsatilla Vulgaris          | 20 [hp_X]<br>in 1 g |
| <b>Toxicodendron Pubescens Leaf</b> (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A) | Toxicodendron Pubescens Leaf | 20 [hp_X]<br>in 1 g |
| <b>Smilax Regelii Root</b> (UNII: 2H1576D5WG) (Smilax Regelii Root - UNII:2H1576D5WG)                   | Smilax Regelii Root          | 20 [hp_X]<br>in 1 g |
| <b>Sepia Officinalis Juice</b> (UNII: QDL83WN8C2) (Sepia Officinalis Juice - UNII:QDL83WN8C2)           | Sepia Officinalis Juice      | 20 [hp_X]<br>in 1 g |
| <b>Sulfur Iodide</b> (UNII: L6L8KA2AA0) (Sulfur Iodide - UNII:L6L8KA2AA0)                               | Sulfur Iodide                | 20 [hp_X]<br>in 1 g |
| <b>Echinacea, Unspecified</b> (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)             | Echinacea, Unspecified       | 8 [hp_X]<br>in 1 g  |
| <b>Rumex Crispus Root</b> (UNII: 9N1RM2S62C) (Rumex Crispus Root - UNII:9N1RM2S62C)                     | Rumex Crispus Root           | 8 [hp_X]<br>in 1 g  |
| <b>Taraxacum Officinale</b> (UNII: 39981FM375) (Taraxacum Officinale - UNII:39981FM375)                 | Taraxacum Officinale         | 8 [hp_X]<br>in 1 g  |
| <b>Urtica Urens</b> (UNII: IHN2NQ5OF9) (Urtica Urens - UNII:IHN2NQ5OF9)                                 | Urtica Urens                 | 8 [hp_X]<br>in 1 g  |

### Inactive Ingredients

| Ingredient Name            | Strength |
|----------------------------|----------|
| Sucrose (UNII: C151H8M554) |          |

### Packaging

| # | Item Code        | Package Description        | Marketing Start Date | Marketing End Date |
|---|------------------|----------------------------|----------------------|--------------------|
| 1 | NDC:55714-4403-1 | 28.35 g in 1 BOTTLE, GLASS |                      |                    |
| 2 | NDC:55714-4403-2 | 56.7 g in 1 BOTTLE, GLASS  |                      |                    |

### Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|------------------------------------------|----------------------|--------------------|
| unapproved homeopathic |                                          | 06/01/2011           |                    |

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

**Establishment**

| Name                      | Address | ID/FEI    | Business Operations     |
|---------------------------|---------|-----------|-------------------------|
| Newton Laboratories, Inc. |         | 788793610 | MANUFACTURE(55714-4403) |

Revised: 6/2011

Newton Laboratories, Inc.