

BACITRACIN- bacitracin ointment
BluePoint Laboratories

Bacitracin_Ointment

Drug Facts

Active ingredient

Bacitracin (500 Units in each gram)

Purpose

First Aid Antibiotic

Uses

- First aid to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only

Do not use

- in the eyes or apply over large areas of body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if

the condition persists or gets worse, or if a rash or other allergic reaction develops.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Centre right away.

Directions

Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Other information

- Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal
- Store at room temperature
- See crimp of tube or carton for Lot Number and Expiry Date

Inactive Ingredients

Mineral Oil, Paraffin, White Petrolatum

Questions?

Contact- 1-800-707-4621

Manufactured in India by:


Gopaldas Visram & Company Limited,
Plot No. A327, T.T.C. Indl. Area, M.I.D.C.
Mahape, Navi Mumbai - 400710.
Mfg. Lic. No.: KD/503

For BluePoint Laboratories


Rev 09/2021

Principal Display Panel

Bacitracin sachet and carton 0.9g



Carton Size : L 130 x W 110 x H 70mm



Bacitracin tube and carton 14.2g

92.08mm

(Tube length upto shoulder - 91mm ± 2.0mm)

(Tube Dia - 19mm ± 0.5mm)
63mm

NDC: 68001-477-48

Bacitracin Ointment, USP

First Aid Antibiotic

 **Net Wt. 0.5 oz (14.2 g)**

Drug Facts	Purpose
Active Ingredient Bacitracin (500 units in each gram)	First Aid Antibiotic
Uses ■ First aid to help prevent infection in minor cuts, scrapes, and burns	
Warnings ■ For external use only ■ Do not use ■ in the eyes or apply over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor ■ Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns ■ Stop use and ask a doctor if the condition persists or get worse, or if a rash or other allergic reaction develops ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ■ Questions? Contact 1-800-707-4821 ■ Important: See box for complete Drug Facts	

Manufactured in India by:
Gopikaa Verma & Company Limited,
Plot No. A327, T.T.C. Ind. Area, M.I.D.C.
Mahape, Near Mumbai - 400710.

Mfg. Lic. No.: K3893
For BluePoint Laboratories



Rev 02/2021

-  100% PANTONE 293 C
-  100% PANTONE Blue 072 C
-  100% PANTONE 549 C
-  100% PANTONE 2271 C
-  75% Black
-  100% Black

Size : L110 x w21 x h28mm



- 100% PANTONE 293 C
- 100% PANTONE Blue 072 C
- 100% PANTONE 549 C
- 100% PANTONE 2271 C
- 75% Black
- 100% Black

Bacitracin 28.4g tube and carton

-130.18mm
(Tube length upto shoulder - 129mm ± 2.0mm)

(Tube Dia - 22mm ± 0.5mm)
73mm

NDC: 88001-477-47

Bacitracin Ointment, USP

First Aid Antibiotic



Net Wt. 1 oz (28.4 g)

Drug Facts	Drug Facts (continued)	Manufactured in India by: Gopaldas Varam & Company Limited, Plot No. A327, T.T.C. Indl. Area, M.I.D.C. Mahape, Navi Mumbai - 400710. Mfg. Lic. No.: KD/603 For BluePoint Laboratories  5111680014774715 Rev 08/2021
Active Ingredient Bacitracin (500 units in each gram) Purpose First Aid Antibiotic Uses First aid to help prevent infection in minor cuts, scrapes, and burns Warnings For external use only Do not use in the eyes or apply over large areas of the body if you are allergic to any of the ingredients or longer than 1 week unless directed by a doctor Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns Stop use and ask a doctor if the condition persists or gets worse, or if a rash or other allergic reaction develops	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage. Other Information Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal Store at room temperature See crimp of tube or carton for Lot Number and Expiry Date Inactive Ingredients: Mineral Oil, Paraffin, White Petrolatum Questions? Contact: 1-800-707-4621	

- 100% PANTONE 293 C
- 100% PANTONE Blue 072 C
- 100% PANTONE 549 C
- 100% PANTONE 2271 C
- 75% Black
- 100% Black

Size : L 147.0 x w26.0 x h35.0

Drug Facts Active Ingredient Bacitracin (500 units in each gram) Purpose First Aid Antibiotic Uses First aid to help prevent infection in minor cuts, scrapes, and burns Warnings For external use only	Drug Facts (continued) Do not use in the eyes or apply over large areas of the body if you are allergic to any of the ingredients or longer than 1 week unless directed by a doctor Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns Stop use and ask a doctor if the condition persists or gets worse, or if a rash or other allergic reaction develops	Unvarnished Area				
Drug Facts (continued) Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the	Drug Facts (continued) area 1 to 3 times daily. May be covered with a sterile bandage. Other Information Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal Store at room temperature See crimp of tube or carton for Lot Number and Expiry Date					
<p style="text-align: center;">NDC: 88001-477-47</p> <h2 style="text-align: center;">Bacitracin Ointment, USP</h2> <h3 style="text-align: center; background-color: #008000; color: white; padding: 5px;">First Aid Antibiotic</h3> <div style="display: flex; justify-content: space-between; align-items: center;">  <p>Net Wt. 1 oz (28.4 g)</p> </div> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <tr> <td style="width: 60%;">Drug Facts (continued)</td> <td style="width: 40%; vertical-align: top;"> Manufactured in India by: Gopaldas Varam & Company Limited, Plot No. A327, T.T.C. Indl. Area, M.I.D.C. Mahape, Navi Mumbai - 400710. Mfg. Lic. No.: KD/603 For BluePoint Laboratories Rev 08/2021 </td> </tr> <tr> <td> Inactive Ingredients Mineral Oil, Paraffin, White Petrolatum Questions? Contact 1-800-707-4621 </td> <td></td> </tr> </table>			Drug Facts (continued)	Manufactured in India by: Gopaldas Varam & Company Limited, Plot No. A327, T.T.C. Indl. Area, M.I.D.C. Mahape, Navi Mumbai - 400710. Mfg. Lic. No.: KD/603 For BluePoint Laboratories Rev 08/2021	Inactive Ingredients Mineral Oil, Paraffin, White Petrolatum Questions? Contact 1-800-707-4621	
Drug Facts (continued)	Manufactured in India by: Gopaldas Varam & Company Limited, Plot No. A327, T.T.C. Indl. Area, M.I.D.C. Mahape, Navi Mumbai - 400710. Mfg. Lic. No.: KD/603 For BluePoint Laboratories Rev 08/2021					
Inactive Ingredients Mineral Oil, Paraffin, White Petrolatum Questions? Contact 1-800-707-4621						

- 100% PANTONE 293 C
- 100% PANTONE Blue 072 C
- 100% PANTONE 549 C
- 100% PANTONE 2271 C
- 75% Black
- 100% Black

BACITRACIN

bacitracin ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68001-477
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PARAFFIN (UNII: I9O0E3H2ZE)	
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68001-477-48	1 in 1 CARTON	11/24/2020	
1	NDC:68001-477-45	0.9 g in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:68001-477-46	1 in 1 CARTON	11/24/2020	
2		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:68001-477-47	1 in 1 CARTON	11/24/2020	
3		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	11/24/2020	

Labeler - BluePoint Laboratories (985523874)

Establishment

Name	Address	ID/FEI	Business Operations
-------------	----------------	---------------	----------------------------

Gopaldas Visram & Co., Ltd

858030888

manufacture(68001-477)

Revised: 11/2023

BluePoint Laboratories