ERBORIAN - CC CREME HIGH DEFINITION SPF25 CLAIR- octinoxate, octisalate, titanium dioxide, zinc oxide cream LABORATOIRES M&L

ERBORIAN - CC CREME HIGH DEFINITION SPF25 CLAIR

Drug Facts

Active ingredients

Ethylhexyl methoxycinnamate / Octinoxate 6.00%

Ethylhexyl salicylate / Octisalate 2.00%

Titanium dioxide 4.33%

Zinc oxide 1.92%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

• keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:

Apply liberally 15 minutes before sun exposure

- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. -2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: Ask a doctor

Other information

• Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Aqua/Water - Cyclomethicone - Dipropylene Glycol - Glycerin - Peg- 10 Dimethicone - Methyl Trimethicone - C12- 15 Alkyl Benzoate - Dimethicone - Disteardimonium Hectorite - Magnesium Sulfate - Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer - Centella Asiatica Extract - Mel/Honey Extract - Talc - Dimethicone/Vinyl Dimethicone Crosspolymer - Phenoxyethanol - Ethylhexylglycerin - Trihydroxystearin - Butylene Glycol - Mica - Aluminum Hydroxide - Palmitic Acid - Stearic Acid - Polyester- 1 - Silica Dimethyl Silylate - Tocopheryl Acetate - Methicone - Tocopherol - Parfum/Fragrance - Hexyl Cinnamal - Alpha-Isomethyl Ionone - Linalool - Citronellol - Geraniol - Eugenol - Limonene - Cl 77492/Iron Oxides - Cl77491/Iron Oxides - Cl77499/Iron Oxides

Questions or comments?

Call toll free 1-888-975-2162

Package Labeling:

Drug Facts

Active ingredients	Purpose
Ethylhexyl methoxycinnamate / Octinoxate 6.00%	Sunscreen
Ethylhexyl salicylate / Octisalate 2.00%	Sunscreen
Titanium dioxide 4.33%	Sunscreen
Zina suida 1 000/	Companies

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. 2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: ask a doctor

Drug facts (continued)

Other information

 Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Aqua/water - cyclomethicone - dipropylene glycol - glycerin - peg-10 dimethicone - methyl trimethicone - C12-15 alkyl benzoate - dimethicone - disteardimonium hectorite - magnesium sulfate - vinyl dimethicone/methicone silsesquioxane crosspolymer - centella asiatica extract - mel/honey extract - talc - dimethicone/vinyl dimethicone crosspolymer - phenoxyethanol - ethylhexylglycerin - trihydroxystearin - butylene glycol - mica - aluminum hydroxide - palmitic acid - stearic acid - polyester-1 - silica dimethyl silylate - tocopheryl acetate - methicone - tocopherol - parfum/fragrance - hexyl cinnamal - alpha-isomethyl ionone - linalool - citronellol - geraniol - eugenol - limonene - C1 77492/iron oxides - C1 77491/iron oxides - C1 77499/iron oxides

Questions or comments?

Call toll free 1-888-975-2162

[Apply in a fine layer on your face, just like your daily moisturizer.]
Tested under dermatological supervision. Non comedogenic.
Free sample. Not for sale

6AA30184

www.erborian.com

Made in South Korea

M&L - 108 rue de Richelieu - Paris - France



8 809255 783551







The Korean secret to a visibly perfect com-plexion is in high-tech, multi-use formulas that help to improve the appearance of your skin, making it look luminous and soft, and reducing the appearance of blemi-shes. CC CRÈME is a snes. CUCREME is a multi-purpose for-mula: this "High Definition" illumina-tor, with its fine texture, contains encapsulated pigments capsulated pigments to enhance your skin's beauty. Upon application, it adapts to your skin tone, naturally revealing a more even, more beautiful enable in the skill depend on the skill

CC CRÉME

HIGH DEFINITION RADIANCE FACE CREAM SKIN PERFECTOR BROAD SPECTRUM SPF 25 SUNSCREEN



Drug Facts

Active ingredients	Purpose
Ethylhexyl methoxycinnamate / Octinoxate 6.00%	
Ethylhexyl salicylate / Octisalate 2.00%	Sunscreen
Titanium dioxide 4.33%	Sunscreen
7inc oxide 1 92%	Sunscreen

Uses

Enriched with Centella Asiatica, CC CREME helps to boost radiance, protect and hydrate, while also helping to unify and camounity and camounity and refine the appearance of skin's tredure.

appearance or swins-texture.

Soft and radient, your skin looks flawless, in "High Definitions".

[Apply in a fine layer on your face, just like

on your ace, just use your daily moistu-rized. The CC CREME "fair" shade is parti-cularly suitable for lighter skin tones. Tested under derma-

tological supervision.

■Helps prevent sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sur

Warnings

For external use only

Do not use no damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove
Stop use and ask a doctor if mash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:

■ Apply liberally 15 minutes before sun exposure

■ Reapply at least every 2 hours

■ Use a water resistant suscreen if swimming or sweating
■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SFY value of 15 or higher and other sun protection measures including:

■ Limit time in the sun, especially from 10 a.m. -2 p.m.

Drug facts (continued)

■ Wear long-sleeved shirts, pants, hats and sunglasses Children under 6 months of age: Ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Aqua/water - Cyclomethicone - Dipropylene Glycol - Glycerin - Peg-10 Dimethicone - Methyl Trimethicone C12-15 Alkyl Benzoate – Dimethicone – Disteardimonium Hectorite – Magnesium Sulfate – Vinyl Di-methicone/methicone Silsesquioxane Crosspolymer – Centella Asiatica Extract - Mel/honey Extract – Talc - Dimethicone/vinyl Dimethicone Crosspolymer - Phenoxyethanol - Ethylhexylglycerin - Trihydroxystearin - Butylene Glycol - Mica - Aluminum Hydroxide - Palmitic Acid - Stearic Acid - Polyester-1 - Silica Dimethyl Silylate - Tocopheryl Acetate - Methicone - Tocopherol - Parfum/fragrance - Hexyl Cinnamal - Alpha-isomethyl Ionone - Linalool Citronellol - Geraniol - Eugenol - Limonene - Cl 77492/iron Oxides - Cl 77491/iron Oxides - Cl 77491/iron Oxides

Questions or comments?

Call toll free 1-888-975-2162

www.erborian.com Made in South Korea M&L - 108 rue de Richelieu - Paris - France







Drug Facts (continued)

Other information


 Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Aqua/water - cyclomethicone dipropylene glycol - glycerin -peg-10 dimethicone - methyl trimethicone - C12-15 alkyl benzoate - dimethicone - disteardimonium hectorite - magnesium sulfate vinvl dimethicone/methicone silsesquioxane crosspolymer - centella asiatica extract - mel/honey extract - talc - dimethicone/vinyl dimethicone crosspolymer phenoxyethanol - ethylhexylglycerin - trihydroxystearin butylene glycol - mica - aluminum hydroxide - palmitic acid stearic acid - polyester-1 - silica dimethyl silylate - tocopheryl acetaté - méthicone - tocophérol - parfum/fragrance - hexyl cinnamal - alpha-isomethyl ionone - linalool - citronellol - geraniol - eugenol - limonene - CI 77492/iron oxides CI 77491/iron oxides CI 77499/iron oxides

Questions or comments?

Call toll free 1-888-975-2162



CC CRÈME À LA CENTELLA ASIATICA

SOIN ILLUMINATEUR **DU VISAGE** HAUTE DÉFINITION

PERFECTEUR DE PEAU

HIGH DEFINITION RADIANCE FACE CREAM

SKIN PERFECTOR

BROAD SPECTRUM SPF 25 SUNSCREEN



The Korean secret to a visibly perfect complexion is in high-tech, multi-use formulas that help to improve the appearance of your skin, making it look luminous and soft, and reducing the appearance of blemishes.

CC CRÈME is a multi-purpose formula: this "High Definition" illuminator, with its fine texture, contains encapsulated pigments enhance your skin's beauty. Upon application, it adapts to your skin tone, naturally revealing a more even, more beautiful complexion.

Enriched with Centella Asiatica, CC CRÈME helps to boost radiance, protect and hydrate, while also helping to unify and camouflage dehydration fine lines and refine the appearance of skin's texture.

Soft and radiant, your skin looks flawless, in "High Definition"

The CC CRÈME "fair" shade is particularly suitable for lighter skin tones.

[Apply in a fine layer on your face, just like your daily moisturizer.

Tested under dermatological supervision.

Non comedogenic.

Made in South Korea M&L - 108 rue de Richelieu -Paris www.erborian.com

Drug Facts

Active ingredients...Purpose Ethylhexyl methoxycinnamate Octinoxate 6.00%......Sunscreen Ethylhexyl salicylate / Octisalate .Sunscreen Titanium dioxide 4.33% Sunscreen Zinc oxide 1.92%.....Sunscreen

■ Helps prevent sunburn

If used as directed withother sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use ■ on damaged or broken skin

When using this product ■ keep out of eyes. Rinse with water to

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. -2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: Ask a doctor



ERBORIAN - CC CREME HIGH DEFINITION SPF25 CLAIR

octinoxate, octisalate, titanium dioxide, zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10345-911
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	20 mg in 1 mL	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	43.3 mg in 1 mL	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	19.2 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
CENTELLA ASIATICA (UNII: 7M867G6T1U)	
TALC (UNII: 7SEV7J4R1U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
PALMITIC ACID (UNII: 2V16EO95H1)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

POLYESTER-10 (UNII: 212N9O2MMZ)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
METHICONE (20 CST) (UNII: 6777U11MKT)
TOCOPHEROL (UNII: R0ZB2556P8)
.ALPHAHEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
ISOMETHYLALPHAIONONE (UNII: 9XP4LC555B)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.BETACITRONELLOL, (R)- (UNII: P010UT964K)
GERANIOL (UNII: L837108USY)
EUGENOL (UNII: 3T8H1794QW)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
FERRIC OXIDE YELLOW (UNII: EX43802MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10345-911- 15	1 in 1 BOX	07/13/2016	
1		15 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:10345-911- 01	1.5 mL in 1 PACKET; Type 0: Not a Combination Product	12/03/2017	
3	NDC:10345-911- 45	1 in 1 BOX	07/13/2016	
3		45 mL in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:10345-911- 05	1 in 1 BOX	07/01/2018	
4		5 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/13/2016	

Labeler - LABORATOIRES M&L (262533623)

Revised: 12/2023 LABORATOIRES M&L