

NITROUS OXIDE - nitrous oxide gas
Airgas Intermountain Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

nitrous oxide

REFRIGERATED LIQUID

NITROUS OXIDE, REFRIGERATED LIQUID USP UN2201

NON-FLAMMABLE GAS 2 OXIDIZER 5.1

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.

Rx only. CAUTION: Federal law prohibits dispensing without prescription.

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE. Avoid breathing gas. Store and use with adequate ventilation. Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Do not get liquid in eyes, on skin, or clothing. Cylinder temperature should not exceed 52C (125F). For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheets (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 10024-97-2 DO NOT REMOVE THIS PRODUCT LABEL.

AIRGAS PURITAN MEDICAL Airgas Intermountain, Inc. Denver, CO 80216 (303) 370-7800
844066 (05/05)

REFRIGERATED LIQUID

NITROUS OXIDE,

REFRIGERATED LIQUID

USP

UN2201



↑ **ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.** ↓
DO NOT CHANGE OR FORCE FIT CONNECTIONS.

Rx Only.

CAUTION: Federal law prohibits dispensing without prescription.

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE.

Avoid breathing gas. Store and use with adequate ventilation. Keep oil and grease away. Use only with equipment cleaned for Oxygen service. Do not get liquid in eyes, on skin or clothing. Cylinder temperature should not exceed 52°C (125°F). For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with appropriate Material Safety Data Sheet (MSDS).
FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 10024-97-2

DO NOT REMOVE THIS PRODUCT LABEL.



Airgas Intermountain, Inc.
Denver, CO 80216
(303) 370-7800

84400E
(01/05)

NITROUS OXIDE, USP UN1070 MEDICAL GAS Rx ONLY.

NON-FLAMMABLE GAS 2 OXIDIZER 5.1

AIRGAS PURITAN MEDICAL Airgas Intermountain, Inc. Denver, CO 80216 (303) 370-7800

CAUTION: Federal law prohibits dispensing without prescription.

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: HIGH PRESSURE OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE. Avoid breathing gas. Store and use with adequate ventilation. Keep oil and grease away. Use only with equipment cleaned for oxygen and rated for cylinder pressure. Do not get liquid in eyes, on skin, or clothing. Cylinder temperature should not exceed 52C (125F). Open valve slowly. Close valve after each use and when empty. Use a back flow preventive device in the piping.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 10024-97-2 Use in accordance with the Material Safety Data Sheets (MSDS).

DO NOT REMOVE THIS PRODUCT LABEL.

Form 850400D (08/04)



NITROUS OXIDE USP UN1070 DO NOT REMOVE THIS PRODUCT LABEL.

NON-FLAMMABLE GAS 2 OXIDIZER 5.1

834436 (12/04)

Rx only. CAUTION: Federal law prohibits dispensing without prescription.

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: HIGH PRESSURE OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE. Avoid breathing gas. Store and use with adequate ventilation. Keep oil and grease away. Use only with equipment cleaned for oxygen and rated for cylinder pressure. Do not get liquid in eyes, on skin, or clothing. Cylinder temperature should not exceed 52C (125F). Open valve slowly. Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheets (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 10024-97-2

AIRGAS PURITAN MEDICAL Airgas Intermountain, Inc. Denver, CO 80216 (303) 370-7800



NITROUS OXIDE

nitrous oxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:58420-003
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Nitrous Oxide (UNII: K50 XQU1029) (Nitrous Oxide - UNII:K50 XQU1029)	Nitrous Oxide	992 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58420-003-01	151 L in 1 CYLINDER		
2	NDC:58420-003-02	162 L in 1 CYLINDER		
3	NDC:58420-003-03	934 L in 1 CYLINDER		
4	NDC:58420-003-04	1218 L in 1 CYLINDER		
5	NDC:58420-003-05	1586 L in 1 CYLINDER		
6	NDC:58420-003-06	2463 L in 1 CYLINDER		
7	NDC:58420-003-07	3681 L in 1 CYLINDER		
8	NDC:58420-003-08	4927 L in 1 CYLINDER		
9	NDC:58420-003-09	8608 L in 1 CYLINDER		
10	NDC:58420-003-10	6145 L in 1 CYLINDER		
11	NDC:58420-003-11	7390 L in 1 CYLINDER		
12	NDC:58420-003-12	12317 L in 1 CYLINDER		
13	NDC:58420-003-13	12346 L in 1 CYLINDER		
14	NDC:58420-003-14	13818 L in 1 CYLINDER		
15	NDC:58420-003-15	18575 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1985	

Labeler - Airgas Intermountain Inc (019714331)

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		072198059	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		084208433	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		943069948	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		883003915	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		090327250	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		182466243	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		054313408	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		618581441	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		859665069	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		128647740	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		020467911	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		126606222	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		847756426	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		165006818	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		149496028	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		806310637	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		946412723	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		082728627	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		791450422	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		097765218	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		190164744	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations

Airgas Intermountain Inc		789145745	manufacture
--------------------------	--	-----------	-------------

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		611965146	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		793984089	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		790441885	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		028348386	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		931891407	manufacture