ASPIR LOW- as pirin tablet Proficient Rx LP

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Aspirin 81 mg (NSAID*)

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Keep Out of Reach of Children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Uses

- temporarily relieves minor aches and pains
- for other uses, see your doctor, but do not use for more than 10 days without consulting your doctor because serious side effects may occur

Warnings

Reyels **syndrome:** Children and teenagers who have or are recovering from chicken pox or flulike symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome; a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

■ hives ■ facial swelling ■ shock ■ asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you: ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed

Do not use ■ if you are allergic to aspirin or any other pain reliever/fever reducer

Ask a doctor before use if ■ stomach bleeding warning applies to you

■ you have a history of stomach problems, such as heartburn ■ you have high blood pressure, heart disease, liver cirrhosis, or kidney disease ■ you are taking a diuretic ■ you have asthma

■ you have not been drinking fluids ■ you have lost a lot of fluid due to vomiting or diarrhea

Ask a doctor or pharmacist before use if you are

- taking a prescription drug for diabetes, gout, or arthritis
- under a doctor's care for any serious condition taking any other drug

Stop use and ask a doctor if ■ you experience any of the following signs of stomach bleeding:

- feel faint have bloody or black stools vomit blood have stomach pain that does not get better
- pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days
- redness or swelling is present in the painful area any new symptoms appear
- ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Directions

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

Inactive ingredients

anhydrous lactose, carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C yellow #10 aluminum lake, iron oxide ochre, methacrylic acid copolymer, microcrystalline cellulose, polysorbate 80, simethicone, sodium hydroxide, sodium lauryl sulfate, talc, titanium dioxide, triethyl citrate

Questions?

Adverse Drug Event Call: (800) 616-2471

Other Information

- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package
- **Compare to the active ingredient in $\boldsymbol{BAYER} \circledast$ Low Dose
- **This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Bayer® Low Dose.

Distributed by

Major Pharmaceuticals

31778 Enterprise Drive, Livonia, MI 48150 USA ASPIR LOWTM

LOW STRENGTH 81mg ASPIRIN (NSAID)

Enteric Coated

1 1/4 gr. (81 mg) each Analgesic

SEE NEWWARNINGS INFORMATION

NEWTablet Appearance

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

MAJOR®

Repackaged by:

Proficient Rx LP

Thousand Oaks, CA 91320

Package/Label Principal Display Panel

Aspir Low

1 1/4 gr. (81 mg) (NSAID)

Enteric Coated Tablets





NDC 63187-913-72

Lot #:00000 Exp. 00/00/00 SN# MASTER

Aspirin 81mg #120 EC Tablets Lot #:00000 NDC 63187-913-72

SN# MASTER Exp:00/00/00

Aspirin 81mg #120 EC Tablets Lot #:00000 NDC 63187-913-72

SN# MASTER Exp:00/00/00

Aspirin 81mg #120 EC Tablets Lot #:00000 NDC 63187-913-72

SN# MASTER Exp:00/00/00

Relabeled By: Proficient Rx LP Thousand Oaks, CA 91320

Aspirin 81mg

#120

EC Tablets

Each tablet contains: Aspirin 81 mg (NSAID*) Pain reliever *nonsteroidal anti-inflammatory drug

Yellow, round, unscored tablet with a heart shape imprint.

Product ID: RA091372

Dist. By: Major Pharmaceuticals 31778 Enterprise Drive, Livonia, MI 48150 USA

Store at 25°C (77°F)

Keep medication out of the reach of children

ASPIR LOW

aspirin tablet

| Dradi | ict Inf | OHMO | tion |
|-------|-----------|------|------|
| Prom | 16.1 1111 | orma | |

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63187-913(NDC:0904-7704)

Route of Administration

ORAL

| Active Ingredient/Active Moiety | | | | |
|--|-------------------|----------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E) | ASPIRIN | 81 mg | | |

| Inactive Ingredients | |
|---|----------|
| Ingredient Name | Strength |
| ANHYDRO US LACTO SE (UNII: 3S Y5LH9 PMK) | |
| CARNAUBA WAX (UNII: R12CBM0 EIZ) | |
| SILICON DIO XIDE (UNII: ETJ7Z6XBU4) | |
| CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48) | |
| D&C YELLOW NO. 10 (UNII: 35SW5USQ3G) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (1:1) TYPE A (UNII: NX76LV5T8J) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | |
| DIMETHICO NE (UNII: 92RU3N3Y1O) | |
| SO DIUM HYDRO XIDE (UNII: 55X04QC32I) | |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) | |
| TRIETHYL CITRATE (UNII: 8Z96QXD6UM) | |

| Product Characteristics | | | | |
|-------------------------|--------|--------------|----------|--|
| Color | YELLOW | Score | no score | |
| Shape | ROUND | Size | 7mm | |
| Flavor | | Imprint Code | HEART | |
| Contains | | | | |

| P | Packaging | | | | | |
|---|------------------|--|-----------------------------|---------------------------|--|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | | |
| 1 | NDC:63187-913-30 | 30 in 1 BOTTLE; Type 0: Not a Combination Product | 10/02/2017 | | | |
| 2 | NDC:63187-913-60 | 60 in 1 BOTTLE; Type 0: Not a Combination Product | 10/02/2017 | | | |
| 3 | NDC:63187-913-72 | 120 in 1 BOTTLE; Type 0: Not a Combination Product | 10/02/2017 | | | |

| Marketing Information | | | | |
|-----------------------|--|----------------------|--------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC monograph final | part343 | 05/24/2011 | | |
| | | | | |

Labeler - Proficient Rx LP (079196022)

| Establishment | | | |
|---------------|---------|--------|---------------------|
| Name | Address | ID/FEI | Business Operations |

| Proficient Rx LP | 079196022 | REPACK(63187-913), RELABEL(63187-913) | |
|------------------|-----------|---------------------------------------|--|

Revised: 11/2019 Proficient Rx LP