

NITROUS OXIDE- nitrous oxide gas
Praxair Distribution, Inc.

Nitrous Oxide

NITROUS OXIDE USP LABEL

UN2201Medipure

NITROUS OXIDE,

REFRIGERATED

LIQUID, USP

**↑ ALWAYS KEEP CONTAINER
IN UPRIGHT POSITION ↑**

CAS: 10024-97-2

LOT NUMBER _____

2 5.1

NET CONTENTS _____

DANGER! COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE DIZZINESS AND DROWSINESS MAY CAUSE NERVOUS SYSTEM AND BLOOD CELL DAMAGE. REPRODUCTIVE HAZARD. MAY CAUSE FROTSBITE. TLV-TWA: 50 PPM (ACGIH 2008) ODOR: SLIGHTLY SWEET.

Avoid breathing gas. Store and use with adequate ventilation. Keep oil, grease and combustibles away. Use only with equipment cleaned as for oxygen service and rated for cylinder pressure. Do not get liquid in eyes, on skin, or on clothing. Cylinder temperature should not exceed 125 °F (52 °C) Open valve slowly. Close valve after each use: keep closed even when empty. Always secure cylinder. Install cap if provided when not in use. Use a backflow prevention device in any piping. Use per Praxair MSDS form P-4636, Praxair safety booklet P-14-153, and manufacturer's operating instructions for this container. Obtain Praxair publications from your local supplier.

Rx ONLY

FIRST AID: IF INHALED: Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician IN CASE OF FROTSTBITE, obtain medical treatment immediately.

WARNING! Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken .

IN CASE OF EMERGENCY: CALL 1-800-645-4633

DO NOT REMOVE THIS PRODUCT LABEL

PRAXAIR

MADE IN USA Copyright ©2002, 2005, 2007, Praxair Technology, Inc.
DISTRIBUTED BY PRAXAIR,

INC.

PMG-16 (09/18) Praxair, the Flowing Airstream design, and Medipure
DANBURY, CT 06810-5113

are trademarks of Praxair Technology, Inc.

UN2201
NITROUS OXIDE,
REFRIGERATED
LIQUID, USP
CAS: 10024-97-2

DANGER! COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE DIZZINESS AND DROWSINESS. MAY CAUSE NERVOUS SYSTEM AND BLOOD CELL DAMAGE. REPRODUCTIVE HAZARD. MAY CAUSE FROSTBITE. TLV-TWA: 50 PPM (ACGIH 2008). ODOR: SLIGHTLY SWEET.

Avoid breathing gas. Store and use with adequate ventilation. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Do not get liquid in eyes, on skin, or on clothing. Cylinder temperature should not exceed 125°F (52°C). For liquid withdrawal wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valves after each use; keep closed even when empty. Always secure cylinder. Use a backflow prevention device in any piping. Use per Praxair MSDS form P-6226, Praxair safety booklet P-14-153, and manufacturer's operating instructions for this container. Obtain Praxair publications from your local supplier.

Rx ONLY

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

WARNING! Administration of nitrous oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrous oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

IN CASE OF EMERGENCY: CALL 1-800-645-4633 DO NOT REMOVE THIS LABEL

MADE IN USA
PMG-16 (09/08)

Copyright © 2002, 2005, 2008, Praxair Technology, Inc. All rights reserved.
Praxair, the Flowing Airstream design, and Medipure
are trademarks of Praxair Technology, Inc.

DISTRIBUTED BY PRAXAIR, INC.
DANBURY, CT 06810-5113

Medipure
MEDICAL GASES

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑

LOT NUMBER _____

NET CONTENTS _____

NITROUS OXIDE USP LABEL

UN1070

Medipure

NITROUS OXIDE USP

CAS: 10024-97-2

2 5.1

WARNING: HIGH PRESSURE OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE NERVOUS SYSTEM AND BLOOD CELL DAMAGE. REPRODUCTIVE HAZARD. MAY CAUSE FROSTBITE. MAY CAUSE DIZZINESS AND DROWSINESS. TLV-TWA: 50 PPM (ACGIH 2007). ODOR: SLIGHTLY SWEET.

Avoid breathing gas. Store and use with adequate ventilation. Keep oil, grease and combustibles away. Use only with equipment cleaned as for oxygen service and rated for cylinder pressure. Do not get liquid in eyes, on skin, or on clothing. Cylinder temperature should not exceed 125 °F (52 °C) Open valve slowly. Close valve after each use: keep closed even when empty. Always secure cylinder. Install cap if provided when not in use. Use a backflow prevention device in any piping. Use per Praxair MSDS form P-4636, Praxair safety booklet P-14-153, and manufacturer's operating instructions for

this container. Obtain Praxair publications from your local supplier.

Rx ONLY

FIRST AID: IF INHALED: Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician IN CASE OF FROSTBITE, obtain medical treatment immediately.

WARNING! Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken .

IN CASE OF EMERGENCY: CALL 1-800-645-4633

DO NOT REMOVE THIS PRODUCT LABEL

PRAXAIR

PMG-4(11/07) Copyright ©2002, 2005, 2007, Praxair Technology, Inc.
DISTRIBUTED BY PRAXAIR,
INC.

MADE IN USA Praxair, the Flowing Airstream design, and Medipure
DANBURY, CT 06810-5113

are trademarks of Praxair Technology, Inc.

**UN1070
NITROUS OXIDE
USP**

CAS: 10024-97-2

WARNING! HIGH-PRESSURE, OXIDIZING LIQUID AND GAS, VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE NERVOUS SYSTEM AND BLOOD CELL DAMAGE. REPRODUCTIVE HAZARD. MAY CAUSE FROSTBITE. MAY CAUSE DIZZINESS AND DROWSINESS. TLV-TWA: 50 PPM (ACGIH 2007). ODOR: SLIGHTLY SWEET.

Avoid breathing gas. Store and use with adequate ventilation. Keep oil, grease, and combustibles away. Use only with equipment cleaned as for oxygen service and rated for cylinder pressure. Do not get liquid in eyes, on skin, or on clothing. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use a backflow prevention device in any piping. Use per Praxair MSDS form P-4636, Praxair safety booklet P-14-153, and manufacturer's operating instructions for this container. Obtain Praxair publications from your local supplier.

Rx ONLY

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician. **IN CASE OF FROSTBITE,** obtain medical treatment immediately.

WARNING! Administration of nitrous oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrous oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

IN CASE OF EMERGENCY: CALL 1-800-645-4633
DO NOT REMOVE THIS LABEL

PRAXAIR

PMG-4 (11/07)
MADE IN USA

Copyright © 2002, 2005, 2007, Praxair Technology, Inc.
Praxair, the Flowing Airstream design, and Medipure are trademarks of
Praxair Technology, Inc.

DISTRIBUTED BY PRAXAIR, INC.
DANBURY, CT 06810-5113

NITROUS OXIDE

nitrous oxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59579-004
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROUS OXIDE (UNII: K50XQU1029) (NITROUS OXIDE - UNII:K50XQU1029)	NITROUS OXIDE	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59579-004-01	17987 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
2	NDC:59579-004-02	15770 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
3	NDC:59579-004-03	14784 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
4	NDC:59579-004-04	9610 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
5	NDC:59579-004-05	7885 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
6	NDC:59579-004-06	4928 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
7	NDC:59579-004-07	2664 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
8	NDC:59579-004-08	1725 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
9	NDC:59579-004-09	1232 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
10	NDC:59579-004-10	986 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
11	NDC:59579-004-11	493 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
12	NDC:59579-004-12	246 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
13	NDC:59579-004-15	46816 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
14	NDC:59579-004-16	88458 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
15	NDC:59579-004-17	93632 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
16	NDC:59579-004-18	107667 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
17	NDC:59579-004-19	130099 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
18	NDC:59579-004-20	141680 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
19	NDC:59579-004-13	17248 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
20	NDC:59579-004-14	1971 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA209989	10/01/2007	

Labeler - Praxair Distribution, Inc. (042845636)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		044574523	manufacture(59579-004)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		045252439	manufacture(59579-004)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc		119071203	manufacture(59579-004)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		049964372	manufacture(59579-004)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		063889091	manufacture(59579-004)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		196953322	manufacture(59579-004)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		826346673	manufacture(59579-004)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		938961455	manufacture(59579-004)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		948364559	manufacture(59579-004)