

**ACETAMINOPHEN- acetaminophen tablet, film coated, extended release**  
**Health Mart**

-----  
**Arthritis Pain Relief**

***Drug Facts***

**Active ingredient (in each caplet)**

Acetaminophen USP, 650 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches
  - backache
  - premenstrual and menstrual cramps
  - the common cold
  - headache
  - toothache
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert**

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have** liver disease.

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none"><li>▪ take 2 caplets every 8 hours with water</li><li>▪ swallow whole; do not crush, chew, split or dissolve</li><li>▪ do not take more than 6 caplets in 24 hours</li><li>▪ do not use for more than 10 days unless directed by a doctor</li></ul>
under 18 years of age	<ul style="list-style-type: none"><li>▪ ask a doctor</li></ul>

**Other information**

- store at 20 - 25° C (68 - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

**Inactive ingredients**

croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

**Questions?**

call **1-800-406-7984**

Distributed by McKesson

One Post Street, San Francisco, CA 94104

**PRINCIPAL DISPLAY PANEL - 650 mg Caplet Bottle Carton**

NDC 62011-0026-1

Compare to Tylenol® Arthritis Pain active ingredient†

**Health Mart®**

**LAST UP TO 8 HOURS**

Use Only As Directed.

**Arthritis Pain Relief**

**Acetaminophen**

**Extended-release Tablets USP, 650 mg**

Pain Reliever/Fever Reducer

For The Temporary Relief of Minor Arthritis Pain

ACTUAL SIZE

**100** Caplets\* (\*capsule-shaped tablets)

**DO NOT USE WITH OTHER MEDICINES  
CONTAINING ACETAMINOPHEN**



**Health Mart**

NDC 62011-0026-1

Compare to Tylenol® Arthritis Pain active ingredient†

**LAST UP TO 8 HOURS**

Use Only As Directed.

# Arthritis Pain Relief

## Extended-release Tablets

### USP, 650 mg

pain reliever/fever reducer for the temporary relief of minor arthritis pain

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

ACTUAL SIZE



**100 Caplets\*** (\*capsule-shaped tablets)

NDC 62011-0026-1

Compare to Tylenol® Arthritis Pain active ingredient†

**LAST UP TO 8 HOURS**

Use Only As Directed.

# Arthritis Pain Relief

## Acetaminophen

### Extended-release Tablets USP, 650 mg

Pain Reliever/Fever Reducer

For The Temporary Relief of Minor Arthritis Pain

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

ACTUAL SIZE



**100 Caplets\*** (\*capsule-shaped tablets)

### Drug Facts

**Active ingredient**

Acetaminophen USP, 650 mg.....Pain reliever/fever reducer

#### Uses

- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches
  - backache
  - premenstrual and menstrual cramps
  - the common cold
  - headache
  - toothache
- temporarily reduces fever

#### Warnings

- Liver warnings:** This product contains acetaminophen. Severe liver damage may occur if you take
  - more than 6 caplets in 24 hours, which is the maximum daily amount
  - with other drugs containing acetaminophen
  - 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
  - blisters
  - rash
- If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have liver disease.**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

#### Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

## Drug Facts (continued)

- new symptoms occur
  - redness or swelling is present
- These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Directions

■ **do not take more than directed (see overdose warning)**

adults

- take 2 caplets every 8 hours with water
- swallow whole; do not crush, chew, split or dissolve
- do not take more than 6 caplets in 24 hours
- do not use for more than 10 days unless directed by a doctor

under 18 years of age

- ask a doctor

### Other information

- store at 20 - 25° C (68 - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

### Inactive ingredients

croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

**Questions?** call 1-800-406-7984

**MEKESON**

Contains No Aspirin

Another Quality Product  
Distributed by McKesson  
One Post Street, San Francisco, CA 94104  
Money Back Guarantee  
healthmart.com

R0318




Health Mart.

LAST UP TO 8 HOURS

Arthritis  
Pain Relief

<sup>1</sup>All trademarks are property of their res  
is not affiliated with the makers/owners  
**Keep the carton. It contains i**

Item# 3918



Batch No.

Non Varni

**Pain Reliever**  
**Acetaminophen**  
Extended-release Tablets  
USP, 650 mg

**100 Caplets\*** (\*capsule-shaped tablets)


Indicated for the relief of pain due to osteoarthritis, rheumatoid arthritis, and ankylosing spondylitis. This product is not intended for the relief of pain due to myocardial infarction or other acute or severe trauma, myocardial infarction, stroke, or other acute or severe conditions that require medical attention. See important information.

182




Expiration Date

Use Area



5182101



5182101

**ACETAMINOPHEN**

acetaminophen tablet, film coated, extended release

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:62011-0026

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

### Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	white	Score	no score
Shape	OVAL (Capsule shaped)	Size	19mm
Flavor		Imprint Code	cor116
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0026-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2002	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076200	04/30/2002	

**Labeler** - Health Mart (177667227)

**Registrant** - Ohm Laboratories Inc. (051565745)

### Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(62011-0026) , LABEL(62011-0026)

