

**ADULT GLYCERIN LAXATIVE - glycerin suppository**  
**Cardinal Health, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts Active ingredient**

(per suppository)

Glycerin, USP 2 g

**Purpose**

Laxative

**Keep out of reach of children.**

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately (1-800-222-1212).**

**Use**

For relief of occasional constipation

**Warnings**

**For rectal use only.** May cause rectal discomfort or burning sensation.

**Ask a doctor before use if you have**

- abdominal pain, nausea or vomiting.
- a sudden change in bowel habits lasting for more than 2 weeks.
- already used a laxative for more than 1 week.

**Stop use and ask a doctor**

if you have rectal bleeding or fail to have a bowel movement after using a laxative. This may indicate a serious condition.

**If pregnant or breastfeeding,**

ask a doctor before use.

**Directions**

Single Daily dosage: 1 suppository or as directed by a doctor

- Adults and children 6 years and over:
- detach 1 suppository from the strip; remove the wrapper before inserting into the rectum as follows:
- hold suppository with pointed end up
- carefully separate tabs with fingernail
- slowly pull apart by pulling tabs down on both sides

- remove suppository from wrapper
- insert one suppository well up into the rectum
- children 2 to 6 years use Leader Pediatric Glycerin Suppositories
- children under 2 years of age ask a doctor



### **Inactive ingredients**

sodium stearate, purified water

### **Other information**

- This product usually produces a bowel movement in 1/4 to 1 hour
- Store container tightly closed
- Keep from excessive heat

### **Adult Glycerin Suppositories Label**

**NDC 49718-081-25**

**Leader®**

**Compare to Fleet® active ingredient\***

**Glycerin Suppositories**

**Laxative**

SATISFACTION GUARANTEED

25 Adult Size

TAMPER-EVIDENT FOR YOUR SAFETY, SUPPOSITORIES ARE PACKED IN TAMPER-EVIDENT SEALED WRAPPER. DO NOT USE IF WRAPPER IS TORN OR OPEN

E-Z Open Wrapper

Distributed by Cardinal Health, Inc.  
Dublin, OH 43017 CIN # 4866216  
www.myleader.com 1-800-200-6313

ALL LEADER® Brand Products are 100% satisfaction guaranteed or return to place of purchase for a full refund.

This product is not manufactured or distributed by C.B. Fleet Co. Inc., owner of the registered trademark Fleet®



## ADULT GLYCERIN LAXATIVE

glycerin suppository

### Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:49781-081
Route of Administration	RECTAL	DEA Schedule	

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (GLYCERIN)	GLYCERIN	2 g

### Inactive Ingredients

Ingredient Name	Strength
SODIUM STEARATE	
WATER	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:49781-081-25	25 in 1 BOX		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph not final	part334	04/01/2014		

**Labeler** - Cardinal Health, Inc. (097537435)

**Registrant** - Acino Products LLC (019385518)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Acino Products LLC		019385518	manufacture(49781-081)

Revised: 3/2014

Cardinal Health, Inc.