

AAPE CONTINUOUS RENEWAL SERUM- niacinamide, adenosine liquid
PROSTEMICS Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

ACTIVE INGREDIENT

Active ingredients: Niacinamide 2.00%, Adenosine 0.04%

INACTIVE INGREDIENT

Inactive ingredients:

Water, Human Adipocyte Conditioned Media Extract, Butylene Glycol, Glycerin, PEG/PPG-17/6 Copolymer, Bis-PEG-18, Methyl Ether Dimethyl Silane, PEG-60 Hydrogenated Castor Oil, Caprylyl Glycol, Carbomer, Tromethamine, Phenyl Trimethicone, Ethylhexylglycerin, Glyceryl, Citrate/Lactate/Linoleate/Oleate, Biosaccharide Gum-1, Trehalose, 1,2-Hexanediol, Olea Europaea (Olive) Fruit Oil, Polysorbate 60, Betula Platyphylla, Japonica Juice, Portulaca Oleracea Extract, Sodium Hyaluronate, Xanthan Gum, Rubus Idaeus (Raspberry) Fruit Extract, Gentiana Lutea Root Extract, Achillea Millefolium Extract, Artemisia Absinthium Extract, Arnica Montana Flower Extract, Beta-Glucan, Hydrolyzed Extensin, Acetyl Hexapeptide-8, PEG-40 Hydrogenated, Castor Oil, PPG-26-Buteth-26, Copper Tripeptide-1

PURPOSE

Purpose: Skin Brightening, Anti wrinkle

WARNINGS

Warnings:

For external use only

1. Discontinue use if signs of irritation or rashes appear. If symptoms get worse, consult with a dermatologist. 1) In case of swelling, itching, or other side effects while or after using this product
2. Do not apply to open wounds.
3. Avoid contact with eyes.

Storage and handling

4. Replace the cap after use
5. Keep out of reach of children.
6. Avoid direct sunlight.

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

Uses

Uses:

Helps brighten skin tone.

Helps improve wrinkle problem.

Directions

Directions:

Take 2-3 drops and gently apply onto the face.

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



AAPE[®]

**Continuous
Renewal Serum**



**ANTI-AGING
CONDITIONED MEDIA**



Drug Facts

Active ingredients	Purpose
Niacinamide 2.00%	Skin Brightening
Adenosine 0.04%	Anti wrinkle

Uses

- Helps brighten skin tone.
- Helps improve wrinkle problem.

Warnings

For external use only
1. Discontinue use if signs of irritation or rashes appear. If symptoms get worse, consult with a dermatologist. 1) In case of swelling, itching, or other side effects while or after using this product
2. Do not apply to open wounds.
3. Avoid contact with eyes.
Storage and handling
4. Replace the cap after use
5. Keep out of reach of children.
6. Avoid direct sunlight.

Directions

- Take 2-3 drops and gently apply onto the face.

Inactive ingredients

Water, Human Adipocyte Conditioned Media Extract, Butylene Glycol, Glycerin, PEG/PPG-17/6 Copolymer, Bis-PEG-18, Methyl Ether Dimethyl Silane, PEG-60 Hydrogenated Castor Oil, Caprylyl Glycol, Carbomer, Tromethamine, Phenyl Trimethicone, Ethylhexylglycerin, Glyceryl Citrate/Lactate/Linolate/Oleate, Biosaccharide Gum-1, Trehalose, 1,2-Hexanediol, Olea Europaea (Olive) Fruit Oil, Polysorbate 60, Betula Platyphylla Japonica Juice, Portulaca Oleracea Extract, Sodium Hyaluronate, Xanthan Gum, Rubus Idaeus (Raspberry) Fruit Extract, Gentiana Lutea Root Extract, Achillea Millefolium Extract, Artemisia Absinthium Extract, Amica Montana Flower Extract, Beta-Glucan, Hydrolyzed Extensin, Acetyl Hexapeptide-8, PEG-40 Hydrogenated Castor Oil, PPG-26-Buteth-26, Copper Tripeptide-1, Fragrance

Questions www.prostemics.com

Manufacturer: PROSTEMICS Co., Ltd.
16-25, Dongbaekjungang-ro
16beon-gil, Giheung-gu, Yongin-si,
Gyeonggi-do, South Korea

Net WT:
40ml / 1.35 Fl. Oz.

niacinamide, adenosine liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62041-210
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Niacinamide (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	Niacinamide	0.80 g in 40 mL
Adenosine (UNII: K72T3FS567) (ADENOSINE - UNII:K72T3FS567)	Adenosine	0.01 g in 40 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Butylene Glycol (UNII: 3XUS85K0RA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62041-210-02	1 in 1 CARTON	08/01/2019	
1	NDC:62041-210-01	40 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/2019	

Labeler - PROSTEMICS Co., Ltd. (689605919)

Registrant - PROSTEMICS Co., Ltd. (689605919)

Establishment

Name	Address	ID/FEI	Business Operations
Prostemics Co., Ltd. Factory		695687674	manufacture(62041-210)

Revised: 8/2019

PROSTEMICS Co., Ltd.