EPSOM SALT- magnesium sulfate granule, for solution Vi-Ion, LLC

Swan 602.002-602AA Epsom Salt

Tamper Evident Statement

Tamper Evident Packaging:

Caution: This package has been sealed for your protection. Do not use if package is open, torn or mutilated.

Active ingredient

Magnesium sulfate USP (heptahydrate) 100%

Purpose

Saline laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 1/2 to 6 hours

Warnings

for this product

Ask a Doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- abdominal pain, nausea or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week.

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be

signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed recommended daily dosage
- drink a full glass (8 ounces) of liquie with each dose
- may be taken as a single daily dose or in divided doses
- dissolve the dose in 8 ounces of water. Lemon juice may be added to improve the taste

adults and children 12 years and over - 2 to 6 level teaspoons (10 to 30 grams) daily children 6 to under 12 years - 1 to 2 level teaspoons (5 to 10 grams) daily children under 6 years - consult a doctor

Other information

• magnesium content 495 mg per teasppon (5 grams)

Inactive ingredients

None

Side panel

Epsom Salt MAGNESIUM SULFATE U.S.P.

For external use as a soaking aid for minor sprains and bruises.

Directions: Dissolve 2 cupfuls of this product per gallon of water. Apply with bandages or towelling for 30 minutes up to three times a day, or use as a soak or in bath. Use warm water for best results.

CAUTION: If prompt relief is not obtained or there is evidence of infection, discontinue use and consult your physician. Hot or warm soaks should not be used by individuals with diabetes except on the advice of a physician. Keep out of reach of children.

Distributed by Vi-Jon, LLC

One Swan Drive

Adverse reaction

Distributed by Vi-Jon, LLC One Swan Drive Smyrna, TN 37167

Principal display panel

Cut along dotted line and press zipper to reseal.

swan ®

Epsom Salt

MAGNESIUM SULFATE U.S.P.

- SALINE LAXATIVE For Relief of Occasional Constipation
- SOAKING SOLUTION For Minor Sprains & Bruises

NET WT 16 OZ (1LB) 454 g



NET WT 16 OZ (1 LB) 454 g

EPSOM SALT

magnesium sulfate granule, for solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0869-0602

Active Ingredient/Active Moiety						
Ingredient Name	Basis of Strength	Strength				
MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM SULFATE HEPTAHYDRATE	1 g in 1 g				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0869-0602- 43	454 g in 1 POUCH; Type 0: Not a Combination Product	07/15/1998		
2	NDC:0869-0602- 07	1814 g in 1 POUCH; Type 0: Not a Combination Product	07/15/1998		
3	NDC:0869-0602- 45	907 g in 1 POUCH; Type 0: Not a Combination Product	07/15/1998	05/23/2017	
4	NDC:0869-0602- 34	227 g in 1 POUCH; Type 0: Not a Combination Product	07/15/1998	02/03/2022	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M007	07/15/1998			

Labeler - Vi-Jon, LLC (088520668)

Registrant - Consumer Product Partners, LLC (119091520)

Establishment						
Name	Address	ID/FEI	Business Operations			
Consumer Product Partners, LLC		119091514	manufacture(0869-0602)			

Revised: 4/2024 Vi-Jon, LLC