GENTLE LAXATIVE- magnesium hydroxide liquid WALGREEN COMPANY

WALgreens LAX CHERRY

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- usually produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- follow each dosage with a full glass (8 oz) of liquid

children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL contains: magnesium 500 mg, sodium 6 mg
- store at room temperature tightly closed
- do not freeze

Inactive ingredients

carboxymethylcellulose sodium, citric acid, D&C red no. 28, flavor, glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

Questions or Comments?

1-800-540-3765

package label



Drug Facts

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS MISSING OR BROKEN.

Active ingredient (in each 15 mL)

Purpose

Magnesium hydroxide 1200 mg

Saline laxative

Use • relieves occasional constipation (irregularity)

generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have • kidney disease

 a magnesium-restricted diet . stomach pain, nausea, or vomiting

a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- follow each dosage with a full glass (8 oz) of liquid

age	dose	
adults and children 12 years and over	30 mL to 60 mL	
children 6 to 11 years	15 mL to 30 mL	
children under 6 years	ask a doctor	

Other information

each 15 mL contains: magnesium 500 mg, sodium 6 mg do not freeze • store at room temperature tightly closed

Inactive ingredients carboxymethylcellulose sodium, citric acid, D&C red no. 28, flavor, glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

Questions or comments? 1-800-540-3765

922-1951-1 REV W3ORG0821-F Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Sanoii-Aventis Deutschland GmbH, owner of the registered trademark Dulcolax*.

Walgreens Pharmacist Recommended. DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEER FIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com 62021 Walgreen Co.

ITEM 302733 W10071-0821-F



GENTLE LAXATIVE

magnesium hydroxide liquid

Product Information

HUMAN OTC DRUG NDC:0363-1634 **Product Type** Item Code (Source)

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients		
Ingredient Name	Strength	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
GLYCERIN (UNII: PDC6A3C0OX)		
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)		
WATER (UNII: 059QF0KO0R)		
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)		
D&C RED NO. 28 (UNII: 767IP0Y5NH)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
SUCROSE (UNII: C151H8M554)		
XANTHAN GUM (UNII: TTV12P4NEE)		

Product Characteristics			
Color	pink (opaque light pink)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging			
# Item Code Package Description		Marketing Start Date	Marketing End Date
1 NDC:0363-1634-	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2020	

Marketing Information			
Marketing Category			Marketing End Date
OTC Monograph Drug	M007	12/01/2020	

Labeler - WALGREEN COMPANY (008965063)

Registrant - GCP Laboratories (965480861)

Establishment				
Name	Address	ID/FEI	Business Operations	
GCP Laboratories		965480861	manufacture(0363-1634)	

Revised: 11/2023 WALGREEN COMPANY