

EQUATE ARTHRITIS PAIN- acetaminophen tablet, film coated, extended release
Wal-Mart Stores Inc

Wal-Mart Arthritis Pain Drug Facts

Active ingredient (in each caplet)

Acetaminophen 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- minor pain of arthritis
- muscular aches
- backache
- premenstrual and menstrual cramps
- the common cold
- headache
- toothache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days

- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)

adults	<ul style="list-style-type: none"> • take 2 caplets every 8 hours with water • swallow whole – do not crush, chew, split or dissolve • do not take more than 6 caplets in 24 hours • do not use for more than 10 days unless directed by a doctor
under 18 years of age	<ul style="list-style-type: none"> • ask a doctor

Other information

- store at 20°-25°C (68°-77°F). Avoid excessive heat 40°C (104°F).
- see end panel for lot number and expiration date

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide

Questions or comments?

1-888-287-1915

Principal Display Panel


Compare to Tylenol® Arthritis Pain Active Ingredient

Arthritis Pain

Acetaminophen

Extended-Release Tablets 650 mg
Pain Reliever/Fever Reducer
For the Temporary Relief of Minor Arthritis Pain
650 mg EACH
†Capsule-Shaped Tablets
Actual Size





Drug Facts

Active ingredient (in each caplet)

Acetaminophen 650 mg.....	Pain reliever/ fever reducer
------------------------------	---------------------------------

Purpose

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches ■ backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache ■ toothache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product



**DO NOT USE IF PRINTED FOIL UNDER
CAP IS BROKEN OR MISSING**

Drug Facts (continued)

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have
liver disease

Ask a doctor or pharmacist before use if you
are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.



EQUATE ARTHRITIS PAIN acetaminophen tablet, film coated, extended release			
Product Information			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:49035-544
Route of Administration	ORAL	DEA Schedule	
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (ACETAMINOPHEN)		ACETAMINOPHEN	650 mg
Inactive Ingredients			
Ingredient Name			Strength
CARNAUBA WAX			
SILICON DIOXIDE			
CROSCARMELLOSE SODIUM			
HYDROXYMETHYLCELLULOSES			
MAGNESIUM STEARATE			
MALTODEXTRIN			
CELLULOSE, MICROCRYSTALLINE			
POLYETHYLENE GLYCOLS			
POLYSORBATE 80			
POLYVIDONES			
STEARIC ACID			
TITANIUM DIOXIDE			
Product Characteristics			
Color	WHITE	Score	no score

Shape	CAPSULE (caplet)	Size	19 mm	
Flavor		Imprint Code	L544	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-544-62	1 in 1 CARTON		
1		24 in 1 BOTTLE		
2	NDC:49035-544-78	1 in 1 CARTON		
2		100 in 1 BOTTLE		
3	NDC:49035-544-83	225 in 1 BOTTLE		
4	NDC:49035-544-87	2 in 1 PACKAGE		
4	NDC:49035-544-47	150 in 1 BOTTLE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA075077		05/16/2000	

Labeler - Wal-Mart Stores Inc (051957769)