ACETAMINOPHEN - acetaminophen tablet Physicians Total Care, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Acetaminophen Tablets

*Compared to the active ingredient in Tylenol[®]

Drug Facts

ACTIVE INGREDIENT

(in each tablet)

Acetaminophen 325 mg

PURPOSES

Pain Reliever/Fever Reducer

USES

for the temporary relief of minor aches and pains due to:

- Headache
- Muscular aches
- Backache
- Minor pain of arthritis
- The common cold
- Toothache
- Premenstrual and menstrual cramps

Temporarily reduces fever.

WARNINGS

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 12 tablets in 24 hours, which is the maximum daily amount
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if the user has liver disease.

Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- Pain gets worse or lasts more than 10 days in adults and children
- Pain gets worse or lasts more than 5 days in children under 12 years
- Fever gets worse or lasts more than 3 days
- New symptoms occur
- Redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Keep out of reach of children.

OVERDOSAGE

Overdose warning:

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

DIRECTIONS

Do not take more than directed

Age	Dose
Adults	• Take 2 tablets every 4 to 6 hours while symptoms last
and	• Do not take more than 12 tablets in 24 hours
Children	
12	
years and	
over	
Children	 Take 1 tablet every 4 to 6 hours while symptoms last
6-11 years	• Do not take more than 5 tablets in 24 hours
Children under 6 years	Do not use adult Regular Strength products in children under 6 years of age; this will provide more than the recommended dose (overdose) of acetaminophen and may cause liver damage.

OTHER INFORMATION

- Store at room temperature 15°-30°C (59°-86°F)
- Use by expiration date on package.

INACTIVE INGREDIETNS

Povidone, Pregelatinized Starch, Sodium Starch Glycolate, Stearic Acid

Questions? To report a Serious Adverse Event contact 1-877-835-5472.

*This product is not manufactured or distributed by McNeil Consumer Products Co., owners of the registered trademark Tylenol[®].

Distributed by:

Amneal Pharmaceuticals

104 Hippocrates Way,

Glasgow, KY 42141

Rev. 11/2009

Relabeling of "Additional Barcode Label" by:


Physicians Total Care, Inc. Tulsa, OK 74146

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

Acetaminophen Tablets

325 mg

Bottles of	NDC 54868-
50	0548-2
Bottles of	NDC 54868-
100	0548-4
Bottles of	NDC 54868-
1000	0548-3



ACETAMINOPHEN acetaminophen tablet							
I I I I I I I I I I I I I I I I I I I							
Product Information							
Product T ype	NDC:54868-0548(NDC:65	NDC:54868-0548(NDC:65162-350)					
Route of Administration	ORAL						
Active Ingredient/Active Moiety							
I	Basis of Strength	Strength					
ACETAMINO PHEN (UNII: 36209 ITL	ACETAMINOPHEN	325 mg					

		In	gredient Na	me			Strength
PO VIDONE (UNII: FZ989GH94E)							Strength
	RCH, CORN (UNII: (
		COLATE TYPE A POTA	TO (UNII: 585	613G2A2)			
	ARIC ACID (UNII: 4			0000 <u>0</u>			
012							
Pro	duct Character	ristics					
Colo	r	white	Score	ļ		no	score
Shap	e	ROUND	Size			4m	ım
Flav	or		Impri	nt Code		GP	I;A325
Cont	ains						
Cont	ains						
Cont	ains						
	ains kaging						
Pac		Package Des	cription	Marketin	ng Start Date	Ma	arketing End Date
Pac #	kaging	Package Des 50 in 1 BOTTLE	cription	Marketin	ng Start Date	Ma	arketing End Date
Pac # 1 NI	kaging Item Code		criptio n	Marketin	ıg Start Date	Ma	arketing End Date
Pac # 1 NE 2 NE	kaging Item Code DC:54868-0548-2	50 in 1 BOTTLE	criptio n	Marketin	ng Start Date	Ma	arketing End Date
Pac # 1 NE 2 NE	kaging Item Code DC:54868-0548-2 DC:54868-0548-3	50 in 1 BOTTLE 1000 in 1 BOTTLE	criptio n	Marketin	ıg Start Date	Ma	arketing End Date
Pac # 1 NE 2 NE	kaging Item Code DC:54868-0548-2 DC:54868-0548-3	50 in 1 BOTTLE 1000 in 1 BOTTLE	criptio n	Marketin	ıg Start Date	Ma	arketing End Date
Pac # 1 NE 2 NE 3 NE	kaging Item Code 0C:54868-0548-2 0C:54868-0548-3 0C:54868-0548-4	50 in 1 BOTTLE 1000 in 1 BOTTLE 100 in 1 BOTTLE	criptio n	Marketin	ng Start Date	Ma	arketing End Date
Pac # 1 NI 2 NI 3 NI ■	kaging Item Code DC:54868-0548-2 DC:54868-0548-3	50 in 1 BOTTLE 1000 in 1 BOTTLE 100 in 1 BOTTLE			ig Start Date Marketing Start		arketing End Date Marketing End Date

Labeler - Physicians Total Care, Inc. (194123980)

Establishment							
Name	Address	ID/FEI	Business Operations				
Physicians Total Care, Inc.		194123980	relabel				

Revised: 12/2009

Physicians Total Care, Inc.