

**ACETAMINOPHEN- acetaminophen tablet, extended release**  
**Ohm Laboratories Inc.**

-----  
**Drug Facts**

**ACTIVE INGREDIENT (IN EACH GELTAB)**

Acetaminophen USP, 650 mg

**PURPOSE**

Pain reliever/fever reducer

**USES**

- temporarily relieves minor aches and pains due to:
  - muscular aches
  - backache
  - headache
  - toothache
  - the common cold
  - minor pain of arthritis
  - premenstrual and menstrual cramps
  
- temporarily reduces fever

**WARNINGS**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 gels in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have difficulty swallowing large tablets or capsules. People over 65 may have difficulty swallowing these tablets.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have**

Liver disease.

**Ask a doctor or pharmacist before use if you are**

Taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

- the tablet got stuck in your throat

These could be signs of a serious condition.

### **If pregnant or breast-feeding**

Ask a health professional before use.

### **Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **DIRECTIONS**

- **do not take more than directed (see overdose warning)**

---

adults	<ul style="list-style-type: none"><li>▪ take 2 geltabs every 8 hours. Swallow only one geltab at a time.</li><li>▪ take a sip of water before swallowing each geltab and wash each geltab down with water (up to a full 8 oz. glass).</li><li>▪ swallow whole - do not crush, chew, split or dissolve</li><li>▪ do not take more than 6 geltabs in 24 hours</li><li>▪ do not use for more than 10 days unless directed by a doctor</li></ul>
under 18 years of age	<ul style="list-style-type: none"><li>▪ ask a doctor</li></ul>

---

### **OTHER INFORMATION**

- store at 20 - 25° C (68 - 77° F). Avoid high humidity.
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

### **INACTIVE INGREDIENTS**

Croscarmellose sodium, gelatin, glycerin, hypromellose, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, starch, titanium dioxide

### **QUESTIONS?**

Call 1-800-406-7984

### **PRINCIPAL DISPLAY PANEL**

†Compare to the active ingredient of Tylenol® Arthritis Pain

NDC 51660-340-20

ohm®

Use only as directed.

Arthritis Pain Relief

ACETAMINOPHEN

**Extended-Release Tablets, USP 650 mg**

**Pain Reliever/Fever Reducer**

**Lasts up to 8 hrs**

**• For the Temporary Relief of Minor Arthritis Pain**

**20 GELTABS\* 650 mg EACH**

**(\*Gelatin-Coated Tablets)**

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

**Distributed by: Ohm Laboratories Inc.**

**5101798/0313**



## ACETAMINOPHEN

acetaminophen tablet, extended release

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51660-340
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

### Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	white (White to Yellow)	Score	no score
Shape	ROUND	Size	13mm
Flavor		Imprint Code	350
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51660-340-20	1 in 1 CARTON		
1		20 in 1 BLISTER PACK		
2	NDC:51660-340-08	80 in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078569	12/21/2012	

**Labeler** - Ohm Laboratories Inc. (184769029)

**Registrant** - Ranbaxy Pharmaceuticals Inc. (937890044)

### Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Revised: 4/2013

Ohm Laboratories Inc.