#### ROMPE PECHO SF FLU- dextromethorphan, brompheniramine maleate, phenylephrine hydrochloride liquid Efficient Laboratories Inc

\_\_\_\_\_

#### **Drug Facts**

Active ingredients (in each 5 mls tsp.)	Purpose
Dextromethorphan HBr 10 mg	Cough Suppressant
Brompheniramine Maleate 4 mg	Antihistaminic
Phenylephrine HCl 10 mg N	lasal Decongestant

#### Purpose

Antihistamine

Cough Suppressant

Nasal Decongestant

#### USES

- temporarily relieves runny nose, sneezing, itching of the nose or throat and itchy watery eyes due to hay fever or other upper respiratory allergies
- temporarily relieves cough and nasal congestion as may occur with the common cold

#### Warnings

#### Do not exceed recommended dosage

**Do not use** • If you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI; ask your doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • glaucoma • high blood pressure • thyroid disease • diabetes • difficulty in urination due to an enlarged prostate gland • a persistent or chronic cough such as occurs with smoking, asthma or emphysema • a cough that is accompanied by excessive phlegm (mucus) • a breathing problem such as emphysema or chronic bronchitis

# **Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

When using this product • may cause drowsiness • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness • be careful when driving a motor vehicle or operating machinery • excitability may occur, especially in children.

**Stop use and ask a doctor if** • symptoms do not improve within 7 days, cough tends to recur, or symptoms are accompanied by a fever, rash or persistent headache. A persistent cough may be a sign of a serious condition. • if nervousness, dizziness, or sleeplessness occur

If pregnant or breast-feeding, ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

# Directions:

- shake well before use
- do not exceed more than 6 doses in any 24-hour period or as directed by a doctor

adults and children 12 years of age and over

children 6 to under 12 years of age

Age

# children under 6 years of age

#### Inactive Ingredients:

Blue Cohosh root extract, Citric Acid, Echinacea root extract, Eucalyptus Oil, Ginkgo Biloba leaf extract, Glycerine, Golden Seal Root extract,

Honey Flavor, Horehound, Licorice Root extract, Menthol, Methylparaben, Mullein Leaf extract, Myrrh gum extract, Potassium Citrate,

Potassium Sorbate, Propylene Glycol, Propylparaben, Slippery Elm Bark extract, Sodium Chloride, Sucralose, Water, Wild Cherry Bark extract, Zinc Sulfate.

# **Questions or Comments?**

# 305-805-3456 Monday - Friday 9AM to 5PM EST

# www.efficientlabs.com

5 mL (1 tsp) every 4 hours 2.5 mL (1/2 tsp) every 4 hours

Dose

consult a doctor



# ROMPE PECHO SF FLU

dextromethorphan, brompheniramine maleate, phenylephrine hydrochloride liquid

Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC:58593-225		93-225			
Route of Administration	ORAL						
Active Ingredient/Active Moiety							
Ingre	dient Name		Basis of St	rength	Strength		
DEXTROMETHORPHAN HYDROB (DEXTROMETHORPHAN - UNII:7355)		)	DEXTROMETHORP HYDROBROMIDE	PHAN	10 mg in 5 mL		
BROMPHENIRAMINE MALEATE ( UNII:H57G17P2FN)	UNII: IXA7C9ZN03) (BROMPH	ENIRAMINE -	BROMPHENIRAMIN MALEATE	IE	10 mg in 5 mL		
PHENYLEPHRINE HYDROCHLOR UNII:1WS297W6MV)	IDE (UNII: 04JA59TNSJ) (PHE	NYLEPHRINE -	PHENYLEPHRINE		10 mg in 5 mL		

	Ingredient Name		Strength
SUCRALOSE (UNII:	-		
CAULOPHYLLUM 1	HALICTROIDES ROOT (UNII: JTJ6HH6YEH)		
ECHINACEA, UNSE	PECIFIED (UNII: 4N9P6CC1DX)		
EUCALYPTUS GLO	BULUS LEAF (UNII: S546YLW6E6)		
GINKGO (UNII: 19F	JJ2C58T)		
GOLDENSEAL (UNI	I: ZW3Z11D0JV)		
HONEY (UNII: Y9H1	V576FH)		
GLYCYRRHIZA GLA	<b>BRA</b> (UNII: 2788Z9758H)		
MENTHOL (UNII: L7	/T10EIP3A)		
METHYLPARABEN	(UNII: A2I8C7HI9T)		
VERBASCUM DEN	SIFLORUM LEAF (UNII: 99360846LI)		
MYRRH (UNII: JC710	GJ1F3L)		
POTASSIUM CITR	ATE (UNII: EE90ONI6FF)		
POTASSIUM SORE	ATE (UNII: 1VPU26JZZ4)		
PROPYLENE GLYC	<b>OL</b> (UNII: 6DC9Q167V3)		
PROPYLPARABEN	(UNII: Z8IX2SC1OH)		
WATER (UNII: 0590	FOKOOR)		
ULMUS RUBRA BA	<b>RK</b> (UNII: 91QY4PXU8Q)		
SODIUM CHLORID	E (UNII: 451W47IQ8X)		
PRUNUS SEROTIN	<b>A BARK</b> (UNII: 5D48E975HA)		
ZINC SULFATE (UN	III: 89DS0H96TB)		
HOREHOUND (UNI	: K08036XEJV)		
CITRIC ACID MON	OHYDRATE (UNII: 2968PHW8QP)		
POLYGLYCERIN-1	<b>)</b> (UNII: P90600936A)		
Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing En Date
	178 mL in 1 BOTTLE; Type 0: Not a Combination		2410

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	10/01/2007		

Labeler - Efficient Laboratories Inc (969044932)

**Registrant -** Efficient Laboratories Inc (969044932)

Revised: 12/2023

Efficient Laboratories Inc