

PAIN RELIEVING MUSFLEX - camphor (natural) and menthol lotion
CHUNG KEE USA INTERNATIONAL INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Pain Relieving Lotion MUSFLEX

Pain Relieving Lotion MUSFLEX

Active Ingredients

Camphor 5.6%

Menthol 5.6%

Purpose

External Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises, and sprains.

Warnings

For external use only.

Avoid contact with the eyes.

Do not use

- on wounds or damaged skin

When using this product

- do not bandage tightly

Stop use and ask a doctor if

condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children to prevent accidental poisoning.

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 2 years of age and older: Apply to the affected area not more than 3 to 4 times

daily

- Children under 2 years of age: Consult a physician

Other Information

- Store at room temperature under 85 degrees F (30 degrees C)

Inactive Ingredients

Ethanol, Water, Ramulus Cinnamomi, Radix Notoginseng, Radix Angelicae Pubuscentis, Rhizoma Et Radix Pol Ygoni Cuspidati, Flos Carthami, Rhizoma Zedoariae

Manufactured By:

Nan San (HK) Pharmaceutical Factory Limited

Unit C1, 10/f, Hoi Bun

Industrial Building, 6 Wing Yip Street,

Kwun Tong, Hong Kong, China.

Distributed By:

CHUNG KEE USA

INTERNATIONAL INC

BROOKLYN, NY 11238

Pain Relieving Lotion MUSFLEX

Drug Facts

藥品資料

Active Ingredients 有效成份

Camphor 5.6% 樟腦
Menthol 5.6% 薄荷

Purpose 用途

External Analgesic 外用解痛
External Analgesic 外用解痛

Uses For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises, and sprains.
功能及主治 消腫止痛，暫時緩解下列症狀引起的肌肉和關節疼痛：一般頸腰背痛，關節痛，拉傷，瘀傷和扭傷。

Warnings

For external use only. Avoid contact with the eyes. 本品僅供外用，不可入眼。

Do not use on wounds or damaged skin. 不要用於傷口或破損皮膚。

When using this product do not bandage tightly.

使用本品時 綁帶不要紮得太緊。

Stop use and ask a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

如使用後狀況轉差或用後症狀持續七天以上或在症狀好轉後數天內復發，請停止使用並諮詢醫生。

Do not use if pregnant or breast-feeding

孕婦或母乳餵哺者忌用

Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center right away.

將本藥放在兒童不可接近處。如不慎吞服應立即獲得醫療護理或與毒物控制中心 (Poison Control Center) 聯絡。

Directions 用法

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age: Consult a physician.

2歲以下兒童使用前應先諮詢醫生。

Other information 其他注意事項

Store at room temperature under 85°F (30°C).
儲放在室溫保持在華氏 85°F (攝氏 30°C) 以下。

Inactive Ingredients 輔助成份

Ethanol 酒精, Flos Carthami 紅花, Polygoni Cuspidati Rhizoma et Radix 虎杖, Radix Angelicae Pubescentis 獨活, Radix Notoginseng 三七, Ramulus Cinnamomi 桂枝, Rhizoma Zedoariae 莪朮, Water 水

To report a serious adverse event contact (718) 857-0008

如需報告嚴重不適情況，請致電 (718) 857-0008

Distributed by:
CHUNG KEE USA INTERNATIONAL INC
BROOKLYN, NY 11238

Made in Hong Kong 香港製造

Lot.
Mfg.
Exp.

NDC 55424-1398-8



南山牌

PAIN RELIEVING LOTION

MUSFLEX

For external use only

消丹



外

Nan San (HK) Pharmaceutical Factory Limited
香港南山藥廠有限公司
NET CONTENTS 2.7 FL OZ (80 ML)

Functions :

For the temporary relief of minor aches and pains of muscles and joints.

Indications:

Arthritis, simple backache, strains, bruises, and sprains.

功能：

消腫止痛，舒筋活絡。

主治：

跌打撞傷，關節痛，扭傷。

Manufactured by:

Nan San (HK) Pharmaceutical Factory Limited
Unit C1, 10/F, Hoi Bun Industrial Building,
6 Wing Yip Street, Kwun Tong,
Hong Kong, China

製造商：

香港南山藥廠有限公司
製造商地址：
香港九龍觀塘榮業街6號海濱工業
大廈10樓C1

NDC 55424-1398-8



南山牌

PAIN RELIEVING LOTION

MUSFLEX

For external use only

消丹酊[®]

外用噴裝

Made By

Nan San (HK) Pharmaceutical Factory Ltd

Made in Hong Kong

Net Contents 2.7 fl oz (80 mL)

Active Ingredients : Camphor 5.6%
Menthol 5.6%

Warnings : For external use only.

Avoid contact with the eyes. **When using this product**, do not apply to wounds or damaged skin. Do not bandage tightly. **Stop use and ask a doctor** if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. **Do not use if pregnant or breast - feeding . Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

To report a serious adverse event contact (718) 857-0008

消腫止痛詳見盒和說明書

This Unit Not Labeled For retail Sale

This unit is packaged in an outer container. Please see outer container for drug facts information.

南山牌 消彤[®] 酊

MUSFLEX

消彤是香港南山藥廠有限公司董事阮德榮的創製秘方，經長期臨床使用，經驗豐富，藥劑配伍的優越精製而成，純屬家庭行良藥。本品淨地力靈，藥力持久，功效顯著。

有效成份：樟腦 薄荷
輔助成份：酒精 水 桂枝 獨活 虎杖 紅花 三七 羌活
功能及主治：暫時緩解下列症狀引起的輕微肌肉和關節疼痛：一般痠痛、背痛、關節痛、扭傷、瘀傷、挫傷。

用法：噴於患處。每天3-4次，每次噴口。兩歲以下小童使用前應先請教醫生。

注意：不可入眼，如不慎入眼即用清水沖洗。不能內服，如不慎吞服應立即與醫藥師或毒物控制中心聯絡。在應用本品時，不要用於傷口或破損皮膚；或繃帶不要繫得太緊。孕婦或母乳哺育者忌用。如服用後狀況轉差或症狀持續七天以上或症狀好轉後數天內復發，請停止使用並請教醫生。將本品放在兒童不可接近處。置于陰涼處。避免陽光或高溫。

MUSFLEX is a secret recipe provided by Cheung Cheuk Yin, the director of The Nan San (HK) Pharmaceutical Factory Limited. This product is practiced in clinics for a long time. It sums up the benefit of similar medicines. Besides, it was restructured to become an even efficient product. MUSFLEX has strong permeability, long-lasting effects and high efficacy.

Active Ingredients: Camphor, Menthol

Inactive Ingredients:

Ethanol, Flos Carthami, Polygoni Cuspidati, Rhizoma et Radix Radix Angelicae Pubescentis, Radix Notoginseng, Radix Ginseng, Rhizoma Zedoariae, Water

Uses: For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises, and sprains.

Directions: Adults and children 2 years of age and older: Apply to the affected area not more than 3 to 4 times daily. Avoid direct contact with wounds or damaged skin. Children under 2 years of age: Consult a physician.

Warning: Avoid contact with the eyes. In case contact with the eyes, flush eyes with plenty of water. For external use only. If swallowed, get medical help or contact a Poison Control Center right away. **When using this product, do not apply to wounds or damaged skin, do not bandage tightly. Do not use if pregnant or breast-feeding.**

Stop use and ask a doctor if condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days. **Keep out of reach of children.**

Storage: Stored in a cool, shaded place.

Drug Facts 藥品資料

Active Ingredients 有效成份 Purpose 用途
Camphor 10% 樟腦 Benzoin Resin 蘇合香
Menthol 10% 薄荷 Benzoin Resin 蘇合香

Use: For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises, and sprains. **功效及主治：**消除上述，暫時緩解下列症狀引起的肌肉和關節疼痛：一般痠痛、背痛、關節痛、扭傷、瘀傷、挫傷。

Warnings 警告
For external use only. Avoid contact with the eyes. 本品外敷用。不可內服。

Do not use on wounds or damaged skin. **不要用於傷口或破損皮膚。**

When using this product do not bandage tightly. **使用本品時 切勿不要繫得太緊。**

Stop use and ask a doctor if condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days. **如以下列症狀或症狀持續七天以上或症狀好轉後數天內復發，請停止使用並請教醫生。**

Do not use if pregnant or breast-feeding. **孕婦或母乳哺育者忌用。**

Keep out of reach of children if swallowed get medical help or contact a Poison Control Center right away. **將本品放在兒童不可接近處 如不慎吞服立即與醫藥師聯絡或與毒物控制中心 (Poison Control Center) 聯絡。**

Directions 用法
Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. **成人及2歲或以上兒童：每天塗患處3至4次。**
Children under 2 years of age: Consult a physician. **2歲以下兒童服用前請先諮詢醫生。**

Other information 其他注意事項
Store at room temperature under 85°F (30°C). **儲放在室溫(華氏85度/攝氏30度)以下。**

Inactive Ingredients 輔助成份
Ethanol 酒精, Flos Carthami 紅花, Polygoni Cuspidati 獨活, Rhizoma et Radix Radix Angelicae Pubescentis 獨活, Radix Ginseng 人參, Radix Notoginseng 三七, Rhizoma Zedoariae 乾薑, Water 水。

Manufactured by:

Nan San (HK) Pharmaceutical Factory Limited

Unit C1, 10/F, Hoi Bun Industrial Building, 6 Wing Yip Street, Kwun Tong, Hong Kong, China

Made in Hong Kong



PAIN RELIEVING MUSFLEX

camphor (natural), menthol lotion

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:55424-1398
Route of Administration	TOPICAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

CAMPHOR (NATURAL) (CAMPHOR (NATURAL))	CAMPHOR (NATURAL)	56 mg in 1 mL
MENTHOL (MENTHOL)	MENTHOL	56 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL	
EUCALYPTUS OIL	
O CIMUM GRATISSIMUM LEAF OIL	
METHYL SALICYLATE	
WATER	
CHINESE CINNAMON	
PANAX NOTOGINSENG ROOT	
ANGELICA BISERRATA ROOT	
SAFFLOWER	
ZEDOARY	
POLYGONUM CUSPIDATUM ROOT	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55424-1398-8	80 mL in 1 BOTTLE, SPRAY		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part348	01/09/2013	

Labeler - CHUNG KEE USA INTERNATIONAL INC (016224514)

Establishment

Name	Address	ID/FEI	Business Operations
Nan San (HK) Pharmaceutical Factory Limited		666458539	manufacture(55424-1398)

Revised: 1/2013

CHUNG KEE USA INTERNATIONAL INC