

G09 CARDI-MET- adenosine triphosphate, calcarea fluorica, crataegus oxyacanthoides, ferrum phosphoricum, lipase, natrum sulphuricum, strophanthus hispidus, yellow jasmine solution/ drops
Apex Energetics Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

G09

| Active Ingredients | |
|--------------------------------|-------------------------------------|
| Adenosine Triphosphate | 5X |
| Calcarea Fluorica | 8X 9X 12X 4C 5C 6C 7C |
| Crataegus Oxyacanthoides Fruit | 2X 3X 6X 8X 12X 2C 3C 5C 6C 7C |
| Ferrum Phosphoricum | 60X 100X 200X 30C 60C 100C 200C 1LM |
| Gelsemium Sempervirens | 1LM |
| Lipase | 3C 5C 6C 7C |
| Natrum Sulphuricum | 1LM |
| Strophanthus Hispidus | 3X 5X 7X 2C 3C 5C 6C 7C |

Uses:

For temporary relief of minor:

tiredness*

dizziness*

nervous irritation*

numbness and coldness of the limbs*

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Warnings:

If pregnant or breastfeeding, ask a health professional before use.

Do not use if clear seal over the cap is broken or missing.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if tiredness, dizziness, nervous irritation, numbness and coldness of the limbs, or other symptoms do not improve within 7 days or are accompanied by fever.

Directions:

Adults & children ages 12 years and over: Take 10 drops under the tongue 3 times a day, or as directed by your healthcare professional. Consult a physician for use in children under 12 years of age.

Inactive Ingredients

alcohol (20% by volume), distilled water

Distributed by Apex Energetics. Questions?

16592 Hale Ave., Irvine, CA 92606, USA

METABOPLEX® G09

CARDI-MET™

Homeopathic Formula


Tiredness*

Dizziness*

Nervous Irritation*

1 fl oz (30 mL)

Alcohol 20% by Volume

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|------------------------|----|-------------------|-----------|--|-------------|--------------------------------|-----------------|--|----------------|---------------------|---------------|--|-----------------------|------------------------|-----|--------|-------------|--------------------|-----|-----------------------|----------|--|----------------|
| <p>LOT</p> <p>Drug Facts (continued)</p> <p>Do not use if clear seal over the cap is broken or missing. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Stop use and ask a doctor if tiredness, dizziness, nervous irritation, numbness and coldness of the limbs, or other symptoms do not improve within 7 days or are accompanied by fever.</p> <p>Directions: Adults & children ages 12 years and over: Take 10 drops under the tongue 3 times a day, or as directed by your healthcare professional. Consult a physician for use in children under 12 years of age.</p> <p>Inactive Ingredients alcohol (20% by volume), distilled water</p> <p>*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.</p> <p>Distributed by Apex Energetics. Questions? 16592 Hale Ave., Irvine, CA 92606, USA</p> | <p>METABOPLEX® G09</p>  <p>CARDI-MET™</p> <p>Homeopathic Formula</p> <p>Tiredness* • Dizziness*</p> <p>Nervous Irritation*</p> <p>1 fl oz (30 mL)</p> <p>Alcohol 20% by Volume</p> | <p>Drug Facts G0921-0312</p> <p>Active Ingredients</p> <table><tr><td>Adenosine Triphosphate</td><td>5X</td></tr><tr><td>Calcarea Fluorica</td><td>8X 9X 12X</td></tr><tr><td></td><td>4C 5C 6C 7C</td></tr><tr><td>Crataegus Oxyacanthoides Fruit</td><td>2X 3X 6X 8X 12X</td></tr><tr><td></td><td>2C 3C 5C 6C 7C</td></tr><tr><td>Ferrum Phosphoricum</td><td>60X 100X 200X</td></tr><tr><td></td><td>30C 60C 100C 200C 1LM</td></tr><tr><td>Gelsemium Sempervirens</td><td>1LM</td></tr><tr><td>Lipase</td><td>3C 5C 6C 7C</td></tr><tr><td>Natrum Sulphuricum</td><td>1LM</td></tr><tr><td>Strophanthus Hispidus</td><td>3X 5X 7X</td></tr><tr><td></td><td>2C 3C 5C 6C 7C</td></tr></table> <p>Uses: For temporary relief of minor: • tiredness* • dizziness* • nervous irritation* • numbness and coldness of the limbs*</p> <p>Warnings: If pregnant or breastfeeding, ask a health professional before use. ●</p> | Adenosine Triphosphate | 5X | Calcarea Fluorica | 8X 9X 12X | | 4C 5C 6C 7C | Crataegus Oxyacanthoides Fruit | 2X 3X 6X 8X 12X | | 2C 3C 5C 6C 7C | Ferrum Phosphoricum | 60X 100X 200X | | 30C 60C 100C 200C 1LM | Gelsemium Sempervirens | 1LM | Lipase | 3C 5C 6C 7C | Natrum Sulphuricum | 1LM | Strophanthus Hispidus | 3X 5X 7X | | 2C 3C 5C 6C 7C |
| Adenosine Triphosphate | 5X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Calcarea Fluorica | 8X 9X 12X | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4C 5C 6C 7C | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crataegus Oxyacanthoides Fruit | 2X 3X 6X 8X 12X | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2C 3C 5C 6C 7C | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ferrum Phosphoricum | 60X 100X 200X | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 30C 60C 100C 200C 1LM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Gelsemium Sempervirens | 1LM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lipase | 3C 5C 6C 7C | | | | | | | | | | | | | | | | | | | | | | | | | |
| Natrum Sulphuricum | 1LM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Strophanthus Hispidus | 3X 5X 7X | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2C 3C 5C 6C 7C | | | | | | | | | | | | | | | | | | | | | | | | | |

G09 CARDI-MET

adenosine triphosphate, calcarea fluorica, crataegus oxyacanthoides, ferrum phosphoricum, lipase, natrum sulphuricum, strophanthus hispidus, yellow jasmine solution/ drops

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63479-0709 |
| Route of Administration | SUBLINGUAL | | |

| Active Ingredient/Active Moiety | | | | |
|--|------------------|---|----------------------|--------------------|
| Ingredient Name | | Basis of Strength | Strength | |
| ADENOSINE TRIPHOSPHATE (UNII: 8L70Q75FXE) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE) | | ADENOSINE TRIPHOSPHATE | 5 [hp_X] in 1 mL | |
| CALCIUM FLUORIDE (UNII: O3B55K4YKI) (FLUORIDE ION - UNII:Q80VPU408O) | | CALCIUM FLUORIDE | 7 [hp_C] in 1 mL | |
| SODIUM SULFATE (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750) | | SODIUM SULFATE | 1 [hp_Q] in 1 mL | |
| STROPHANTHUS HISPIDUS SEED (UNII: MO892VI77K) (STROPHANTHUS HISPIDUS SEED - UNII:MO892VI77K) | | STROPHANTHUS HISPIDUS SEED | 7 [hp_C] in 1 mL | |
| CRATAEGUS LAEVIGATA FRUIT (UNII: D5RZ7MF1YF) (CRATAEGUS LAEVIGATA FRUIT - UNII:D5RZ7MF1YF) | | CRATAEGUS LAEVIGATA FRUIT | 7 [hp_C] in 1 mL | |
| FERROSO FERRIC PHOSPHATE (UNII: 91GQH8I5F7) (FERROSO FERRIC PHOSPHATE - UNII:91GQH8I5F7) | | FERROSO FERRIC PHOSPHATE | 1 [hp_Q] in 1 mL | |
| GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q) | | GELSEMIUM SEMPERVIRENS ROOT | 1 [hp_Q] in 1 mL | |
| PANCRELIPASE LIPASE (UNII: 8MYC33932O) (PANCRELIPASE LIPASE - UNII:8MYC33932O) | | PANCRELIPASE LIPASE | 7 [hp_C] in 1 mL | |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | Strength | | |
| ALCOHOL (UNII: 3K9958V90M) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:63479-0709-1 | 30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 05/15/1996 | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | | 05/15/1996 | |

Labeler - Apex Energetics Inc. (195816384)