

CIDACIN ANTIFUNGAL TREATMENT- tolnaftate solution
Pedicis Research LLC

CIDACIN Antifungal Treatment

Drug Facts

Active Ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

For the cure of most ringworm (tinea orporis) and athletes foot (tinea pedis) fungal infections. For the relief of itching; burning; scaling; cracking; redness; soreness; irritation; discomfort that may accompany fungal infections.

Warnings

For external use only.

Do not use

on children unless directed by a doctor.

When using this product

avoid eye contact. If eye contact occurs, rinse thoroughly with water for 10-15 minutes.

Stop use and ask a doctor if

- if irritation occurs
- no improvement is seen 4 weeks.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Consult a physician

before beginning treatment if pregnant/breast feeding.

Directions

- Clean affected area with soap and water, rinse and dry thoroughly.
- Apply to affected areas twice daily (morning and night) or as directed by physician.
- Supervise children in the use of the product.
- For athlete's foot: Pay special attention to spaces between the toes.
- For athlete's foot and ringworm: Use daily for 4 weeks. If condition persists longer, consult physician.
- Formula will dry completely in several minutes without residue.
- Change socks regularly at least once a daily.
- Wear well-fitted, ventilated shoes.

Inactive ingredients

Dimethyl Sulfoxide (DMSO), Green Tea Extract, Ascorbic Acid (Vitamin C), Povidone Iodine, Vitamin E Acetate

Questions:

call 1-800-748-6539

PROFESSIONAL DISPENSED ONLY BY PHYSICIANS CIDACIN Antifungal Treatment
PROFESSIONAL Advanced Antifungal Solution 15mL / 0.5 oz Distributed by Pedicis
Research LLC Radnor, PA 19087 Patent Pending

CIDACIN Antifungal Treatment 15ml (51151-000-01)



CIDACIN™
Antifungal Treatment

PROFESSIONAL

**Advanced
Antifungal Solution**

15 mL / 0.5 oz

Directions for Use: Clean affected area with soap and water, rinse and dry thoroughly. Apply a generous amount of CIDACIN to affected areas twice daily (morning and night) or as directed by a physician. Also apply to surrounding skin tissue.

Indications: CIDACIN cures most dermatophytosis (athletes foot) or tinea corporis (ringworm).


Active Ingredient: Tolnaftate 1%

Inactive Ingredients: See carton.

Warnings: Do not use on children under 2 years of age unless directed by a doctor. For external use only. When using this product, avoid contact with the eyes. Keep out of the reach of children. If swallowed, get medical attention or contact a Poison Control Center right away.

Questions: 1-800-748-6539

batch number	expiration date
Distributed by Pedicis Research LLC	
Radnor, PA 19087	
Patent Pending	

Drug Facts Active ingredient Tolnaftate 1%	Purpose Antifungal Uses For the cure of most ringworm (tinea corporis) and athlete's foot (tinea pedis) fungal infections. For the relief of ■itching ■burning ■scaling ■cracking ■redness ■soreness ■irritation ■discomfort that may accompany fungal infections Warnings For external use only. Do not use ■on children unless directed by a doctor. When using this product avoid eye contact. If eye contact occurs, rinse thoroughly with water for 10-15 minutes. Stop use and ask a doctor if ■irritation occurs ■no improvement is seen in 4 weeks. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. Consult a physician before beginning treatment if pregnant/breast feeding.	Drug Facts (continued) Directions ■Clean affected area with soap and water, rinse and dry thoroughly. ■Apply to affected areas twice daily (morning and night) or as directed by physician. ■Supervise children in use of the product. For athlete's foot: Pay special attention to spaces between the toes. ■For athlete's foot and ringworm: Use daily for 4 weeks. If condition persists longer, consult a physician. ■Formula will dry completely in several minutes without residue. ■Change socks regularly at least once daily. ■Wear well-fitted, ventilated shoes. Inactive ingredients Dimethyl Sulfoxide (DMSO), Green Tea Extract, Ascorbic Acid (Vitamin C), Povidone Iodine, Vitamin E Acetate Distributed by: Pedicis Research LLC Radnor, PA Questions: call 1-800-748-6539	<div>PROFESSIONAL</div> <div>DISPENSED ONLY BY PHYSICIANS</div> <div>  CIDACIN™ Antifungal Treatment </div> <div>Advanced Antifungal Solution</div> <div>15 mL / 0.5 oz</div>	Directions Clean affected area with soap and water, rinse and dry thoroughly. <ul style="list-style-type: none"> • Apply to affected areas twice daily (morning and night) or as directed by a physician. Supervise children in the use of the product. • Paint treatment under, around and on top of affected areas, including the space between toes. • Formula will dry completely in several minutes without residue. • Change socks regularly. • Wear well-fitted, ventilated shoes. <div>15 mL / 0.5 oz patent pending</div>
--	--	--	--	---

CIDACIN ANTIFUNGAL TREATMENT

tolnaftate solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51151-000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
POVIDONE-IODINE (UNII: 85H0HZU99M)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51151-000-01	1 in 1 CARTON	02/05/2017	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	06/07/2012	

Labeler - Pedicis Research LLC (078496974)

Revised: 11/2023

Pedicis Research LLC