# NYMPHSYN INTENSIVE SERUM- glycerin cream ULAB

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### ACTIVE INGREDIENT

Active ingredients: GLYCERIN 6.59%

#### INACTIVE INGREDIENT

Inactive ingredients: AQUA (WATER), BUTYLENE GLYCOL, POLYMETHYLSILSESQUIOXANE, PENTYLENE GLYCOL, SODIUM POTASSIUM ALUMINUM SILICATE, ALCOHOL DENAT, CAPRYLIC/CAPRIC TRIGLYCERIDE, PEG-8, PHENOXYETHANOL, CYCLOPENTASILOXANE, CI 77891 (TITANIUM DIOXIDE), SILICA, ETHYLHEXYLGLYCERIN, ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, DIMETHICONOL, XANTHAN GUM HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, DISODIUM EDTA, PARFUM (FRAGRANCE), LIMNANTHES ALBA (MEADOWFOAM) SEED OIL, SQUALANE, MICA, SODIUM HYDROXIDE, CHONDRUS CRISPUS POWDER (CARRAGEENAN), SODIUM HYALURONATE, POLYSORBATE 60, DIPEPTIDE DIAMINOBUTYROYL BENZYLAMIDE DIACETATE, TRITICUM VULGARE (WHEAT) PROTEIN, BUTYROSPERMUM PARKII (SHEA) BUTTER EXTRACT, SORBITAN ISOSTEARATE, NICOTIANA SYLVESTRIS LEAF CELL CULTURE

### **PURPOSE**

Purpose: Youth aid serum for an immediate and intensive care

#### **WARNINGS**

Warnings: For external use only Avoid contact with eyes. Discontinue use if signs of irritation or rashes appear.

#### KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

#### **INDICATIONS & USAGE**

Indications & Usage: Apply morning and night

#### **DOSAGE & ADMINISTRATION**

Dosage & Administration: Apply morning and night on clean face and neck prior to ampoule and moisturizer

#### PACKAGE LABEL.PRINCIPAL DISPLAY PANEL





#### NymphSyn Intensive Serum

Immediate and intensive treatment serum.

Block signaling in wrinkle—forming process.

Enhance facial contour, elasticity, and firmness,

Bring a long—lasting moisture power with healthy glow to your face,

C 30ml / 1.01 fl.oz.

## NYMPHSYN INTENSIVE SERUM

glycerin cream

#### **Product Information**

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:71276-050

Route of Administration TOPICAL

## **Active Ingredient/Active Moiety**

Ingredient Name
Basis of Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)
GLYCERIN
1.97 g in 30 mL

#### **Inactive Ingredients**

indictive ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		

## **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71276-050- 02	1 in 1 CARTON	03/02/2017	
1	NDC:71276-050- 01	30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/02/2017	

## **Labeler** - ULAB (688976692)

## **Registrant -** ULAB (688976692)

Establishment				
Name	Address	ID/FEI	Business Operations	
ULAB		688976692	relabel(71276-050)	

Establishment				
Name	Address	ID/FEI	Business Operations	
U-LAB Switzerland AG		485958743	manufacture(71276-050)	

Revised: 3/2017 ULAB