#### OXYGEN- oxygen gas CRYOGENIC SOLUTIONS LLC

-----

#### Oxygen

OXYGEN, COMPRESSED USP

UN 1072

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowl. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

CAS NO: 7782-44-7 Contents Size

113 Liters M4

165 Liters M6

255 Liters C

425 Liters D

680 Liters E

7080 Liters H

Liters Other

CIS

Cryogenic Solutions, LLC

4305 Saguaro Trail

Indianapolis, IN 46268



### OXYGEN, REFRIGERATED LIQUID USP

UN 1073

CONTENTS: LITERS

CAS NO: 7782-44-7

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

CIS

Cryogenic Solutions, LLC

4305 Saguaro Trail

## Indianapolis, IN 46268



### OXYGEN

oxygen gas

Product Information					
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:81734-001		
Route of Administration RESPIRATORY (INHALATION)					
Active Ingredient/Active Moiety					
Ingredient Name		<b>Basis of Strength</b>	Strength		
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)		OXYGEN	995 mL in 1 L		

Packaging					
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:81734- 001-01	679 L in 1 CYLINDER; Type 0: Not a Combination Product	09/01/2021		
2	NDC:81734- 001-02	425 L in 1 CYLINDER; Type 0: Not a Combination Product	09/01/2021		

NDA	Ą	NDA205767	08/30/2021	
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Marketing Information				
15	NDC:81734- 001-15	586 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2021	
14	NDC:81734- 001-14	7842 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2021	
13	NDC:81734- 001-13	150 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2021	
12	NDC:81734- 001-12	3831 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2021	
11	NDC:81734- 001-11	104 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2021	
10	NDC:81734- 001-10	160 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2021	
9	NDC:81734- 001-09	46 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2021	
8	NDC:81734- 001-08	45 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2021	
7	NDC:81734- 001-07	41 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2021	
6	NDC:81734- 001-06	2549 L in 1 CYLINDER; Type 0: Not a Combination Product	09/01/2021	01/30/2024
5	NDC:81734- 001-05	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	09/01/2021	
4	NDC:81734- 001-04	255 L in 1 CYLINDER; Type 0: Not a Combination Product	09/01/2021	01/30/2024
3	NDC:81734- 001-03	170 L in 1 CYLINDER; Type 0: Not a Combination Product	09/01/2021	

# Labeler - CRYOGENIC SOLUTIONS LLC (013491617)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
CRYOGENIC SOLUTIONS LLC		013491617	manufacture(81734-001)		

Revised: 1/2024

CRYOGENIC SOLUTIONS LLC