SIMETHICONE- simethicone tablet, chewable Geri-Care Pharmaceuticals, Corp

gc 791

Active ingredient (in each tablet)

Simethicone 80 mg

Purpose

Anti-Gas

Uses

relieves pressure, bloating, and fullness commonly referred to as gas

Warnings

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- chew or crush tablet completely before swallowing
- adults and children 12 years and over: take 1-2 tablets as needed after meals and at bedtime.

Do not exceed 6 tablets in 24 hours except under the advice and supervision of a doctor.

• children under 12 years: ask a doctor

Other information

- each tablet contains: calcium 65 mg
- Tamper Evident: Do not use if imprinted seal under cap is missing or broken
- store at room temperature, 15°C 30°C (59°F 86°F)
- protect from moisture

Inactive ingredients

cellulose, corn starch, crospovidone, dextrates hydrated, flavor, magnesium stearate, silica, sucralose, calcium phosphate.

Questions or comments?

1-800-540-3765

package Label

NDC 57896-791-08 G E R I OC A R E C A R E C CHEWABLE TABLETS GAS RELIEFS GAS RELIEFS SIMETHICONE 80 MG ANTIGAS Compare to active ingredient in GAS-X® Regular Strength Tablets NMMT, FLAVOR 8 Chewable Tablets	Active ingredient (in each tablet) Purpose Simethicone 80 mgAntigas	Uses relieves pressure, bloating, and fullness commonly referred to as gas Warnings If pregnant or breast-feeding, ask a health professional before use.	 Neep out or reach of children. Directions chew or crush tablet completely before swallowing adults and children 12 years and over: take 1-2 tablets as needed after meals and at bedtime. Do not exceed 6 tablets in 24 hours except under the advice and supervision of a doctor. 	 children under 12 years: ask a doctor Other information each tablet contains: calcium 65 mg Tamper Evident: Do not use if imprinted seal under cap is missing or broken. proved to the store at 20°C-25°C (68°F-77°F); excursions permitted between 15°C-30°C (59°F- 86°F) Inactive ingredients: cellulose, com starch, crospovidone, dextrates hydrated, 	flavor, magnesium stearate, silica, sucralose, calcium phosphate. <i>Questions or comments</i> ?1-800-540-3765 "This product is not manufactured or distributed by the owner of the registered trademark GAS-X®. Dist. by: GERI-CARE <i>Pharmaceuticals Corp.</i> 1650 63rd Street, Brooklyn, NY 11204
DDC 57896-791-01 C C A R E C	d f	Warnings Warnings If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.	Directions • chew or crush tablet completely before swallowing • adults and children 12 years and over: take 1-2 tablets as needed after meals and at bedtime. Do not exceed 6 tablets in 24 hours except under the advice and supervision of a doctor. • children under 12 years: ask a doctor	 Other information each tablet contains: calcium 65 mg each tablet contains: calcium 65 mg Tamper Evident: Do not use if imprinted seal under cap is missing or broken. store at room temperature, 15°C-30°C (59°F-86°F) protect from moisture Inactive ingredients: callulose, corn starch, crospovidone, dextrates hydrated, flavor, magnesium stearate, silica, sucrabse. 	calcium phosphate. <i>Questions or comments</i> ?1-800-540-3765 This product is not manufactured or distributed by the owner of the registered trademark GAS-X [®] . Dist. by: GERI-CARE Pharmaceuticals Corp. 1650 63 rd Street, Brooklyn, NY 11204 1650 63 rd Street, Brooklyn, NY 11204 3 57896 79101 8 1071 8 1072 107 1072 10

simethicone tablet, chewable

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Sc	ource)	NDC:578	396-791
Route of Administration	ORAL				
Active Ingredient/Active Moiety					
Ingredient Name Basis of Strength Strength					
ingre				ength	Strength
DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)			DIMETHICONE		80 mg
Inactive Ingredients					

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
DEXTRATES (UNII: G263MI44RU)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRICALCIUM PHOSPHATE (UNII: K4C08XP666)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
STARCH, CORN (UNII: 08232NY3SJ)	
CROSPOVIDONE (UNII: 2S7830E561)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Charact	eristics		
Color	white	Score	no score
Shape	ROUND	Size	13mm
Flavor	PEPPERMINT	Imprint Code	44;137
Contains			

	-	-	
	cka		
P d	LKC		

1 NDC:57896-791- 01 100 in 1 BOTTLE; Type 0: Not a Combination Product 09/01/2016 2 NDC:57896-791- 08 80 in 1 BOTTLE; Type 0: Not a Combination Product 08/01/2021	#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
	1			09/01/2016	
	2			08/01/2021	

Marketing	Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M002	01/01/2004	

Labeler - Geri-Care Pharmaceuticals, Corp (611196254)

Registrant - Geri-Care Pharmaceuticals, Corp (611196254)

Revised: 10/2023

Geri-Care Pharmaceuticals, Corp