

**BENZOCAINE AND TRICLOSAN- first aid spray aerosol, spray
Premier Brands of America Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

First Aid Spray

Active ingredient

Benzocaine 20%

Triclosan 0.13%

□ *Purpose*

External analgesic

Antimicrobial

Uses

temporary relieves pain and itching associated with:

- minor cuts
- scrapes
- burns

Warnings

For external use only.

□ *Flammable:*

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F

Ask a doctor before use if you

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- avoid contact with the eyes
- do not apply over large area of the body
- use only as directed

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

□ *Stop use and ask a doctor if*

- conditions worsens
- symptoms persists for more than 7 days or clear up and occur again within a few days

□ *Keep out of reach of children.*

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years and older: clean the affected area; hold can 4" to 6" from skin; spray on affected area not more than 3 to 4 times daily
- may cover with a sterile bandage; if so, let dry first
- to apply to face, spray in palm of hand and gently apply
- children under 2 years: ask a doctor

Other information

store between 20° and 25°C (68°F and 77°)

Inactive ingredients

diisopropyl adipate, isobutane, propylene glycol, SD alcohol 40 (35%w/w), tocopheryl acetate (vitamin E acetate)

Questions?

call 1-866-964-0939

Principal Display Panel

Premier

First Aid Spray

Maximum Strength

Benzocaine 20% / Triclosan 0.13%

- External analgesic pain & itch relief spray
- For minor burns, cuts, scrapes & insect bites

Net WT 3 OZ (127 g)

Premier
FIRST AID SPRAY
Benzocaine
Triclosan

- ✓ Antiseptic pain and itch relieving spray
- ✓ Helps prevent infection and relieves pain
- ✓ For minor burns, cuts & scrapes

NET WT 3 OZ (85 g)

Distributed by:
©2013 Premier Brands of America Inc., Mount Vernon, NY 10550
www.premier-brands.com

Drug Facts	
Active ingredients	Purpose
Benzocaine 20%.....	External analgesic
Triclosan 0.13%.....	Antimicrobial
Uses ■ temporarily relieves pain and itching associated with: ■ minor cuts ■ scrapes ■ burns	
Warnings For external use only. Flammable: Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F.	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	
When using this product ■ avoid contact with the eyes ■ do not apply over large areas of the body ■ use only as directed Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.	
Stop use and ask a doctor if ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ adults and children 2 years and older: clean the affected area; hold can 4" to 6" from skin; spray on affected area not more than 3 to 4 times daily ■ may cover with a sterile bandage; if so, let dry first ■ to apply to face, spray in palm of hand and gently apply ■ children under 2 years: ask a doctor	
Other information store between 20° to 25°C (68° to 77°F)	
Inactive ingredients diisopropyl adipate, isobutane, propylene glycol, SD alcohol 40 (35% w/w), tocopheryl acetate (vitamin E acetate)	
Questions? call 1-866-964-0939	

0 34197 00574 6

Made in USA

AFASLP-2

BENZOCAINE AND TRICLOSAN

first aid spray aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56104-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	17 g in 85 g
TRICLOSAN (UNII: 4NM5039Y5X) (TRICLOSAN - UNII:4NM5039Y5X)	TRICLOSAN	0.11 g in 85 g

Inactive Ingredients

Ingredient Name	Strength
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
ISOBUTANE (UNII: BXR49TP611)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALCOHOL (UNII: 3K9958V90M)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56104-005-03	85 g in 1 CANISTER; Type 0: Not a Combination Product	01/01/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	01/01/2013	

Labeler - Premier Brands of America Inc. (080051232)

Revised: 12/2015

Premier Brands of America Inc.