BASIC CARE CHILDRENS PAIN AND FEVER- acetaminophen suspension Amazon.com Services LLC

Amazon Children's Pain & Fever Drug Facts

Active ingredient (in each 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily:

- reduces fever
- relieves minor aches and pains due to:
- the common cold
- flu
- headache
- sore throat
- toothache

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child has ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if your child has

liver disease

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin

When using this product

do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see overdose warning)
- shake well before using
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- remove the child protective cap and squeeze your child's dose into the dosing cup
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (mL)*
under 24	under 2 years	ask a doctor
24-35	2-3 years	5 mL
36-47	4-5 years	7.5 mL
48-59	6-8 years	10 mL
60-71	9-10 years	12.5 mL

	-	
72-95	11 years	15 mL

*or as directed by a doctor

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other information

- each 5 mL contains: sodium 3 mg
- store at 20-25°C (68-77°F)
- do not use if printed neckband is broken or missing

Inactive ingredients

anhydrous citric acid, calcium sulfate, carrageenan, D&C red #33, FD&C blue #1, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, microcrystalline cellulose and carboxymethylcellulose sodium, propylene glycol, purified water, sodium benzoate, sorbitol solution, tribasic sodium phosphate

Questions or comments?

1-800-719-9260

Principal Display Panel

amazon

basic care

For Ages 2 to 11

Compare to Children's Tylenol[®] active ingredient

Children's Pain & Fever

Acetaminophen 160 mg per 5 mL

Oral Suspension Liquid

Pain Reliever

Fever Reducer

Fast, effective relief of children's pain and fever

Aspirin Free

Ibuprofen Free

Alcohol Free

Paraben free

Grape Flavor

Dosage Cup Included

4 FL OZ (118 mL)



13026 BN C2

BASIC CARE CHILDRENS PAIN AND FEVER

acetaminophen suspension

Product Infor						
Product Type		HUMAN OTC DRUG	ltem Code (Source)	NDC:72288-	130
Route of Admini	stration	ORAL				
Active Ingredi	ent/Active	Moiety				
	Ingree	dient Name		Basis of Streng	yth Str	ength
ACETAMINOPHEN	(UNII: 36209ITI	.9D) (ACETAMINOPHEN - UN	II:362O9ITL9D)	ACETAMINOPHEN	160 m	gin 5 m
Inactive Ingre	dients					
		Ingredient Name	e		St	rength
ANHYDROUS CITR	IC ACID (UNII:)	XF417D3PSL)				
	E, UNSPECIFIE	D FORM (UNII: WAT0DDB5	05)			
CARRAGEENAN (UI	NII: 5C69YCD2Y)				
D&C RED NO. 33 (UNII: 9DBA0SBI	30L)				
FD&C BLUE NO. 1	(UNII: H3R47K3	TBD)				
GLYCERIN (UNII: PE	DC6A3C0OX)					
HIGH FRUCTOSE O		JNII: XY6UN3QB6S)				
HYDROXYETHYL C	ELLULOSE, UI	NSPECIFIED (UNII: T4V6TW	(G28D)			
MICROCRYSTALLI	NE CELLULOS	E (UNII: OP1R32D61U)				
CARBOXYMETHYL	CELLULOSE S	ODIUM, UNSPECIFIED FO	RM (UNII: K679	OBS311)		
PROPYLENE GLYC	OL (UNII: 6DC9	Q167V3)				
WATER (UNII: 059Q	F0KO0R)					
SODIUM BENZOAT	TE (UNII: 0J245F	E5EU)				
SORBITOL (UNII: 50	06T60A25R)					
SODIUM PHOSPHA	ATE, TRIBASIC	(UNII: A752Q30A6X)				
Product Chara	acteristics					
Color	PURPL	E (viscous)	Score	2		
Shape			Size			
Flavor	GRAPE	:		nt Code		
Contains	SIG		mpn			
Concums						
Packaging						
# Item Code	Ра	ckage Description	Mar	keting Start Date	Marketir Dat	
1 NDC:72288-130- 26	1 in 1 CARTON		03/28/	03/28/2020		
1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product					
2 NDC:72288-130- 34	^{D-} 1 in 1 CARTON 05/06/2024					
2	236 mL in 1 BC Product	DTTLE; Type 0: Not a Comb	ination			

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC Monograph Drug	M013	03/28/2020				

Labeler - Amazon.com Services LLC (128990418)

Revised: 5/2024

Amazon.com Services LLC