

**VANQUISH PRE-POST ACTIVATOR- lactic acid, phosphoric acid solution**  
**DeLaval Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).*

-----  
**DeLaval**  
**Vanquish PrePost Activator**

**Sanitizing pre and post teat dip**

Aids in reducing the spread of mastitis-causing organisms

***Sanitizante pre y post ordeno***

*Ayuda a reducir la transmision de microorganismos que causan mastitis*

**ACTIVE INGREDIENTS:**

Total Acid Mixture (lactic and phosphoric acids) ..... 3.0%

Emollient\*..... 15.0%

\*from Glycerin

**ACTIVATOR -**

For use with only Vanquish™ PrePost BASE

**NPE FREE** Formula

**KEEP OUT OF REACH OF CHILDREN**

**! CAUTION**

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS**

**! CUIDADO**

**1012**

**NDC 55756-012**

**SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS  
QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO**

**READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT**

**FIRST AID**

Contact with product can cause irritation to eyes and skin. Avoid contact with eyes and skin.

**If On Skin:** Flush affected area with water. Remove contaminated clothing and shoes. Get medical attention if irritation develops.

**Eye Contact:** Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

**If Swallowed:** Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

## STORAGE AND DISPOSAL

**THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN.** Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. Do not store in direct sunlight. Do not store near chlorine or chlorinated products.

**CHEM-TREC EMERGENCY NUMBER 1-800-424-9300**

## Not For Human Use

## Additional Information on Safety Data sheet

### GENERAL INSTRUCTIONS

- Use mixed solution at full strength (do not dilute).
- Do not use base or activator alone on cow teats.
- Consult your veterinarian before using a teat dip on a cow with sore or chapped teats.
- Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use for cleaning or sanitizing equipment.
- To discard unused teat dip, dilute with water and pour down the drain.

### MIXING INSTRUCTIONS

Using a manual pump or automatic system, mix 1 part of Vanquish™ Pre Post BASE and 1 part of Vanquish™ Pre Post ACTIVATOR into a clean teat cup or container at least 30 minutes prior to use. Mix product until color is uniform. Prepare only the quantity needed for one milking. Slight odor may be produced after mixing, ensure proper ventilation.

### PRE-DIPPING

- Remove excess soil and forestrip. (If water is used, use a minimal amount and dry thoroughly with a clean, single-service paper towel before forestripping).
- Dip teats with mixed **Vanquish™ Pre Post teat dip** to base of udder.
- Allow a 15 to 30 second contact time.
- Dry teats thoroughly with a clean, single service paper towel.
- Attach milking unit.

### POST-DIPPING

- Immediately after removing milking unit, dip or spray teats with **Vanquish™ Pre Post teat dip**. Do not wipe.
- If outside temperature is below freezing, allow **Vanquish™ Pre Post teat dip** to air-dry on cow's teats before cow is released outside; or allow teat dip to remain on teats for one minute, then dry teats with a single-service paper towel. Failure to follow these directions may result in frozen teats and injured animals.

Manufactured for: **DeLaval, Inc.**

11100 N. Congress Avenue

Kansas City, MO 64153

Phone: 816-891-7700

Manufactured by: WestAgro, Inc.

©2018, Made in USA

**NET CONTENTS:**

**LOT NO.:**

**EXP. DATE:**



**DeLaval**

1012-10518

**Vanquish™**  
**Pre Post Activator**

Sanitizing pre and post teat dip  
Aids in reducing the spread of mastitis-causing organisms

**Sanitizante pre y post ordeño**  
Ayuda a reducir la transmisión de microorganismos que causan mastitis

**ACTIVE INGREDIENTS:**  
Total Acid Mixture (lactic & phosphoric acids)..... 3.0%  
Emollient \* ..... 15.0%

\* from Glycerin

**For use with only**  
**Vanquish™**  
**Pre Post BASE**

**Activator**

**NPE FREE Formula**

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS**  
**CUIDADO**

**FIRST AID**  
Contact with product can cause irritation to eyes and skin. Avoid contact with eyes and skin.  
**If on Skin:** Flush affected area with water. Remove contaminated clothing and shoes. Get medical attention if irritation develops.  
**If in Eyes:** Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.  
**If Swallowed:** Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

**STORAGE AND DISPOSAL**  
THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. Do not store in direct sunlight. Do not store near chlorine or chlorinated products.

**CHEM-TREC EMERGENCY NUMBER 1-800-424-9300**

**Not For Human Use**  
**Additional Information on Safety Data Sheet**

**GENERAL INSTRUCTIONS**

- Use mixed solution at full strength (do not dilute).
- Do not use base or activator alone on cow teats.
- Consult your veterinarian before using a teat dip on a cow with sore or chapped teats.
- Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use for cleaning or sanitizing equipment.
- To discard unused teat dip, dilute with water and pour down the drain.

**MIXING INSTRUCTIONS:**  
Using a manual pump or automatic system, mix 1 part of Vanquish™ Pre Post BASE and 1 part of Vanquish™ Pre Post ACTIVATOR into a clean teat cup or container at least 30 minutes prior to use. Mix product until color is uniform. Prepare only the quantity needed for one milking. Slight odor may be produced after mixing, ensure proper ventilation.

**PRE-DIPPING**

- Remove excess soil and forestrip. (If water is used, use a minimal amount and dry thoroughly with a clean, single-service paper towel before forestripping).
- Dip teats with mixed **Vanquish™ Pre Post teat dip** to base of udder.
- Allow a 15 to 30 second contact time.
- Dry teats thoroughly with a clean, single service paper towel.
- Attach milking unit.

**POST-DIPPING**

- Immediately after removing milking unit, dip or spray teats with **Vanquish™ Pre Post teat dip**. Do not wipe.
- If outside temperature is below freezing, allow **Vanquish™ Pre Post teat dip** to air-dry on cow's teats before cow is released outside; or allow teat dip to remain on teats for one minute, then dry teats with a single-service paper towel. Failure to follow these directions may result in frozen teats and injured animals.

Manufactured for: **DeLaval, Inc.**  
11100 N. Congress Avenue  
Kansas City, MO 64153  
Phone: 816-891-7700  
Manufactured by: WestAgro, Inc.,  
© 2018, Made in USA

**NET CONTENTS: 55 US GAL. (208.2 L)**

**LOT NO.:**

**EXP. DATE:**

**7 320461 050257 >**

## VANQUISH PRE-POST ACTIVATOR

lactic acid, phosphoric acid solution

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:55756-012
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>Lactic Acid</b> (UNII: 33X04XA5AT) (Lactic Acid - UNII:33X04XA5AT)		Lactic Acid	12.6 g in 1 L	
<b>Phosphoric Acid</b> (UNII: E4GA8884NN) (Phosphoric Acid - UNII:E4GA8884NN)		Phosphoric Acid	58.7 g in 1 L	
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:55756-012-02	56.8 L in 1 DRUM		
2	NDC:55756-012-01	208.2 L in 1 DRUM		
3	NDC:55756-012-27	1040.9 L in 1 DRUM		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other			09/15/2011	

**Labeler** - DeLaval Inc. (173704867)

**Registrant** - West Agro, Inc. (069288728)

## Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		147528723	manufacture, api manufacture, label

## Establishment

Name	Address	ID/FEI	Business Operations
K Klean dba West Agro, Inc.		002222368	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		095906480	manufacture, api manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Graham Dairy Supply		014157770	repack

## Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		069288728	api manufacture, manufacture, pack, label

## Establishment

Name	Address	ID/FEI	Business Operations
EDERER DAIRY SUPPLY LLC		022794466	repack

