

OXYGEN- oxygen gas
P and J Oxyfill, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

OXYGEN COMPRESSED LABEL

OXYGEN COMPRESSED USP UN1072 OXYGEN-2

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION.

WARNING: HIGH PRESSURE GAS VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. OPEN VALVE SLOWLY. STORE AND USE WITH ADEQUATE VENTILATION. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. CYLINDER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F) USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS) CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

OXYGEN, COMPRESSED USP

UN1072

R_X ONLY



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **R_X ONLY**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Close valve after each use and when empty. Cylinder temperature should not exceed 32°C (125°F). Use in accordance with the Material Safety Data Sheet (MSDS). CAS-7782-44-7. DO NOT REMOVE THIS PRODUCT LABEL.

P & J OXYFILL

1333A Dean Turner Ext.
Leakesville, MS 39451
601-394-7044

Size	Contents	Size	Contents
<input type="checkbox"/> "E"	648 Liters	<input type="checkbox"/> "M-6"	157 Liters
<input type="checkbox"/> "D"	394 Liters	<input type="checkbox"/> "H"	6088 Liters
<input type="checkbox"/> "C"	236 Liters	<input type="checkbox"/> Other _____	Ltrs.

res

OXYGEN REFRIGERATED LIQUID LABEL

OXYGEN REFRIGERATED LIQUID USP UN1073 CONTENTS _____ LITERS ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS. EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. KEEP OIL, GREASE AND

COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL, WEAR FACE SHIELD AND GLOVES. DO NOT DROP. USE SUITABLE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK OR ROLL EQUIPMENT OVER SPILLS. CONTAINER TEMPERATURE SHOULD NOT EXCEED 52C (125 F) CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS)

FIRST AID: IN CASE OF FROSTBITE OBTAIN MEDICAL TREATMENT IMMEDIATELY.

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING, UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION. DO NOT REMOVE THIS PRODUCT LABEL.

Oxygen Refrigerated Liquid U.S.P.

UN1073

WARNING!

High Pressure Oxidizing Liquid and gas under pressure. Vigorously Accelerates Combustion. May explode on Ignition or impact. Can cause severe Frostbite.

PRODUCED BY AIR LIQUEFACTION



WARNING! Always Keep Containers in Upright Position.

RX ONLY

Keep oil, grease and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid Spills. Do not walk or roll equipment over spills. Close valve after each use and when empty.

In Case of Frostbite, obtain medical treatment IMMEDIATELY.

KEEP OUT OF REACH OF CHILDREN. Contents under pressure and can vigorously accelerate combustion. Keep free from oil and grease. Do not use or store near heat or open flame and use only with equipment conditioned for oxygen services. Federal law requires that this container be refilled with Liquid Oxygen, U.S.R. only be established registered as a drug producer in accordance with the Federal Food, Drug and Cosmetic Act.

P & J OXYFILL

1333 Dean Turner Road
Leakesville, MS 39451

DO NOT REMOVE THIS LABEL

res

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:11748-010
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11748-010-01	113 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
2	NDC:11748-010-02	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
3	NDC:11748-010-03	139 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
4	NDC:11748-010-04	248 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
5	NDC:11748-010-05	1724 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
6	NDC:11748-010-06	255 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
7	NDC:11748-010-07	426 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
8	NDC:11748-010-08	671 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
9	NDC:11748-010-09	3462 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
10	NDC:11748-010-10	7981 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
11	NDC:11748-010-11	31 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1988	
12	NDC:11748-010-12	41 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1988	
13	NDC:11748-010-13	200 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1988	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1988	

Labeler - P and J Oxyfill, LLC (118493982)

Registrant - P and J Oxyfill, LLC (118493982)

Establishment

Name	Address	ID/FEI	Business Operations
P and J Oxyfill, LLC		118493982	manufacture(11748-010)

Establishment

Name	Address	ID/FEI	Business Operations
P and J Oxyfill, LLC		079612085	manufacture(11748-010)