

TRIPLE ANTIBIOTIC CVS- bacitracin, neomycin, polymyxin ointment CVS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Bacitracin 400 units, Neomycin 3.5 mg, Polymyxin B 5000 units

Uses

First aid to help prevent infection and for temporary relief of pain or discomfort in minor: cuts, scrapes, and burns.

Warnings

For external use only. Do not use in the eyes, over large areas of the body. **When using this product** keep out of eyes. Rinse eyes with water to remove. Do not puncture or incinerate. Contents under pressure. **Ask a doctor before use if you have** condition or symptoms get worse or last more than one week, symptoms clear up and occur again within a few days.

Directions

Adults and children 2 years of age and older: clean the affected area, shake well before each use, spray a small amount of the product on the area 1 to 3 times daily. May be covered with a sterile bandage. Children under 2 years of age: consult a doctor.

Inactive ingredients

Glycerin, Hydrogenated Styrene/Butadiene Copolymer, Mineral Oil, Pentylene Glycol

Purpose

First aid antibiotic.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts

| Active ingredients (per gram) | Purpose |
|-------------------------------|----------------------|
| Bacitracin 400 units..... | First Aid Antibiotic |
| Neomycin 3.5 mg..... | First Aid Antibiotic |
| Polymyxin B 5,000 units..... | First Aid Antibiotic |

Uses First aid to help prevent infection in minor cuts, scrapes, and burns.

Warnings

For external use only

Do not use • if you are allergic to any of the ingredients • in the eyes • over large areas of the body

When using this product • Keep out of eyes. Rinse eyes with water to remove. • Do not puncture or incinerate. Contents under pressure.

Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns

Stop use and ask a doctor if • condition or symptoms get worse or last more than one week • symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Adults and children 2 years of age and older: • Clean the affected area • Shake well before each use • Apply a small amount of the product on the area 1 to 3 times daily • May be covered with a sterile bandage. Children under 2 years of age: consult a doctor.

Other information Store at temperatures between 20-25°C (68-77°F).

Inactive ingredients

Glycerin, Hydrogenated Styrene/Butadiene Copolymer, Mineral Oil, Pentylene Glycol.

*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, the distributor of Neosporin®.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2015 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
Made in the U.S.A. with U.S. and imported materials. V-10127



#957603



Compare to the active ingredients in Neosporin®*

Original Strength

Triple Antibiotic Ointment

BACITRACIN ZINC - NEOMYCIN SULFATE - POLYMYXIN B SULFATE

First aid antibiotic

Helps protect against skin & bacterial infections in minor cuts, scrapes & burns



NET WT 2 OZ (57 g)

TRIPLE ANTIBIOTIC CVS

bacitracin, neomycin, polymyxin ointment

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69842-047 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------|
| NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297) | NEOMYCIN | 3.5 mg in 1 g |
| POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K) | POLYMYXIN B | 500 U in 1 g |
| BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I) | BACITRACIN | 400 U in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
|-----------------|----------|

| | |
|--|--|
| Glycerin (UNII: PDC6A3C0OX) | |
| Mineral Oil (UNII: T5L8T28FGP) | |
| Pentylene Glycol (UNII: 50C1307PZG) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:69842-047-02 | 56 g in 1 CAN; Type 0: Not a Combination Product | 02/14/2014 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part333B | 02/14/2014 | |

Labeler - CVS (062312574)

Revised: 11/2017

CVS