

**SENOKOT- standardized senna concentrate tablet**  
**Atlantis Consumer Healthcare, Inc.**

-----  
**Senokot**  
**(standardized senna concentrate)**

**Drug Facts**

**Active ingredient (in each tablet)**

Sennosides 8.6mg

**Purpose**

Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6–12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor

**Aska doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

**Stop use and ask a doctor if** you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

### Other Information

- **each tablet contains:** calcium 20 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

### Inactive ingredients

croscarmellose sodium, dicalciumphosphate, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, polyethylene glycol, talc


©2020

Avrio Health L.P.

305616-0B

50 Tablets

NDC 67618-300-50



Do not use if seal under cap is missing or damaged.

### Drug Facts

**Active ingredient Purpose (in each tablet)**  
Sennosides 8.6 mg .....Laxative

### Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6-12 hours

### Warnings

#### Do not use

- laxative products for longer than 1 week unless directed by a doctor

### Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

**Stop use and ask a doctor** if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.


### Directions

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	½ tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor



100 Tablets  
NDC 67618-300-10



Do not use if seal under cap is missing or damaged.

### Drug Facts

#### Active ingredient Purpose (in each tablet)

Sennosides 8.6 mg .....Laxative

#### Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6-12 hours

#### Warnings

##### Do not use

- laxative products for longer than 1 week unless directed by a doctor

#### Ask a doctor before use if you have

- stomach pain ■ nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

**Stop use and ask a doctor** if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

#### Directions

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	½ tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

#### Other information

- each tablet contains: calcium 20 mg ■ store at 25 °C (77 °F); excursions permitted between 15 °-30 °C (59 °-86 °F)



## SEKOKOT

standardized senna concentrate tablet

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:67618-300

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0JJX) (SENNOSIDES - UNII:3FYP5M0JJX)	SENNOSIDES	8.6 mg

### Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	

### Product Characteristics

Color	BROWN	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	S
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67618-300-20	2 in 1 CARTON	06/01/1956	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:67618-300-50	1 in 1 CARTON	06/01/1956	
2		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:67618-300-10	1 in 1 CARTON	06/01/1956	
3		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	06/01/1956	

**Labeler** - Atlantis Consumer Healthcare, Inc. (118983925)

**Registrant** - Atlantis Consumer Healthcare, Inc. (118983925)

Revised: 12/2023

Atlantis Consumer Healthcare, Inc.