## OXYGEN HELIUM MIXTURE - oxygen helium mixture gas Aero All Gas Company

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

## O2 20 HE 80 MIX

COMPRESSED GAS MIXTURE, USP %, %, % UN1956

ALL-GAS THE AERO ALL-GAS COMPANY 3150 Main St. Hartford, CT 06120 (860) 278-AERO (2376)

ACC-12

NON-FLAMMABLE GAS 2

Rx only. WARNING: Administration of Compressed Gas may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use administration of Compressed Gas and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken. WARNING: HIGH PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION. Store and use with adequate ventilation. Use equipment rated for cylinder pressure. Cylinder temperature should not exceed 52C (125F). Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. DO NOT REMOVE THIS PRODUCT LABEL.




COMPRESSED GAS MIXTURE, USP OXYGEN 20% HELIUM 80% UN1956 ALL-GAS THE AERO ALL-GAS COMPANY 3150 Main St. Hartford, CT 06120 (860) 278-AERO (2376)

ACC-25

NON-FLAMMABLE 2

Rx only. WARNING: Administration of Compressed Gas may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken. WARNING: HIGH PRESSURE GAS. Store and use with adequate ventilation. Keep oil and grease away. Use only with equipment cleaned for Oxygen service and rated for cylinder pressure. Cylinder temperature should not exceed 52C (125F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. DO NOT REMOVE THIS PRODUCT LABEL.



## **OXYGEN HELIUM MIXTURE**

oxygen helium mixture gas

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10014-006
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	200 mL in 1 L	
Helium (UNII: 206GF3GB41) (Helium - UNII:206GF3GB41)	Helium	800 mL in 1 L	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1 N	OC:10014-006-01	113 L in 1 CYLINDER		
2 N	OC:10014-006-02	170 L in 1 CYLINDER		
3 N	OC:10014-006-03	425 L in 1 CYLINDER		
4 N	OC:10014-006-04	705 L in 1 CYLINDER		
5 N	OC:10014-006-05	7108 L in 1 CYLINDER		
6 N	OC:10014-006-06	230 L in 1 CYLINDER		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		10/06/1972	

## Labeler - Aero All Gas Company (004532065)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Aero All Gas Company		004532065	manufacture	

Revised: 5/2010 Aero All Gas Company