

SUNSCREEN SPF 50- avobenzone 3% homosalate 13% octisalate 5% octocrylene 7% oxybenzone 4% lotion

Good Sense

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

3% Avobenzone

13% Homosalate

5% Octisalate

7% Octocrylene

4% Oxybenzone

Purpose

Sunscreen

Uses

- helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by sun.

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply: after 80 minutes of swimming or sweating, immediately after towel drying, at least every 2

hours

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Carbomer, Dimethicone, Disodium EDTA, Fragrance, Methylparaben, Polyglyceryl-3 Distearate, Propylparaben, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water

Other Information

- protect this product from excessive heat and direct sun
- may stain fabrics

Questions? 888-309-9030

GOODSENSE®

SUNSCREEN LOTION

**BROAD SPECTRUM
SPF 50**

- Water Resistant (80 Minutes)
- UVA/UVB Protection
- Hypoallergenic

*Compare to active ingredients of
Coppertone®



NET WT 8 OZ (227 g)

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 13%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen
Oxybenzone 4%	Sunscreen

Uses • helps prevent sunburn • higher SPF gives more sunburn protection
• retains SPF after 80 minutes of activity in the water or sweating

Warnings

For external use only

Do not use on damaged or broken skin

When using this product • Keep out of eyes. Rinse eyes with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply liberally 15 minutes before sun exposure • Reapply:
• after 80 minutes of swimming or sweating • immediately after towel drying
• at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: Ask a doctor

Other information • protect this product from excessive heat and direct sun. • may stain fabrics.

Inactive ingredients Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Carbomer, Dimethicone, Disodium EDTA, Fragrance, Methylparaben, Polyglyceryl-3 Distearate, Propylparaben, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water.

Questions? 888-309-9030

*This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., makers of Coppertone®.

Distributed by:
Geiss, Destin & Dunn, Inc.
Peachtree City, GA 30269
www.valuelabels.com
1-866-696-0957



SUNSCREEN SPF 50

avobenzone 3% homosalate 13% octisalate 5% octocrylene 7% oxybenzone 4% lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50804-784
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	13 g in 100 g
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 g
OXYBENZONE (UNII: 95OOS7VE0 Y) (OXYBENZONE - UNII:95OOS7VE0 Y)	OXYBENZONE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER HOMO POLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
SORBITOL (UNII: 506T60A25R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TROLAMINE (UNII: 9O3K93S3TK)	
EICOSYL POVIDONE (UNII: XQQ9MKE2BJ)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-784-04	113 g in 1 BOTTLE; Type 0: Not a Combination Product	04/05/2012	
2	NDC:50804-784-06	227 g in 1 BOTTLE; Type 0: Not a Combination Product	04/05/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	04/05/2012	

Labeler - Good Sense (076059836)

Registrant - Product Quest Mfg, LLC (927768135)

Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg, LLC		927768135	manufacture(50804-784) , label(50804-784)