

OXYGEN- oxygen gas
IWS Gas and Supply of Texas, LTD

Oxygen

OXYGEN REFRIGERATED LIQUID, USP OXYGEN 2

UN 1073 CRYOGENIC LIQUID Produced by Air Liquefaction

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING! EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX only.

WARNING! Uninterrupted use of high concentrations of oxygen over long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet.

WARNING: Cautions Federal Law Prohibits Dispensing without Prescription.

FIRST AID

IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.

Company Name:

Lot Number:

Contents:

Expiration Date:

DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN

REFRIGERATED LIQUID, U.S.P.

UN 1073

(CRYOGENIC LIQUID)

Produced by Air Liquefaction



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

WARNING!
EXTREMELY COLD OXIDIZING
LIQUID AND GAS UNDER
PRESSURE.
VIGOROUSLY ACCELERATES
COMBUSTION. COMBUSTIBLES
IN CONTACT WITH LIQUID
OXYGEN MAY EXPLODE ON
IGNITION OR IMPACT. CAN
CAUSE SEVERE FROSTBITE.

For emergency use only when
administered by properly trained
personnel for oxygen deficiency
and resuscitation. For all other
medical applications, RX only.

WARNING: Caution Federal Law Prohibits Dispensing without Prescription.

WARNING!
Uninterrupted use of high concentrations
of oxygen over long duration, without
monitoring its effect on oxygen content
of arterial blood, may be harmful. Use only
with pressure reducing equipment and
apparatus designed for oxygen. Do not
attempt to use on patients who have stop-
ped breathing, unless used in conjunction
with resuscitative equipment. Keep oil,
grease, and combustibles away. Use
only with equipment cleaned for oxygen
service. Store and use with adequate
ventilation. Do not get liquid in eyes, on
skin or clothing. For liquid withdrawal,
wear face shield and gloves. Do not drop.
Use hand truck for container movement.
Avoid spills. Do not walk on or roll equip-
ment over spills. Close valve after each
use and when empty. Use in accordance
with Material Safety Data Sheet.

FIRST AID

IN CASE OF FROSTBITE, obtain medical
treatment immediately.

**PLEASE REFER TO THE MATERIAL
SAFETY DATA SHEET FOR
SAFETY AND PRODUCT INFORMATION.**

Company Name:

Lot Number:

Contents:

Expiration Date:

FIRST AID

DO NOT REMOVE THIS PRODUCT LABEL

PART 828-USP
PRINTED BY RATERMANN MFG. INC. 925-606-2040

OXYGEN, COMPRESSED USP OXYGEN 2
UN1072

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. **WARNING:** SECURE ALL CYLINDERS WHEN IN STORAGE AND IN USE. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Use in accordance with Material Safety Data Sheet and safety precautions recommended by the supplier. **FIRST AID:** IF INHALED, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

WARNING: FEDERAL LAW PROHIBITS DISPENSING THIS PRODUCT WITHOUT PRESCRIPTION. Produced by air liquefaction. **DO NOT REMOVE THIS PRODUCT LABEL.**


IWS GAS AND SUPPLY OF TEXAS, LTD

4117 Fair Drive

Pasadena, TX 77507

EMERGENCY PHONE: 713-691-4900

Net Contents:



OXYGEN, COMPRESSED USP

UN1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

GAS AND SUPPLY

105 Rothrock Drive, Bldg. 2


Longview, TX 75602

903-653-0999

CONTENTS:

LTRS:

CU.FT.



OXYGEN, REFRIGERATED LIQUID USP

UN1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

DO NOT CHANGE OR FORCE FIT CONNECTIONS.

CONTENTS: LTRS: CU.FT.

WARNING: USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical application, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OF INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when

empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

GAS AND SUPPLY


105 Rothrock Drive, Bldg. 2

Longview, TX 75602

903-653-0999

REFRIGERATED LIQUID

OXYGEN,
REFRIGERATED
LIQUID
USP
UN1073



1 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. 1

DO NOT CHANGE OR FORCE FIT CONNECTIONS.

CONTENTS:

L786: ☐

CU FT: ☐

WARNING:

USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquelution.

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.

CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.


Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold resistant gloves, face shield, and eye protection. In case of fire. Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:


IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.



105 Rothrock Drive, Bldg. 2
Longview, TX 75602
903-653-0999



OXYGEN

oxygen gas

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:53425-001
Route of Administration	RESPIRATORY (INHALATION)		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)		OXYGEN	995 mL in 1 L

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53425-001-01	7108 L in 1 CYLINDER; Type 0: Not a Combination Product	07/19/2010	
2	NDC:53425-001-02	708 L in 1 CYLINDER; Type 0: Not a Combination Product	07/19/2010	
3	NDC:53425-001-03	425 L in 1 CYLINDER; Type 0: Not a Combination Product	07/19/2010	
4	NDC:53425-001-04	172365 L in 1 DEWAR; Type 0: Not a Combination Product	07/19/2010	
5	NDC:53425-001-05	198 L in 1 CYLINDER; Type 0: Not a Combination Product	07/19/2010	
6	NDC:53425-001-06	3228 L in 1 CYLINDER; Type 0: Not a Combination Product	07/19/2010	
7	NDC:53425-001-07	3539 L in 1 CYLINDER; Type 0: Not a Combination Product	07/19/2010	
8	NDC:53425-001-08	6456 L in 1 CYLINDER; Type 0: Not a Combination Product	07/19/2010	
9	NDC:53425-001-09	7249 L in 1 CYLINDER; Type 0: Not a Combination Product	07/19/2010	
10	NDC:53425-001-10	7957 L in 1 CYLINDER; Type 0: Not a Combination Product	07/19/2010	
11	NDC:53425-001-11	8693 L in 1 CYLINDER; Type 0: Not a Combination Product	07/19/2010	
12	NDC:53425-001-12	9543 L in 1 CYLINDER; Type 0: Not a Combination Product	07/19/2010	
13	NDC:53425-001-13	180 L in 1 DEWAR; Type 0: Not a Combination Product	07/19/2010	
14	NDC:53425-001-14	200 L in 1 DEWAR; Type 0: Not a Combination Product	07/19/2010	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA		NDA205712	07/19/2010	

Labeler - IWS Gas and Supply of Texas, LTD (963374793)

Establishment

Name	Address	ID/FEI	Business Operations
IWS GAS AND SUPPLY OF TEXAS, LTD		118170808	manufacture(53425-001)

Establishment

Name	Address	ID/FEI	Business Operations
IWS Gas and Supply of Texas, LTD		963374793	manufacture(53425-001)