CODEINE-GUAIFENESIN- codeine phosphate and guaifenesin solution A-S Medication Solutions

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Codeine-Guaifenesin

Drug Facts

Active ingredients (in each 5 mL = 1 tsp)	Purpose
Codeine phosphate, USP 10 mg	Antitussive
Guaifenesin, USP 100 mg	Expectorant

Uses

- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants
 - your cough to help you sleep
 - helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Warnings

Ask your doctor before use if

- you have a persistent cough, this may be a sign of a serious condition
- you have a persistent cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- you have a cough that is accompanied by excessive phlegm (mucus)
- you have chronic pulmonary disease or shortness of breath
- giving to a child who is taking other drugs

When using this product

- giving a higher dose than recommended by a doctor could result in serious side effects for your child. A special measuring device should be used to give an accurate dose of this product to children under 6 years of age.
- may cause or aggravate constipation

Stop use and ask a doctor if

• symptoms do not improve within 7 days, tend to recur or are accompanied by fever and rash or persistent headache. These may be symptoms of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact

a Poison Control Center right away.

Directions

do not exceed 6 doses in 24 hours.

	2 tsp (10 mL) every 4 hours,
years of age and over:	or as directed by a doctor.
Children 6 to under 12	1 tsp (5 mL) every 4 hours,
years of age:	or as directed by a doctor.
Children under 6 years of age:	Consult a doctor.

Other information

Store at controlled room temperature 15°-30°C (59°-86°F).

You may report side effects by calling 1-844-221-7294 or FDA at 1-800-FDA-1088.

Inactive Ingredients

Cherry flavor, citric acid, methylparaben, potassium citrate, potassium sorbate, propylparaben, propylene glycol, purified water, sorbitol, sucralose.

HOW SUPPLIED

Product: 50090-6435

NDC: 50090-6435-0 118 mL in a BOTTLE

CODEINE-GUAIFENESIN



CODEINE-GUAIFENESIN

codeine phosphate and guaifenesin solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50090- 6435(NDC:69367-272)
Route of Administration	ORAL	DEA Schedule	CV

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CODEINE PHOSPHATE (UNII: GSL05Y1MN6) (CODEINE ANHYDROUS - UNII:UX6OWY2V7J)	CODEINE PHOSPHATE	10 mg in 5 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL	

Inactive Ingredients			
Ingredient Name	Strength		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
METHYLPARABEN (UNII: A2I8C7HI9T)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
POTASSIUM CITRATE (UNII: EE90ONI6FF)			
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)			
SORBITOL (UNII: 506T60A25R)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:50090- 6435-0	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/13/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOCDARIL			

FINAL	part341	07/15/2020	

Labeler - A-S Medication Solutions (830016429)

Establishment			
Na me	Address	ID/FEI	Business Operations
A-S Medication Solutions		830016429	RELABEL(50090-6435)

Revised: 4/2023 A-S Medication Solutions