LORATADINE ALLERGY RELIEF- loratadine tablet OHM LABORATORIES INC.

Loratadine Allergy Relief

Drug Facts

Active ingredient (in each tablet)

Loratadine, USP 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 6	1 tablet daily; not more
years and over	than 1 tablet in 24 hours
children under 6 years of	ack a doctor

age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other Information

- store between 20° to 25° C (68° to 77° F)
- protect from excessive moisture
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

Inactive ingredients

corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions?

call **1-800-406-7984**

Distributed by: Ohm Laboratories Inc. New Brunswick, NJ 08901

PRINCIPAL DISPLAY PANEL - 10 mg Tablet Blister Pack Carton

[†]Compare To the active ingredient of Claritin[®]

 $ohm^{\hbox{\it \it l\hskip -2pt R}}$

NDC 51660-526-11

NON-DROWSY* 24 Hour Allergy Relief

Original Prescription Strength Allergy Relief Loratadine Tablets, USP 10 mg Antihistamine Indoor & Outdoor Allergies

Relief of:

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Throat or Nose

10 Tablets

* When taken as directed. See Drug Facts Panel.	

Keep the carton. It contains important information. See end panel for expiration date.

to this product occurs. Seek medical help right away. Stop use and ask a doctor if an allergic reaction

directed. Taking more than directed may cause Mhen using this product do not take more than

disease. Your doctor should determine if you need a Ask a doctor before use if you have liver or kidney

to this product or any of its ingredients. Do not use if you have ever had an allergic reaction Marnings

- itching of the nose or throat Buizəəus ■
 - цсий, матегу еуез
 - esou Kuunı 🔳
- or other upper respiratory a ergies:

temporarily relieves these symptoms due to hay fever

Loratadine, USP 10 mg......hnihistamine (in each tablet) Purpose Active ingredient

Drug Facts

Questions? call 1-800-406-7984

stearate, pregelatinized starch corn starch, lactose monohydrate, magnesium Inactive ingredients

- TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
- TAMPER EVIDENT: DO NOT USE # BLISTER UNITS ARE
 - protect from excessive moisture
 - store between 20° to 25° C (68° to 77° F)

Other Information

ask a doctor	duey disease
ask a doctor	children under 6 years of age
1 tablet daily; not more than 1 tablet in 24 hours	and over
	Directions
	1

right away (1-800-222-1222). get medical help or contact a Poison Control Center Keep out of reach of children. In case of overdose, If pregnant or breast-feeding, ask a health professional

Drug Facts (continued)



†Compare To the active ingredient of Claritin®

Allergy Relief

Loratadine Tablets, USP 10 mg

Antihistamine Indoor & Outdoor Allergies

NDC 51660-526-11

NON-DROWSY*

Hour Allergy Relief Ohm is a registered trademark of Sun Pharmaceutical Industries, Inc.

All other trademarks are property of their respective owners.

Expiration Date

Non Varnish Area

ohm Original Prescription Strength

Loratedine Tablets, USP 10 mg

Antihistamine Indoor & Outdoor Allergies

Relief of:

Sneezing

W Runny Nose

Itchy, Watery Eyes Utchy Throat or Nose

When taken as directed. See Drug Facts Panel.

10 Tablets

ohm[®]











LORATADINE ALLERGY RELIEF

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51660-526
--------------	----------------	--------------------	---------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN) LORATADINE 10 mg

Inactive Ingredients

9		
Ingredient Name	Strength	
STARCH, CORN (UNII: O8232NY3SJ)		
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		

Product Characteristics			
Color	white (White to Off White)	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	RX526
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51660- 526-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2017	
2	NDC:51660- 526-05	500 in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2017	
3	NDC:51660- 526-53	300 in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2017	
4	NDC:51660- 526-30	30 in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2019	
5	NDC:51660- 526-31	30 in 1 BLISTER PACK; Type 0: Not a Combination Product	11/01/2017	
6	NDC:51660- 526-11	10 in 1 BLISTER PACK; Type 0: Not a Combination Product	11/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	11/01/2017	

Labeler - OHM LABORATORIES INC. (184769029)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ohm Laboratories Inc.		184769029	MANUFACTURE(51660-526)	

Revised: 12/2023 OHM LABORATORIES INC.